


Model: 116HP (1/4" NPT)


Replacement Parts List

| | |
|---|---------------------------------|
| 12-32-xx | Disposable Filter Element |
| SS-12-32-xx | Stainless Steel Filter Element |
| PT-12-32-xx | PTFE Filter Element |
| PEL-12-32-xx | PEL Filter Element |
| TR110 | Tie Rod (A) |
| ER110 | Element Retainer (B) |
| SC110 | Support Core (Not Pictured) |
| SSB 110HP | 316L Stainless Steel Bowl (C) |
| MBSS130 | Mounting Bracket (Not Pictured) |
| Oxygen Cleaning Service Available Note – Please replace "xx" with micron rating or grade | |
| Available O-Rings | |
| BN110HP | Buna-N |
| GV110HP | Viton (Standard) (D) |
| KZ110HP | Kalrez |
| GS110HP | Silicone |
| | |

2 OFF MOUNTING HOLES
M6 x 10 FULL THREAD ON
1.50" (38mm) CENTERS @
90° TO PORT CENTERLINE



Please Note: Exotic Materials are available, for Hastelloy-C (116HP-HC) and for Monel (116HPM).

| | | | |
|---|---|--|--|
|  <p>United Filtration Systems, Inc. 6558 Diplomat Drive Sterling Heights, MI 48314 1-800-311-5561 www.unitedfiltration.com</p> | Model 116HP | | <p>THE COPYRIGHT OF THIS DRAWING IS RESERVED BY UNITED FILTRATION. IT IS ISSUED ON CONDITION THAT IT IS NOT COPIED, REPRODUCED OR DISCLOSED TO A THIRD PARTY EITHER WHOLLY, OR IN PART WITHOUT CONSENT IN WRITING.</p> |
| | <p>Material: Head: 316L Stainless Steel Bowl: 316L Stainless Steel Internals: 316L Stainless Steel Standard Gasket / O-ring: Viton</p> | <p>Drain Type: None Maximum Temperature: 400°F Maximum Pressure: 10,000 PSIG Internal Volume: 26 cc Weight: 5 lbs</p> | |
| <p>Drawn By & Date UFS0529V</p> | | | |
| <p>DO NOT SCALE DRAWING IF IN DOUBT ASK</p> | | | |