




Model: 138G (1/2" NPT)

Replacement Parts List

| | |
|---|--|
| 25-64-xx | Disposable Filter Element |
| SS-25-64-xx | Stainless Steel Filter Element Comes Standard with Teflon Seals "T" Add "V" for optional Viton Seals when Ordering |
| PT-25-64-xx | PTFE Filter Element |
| PEL-25-64-xx | PEL Filter Element |
| TR137 | Tie Rod (A) |
| ER137 | Element Retainer (B) |
| SC130 | Support Core (Not Pictured) |
| GB137 | Glass Bowl (C) |
| BP137 | Base Plate (D) |
| BG137 | Bowl Guard (E) |
| MBSS130 | Mounting Bracket (Not Pictured) |
| Oxygen Cleaning Service Available Note – Please replace "xx" with micron rating or grade | |
| Available O-Rings | |
| BN137 | Buna-N (Set of 3) |
| GV137 | Viton (Standard) (Set of 3) (F) |
| KZ137 | Kalrez (Set of 3) |
| GS137 | Silicone (Set of 3) |
| | |



Please Note: Exotic Materials are available, for Hastelloy-C (138GHC) and for Monel (138GM).

| | | | |
|---|---|--|---|
|  <p>United Filtration Systems, Inc. 6558 Diplomat Drive Sterling Heights, MI 48314 1-800-311-5561 www.unitedfiltration.com</p> <p>DO NOT SCALE DRAWING IF IN DOUBT ASK</p> | Model 138G | | <p>THE COPYRIGHT OF THIS DRAWING IS RESERVED BY UNITED FILTRATION. IT IS ISSUED ON CONDITION THAT IT IS NOT COPIED, REPRODUCED OR DISCLOSED TO A THIRD PART EITHER WHOLLY, OR IN PART WITHOUT CONSENT IN WRITING.</p> |
| | <p>Material: Head: 316L Stainless Steel Bowl: 316L Stainless Steel Internals: 316L Stainless Steel Standard Gasket / O-ring: Viton</p> | <p>Drain Type: 1/4" FNPT Maximum Temperature: 400°F Maximum Pressure: 100 PSIG Internal Volume: 110 cc Weight: 2 lbs.</p> | |
| <p>Drawn By & Date UFS1012Y</p> | | | |