


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ. England</u>	
PLANT LOCATIONS: <u>As above</u>	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types  <input checked="" type="radio"/> E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p align="center">ASME B31.3</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/>                  DESCRIBE OTHER:                  Machined from solid billet</p>	
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>For the 390AHP and 390AHPF Filter housings to drawing numbers HF4/3907 and HF4/3948                  Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate, Drawings, Calculations.                  Proof Test Certificate</p>	

**DECLARATION:**  
 I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Scott Hardiman*  
 Declared before me at 16 MILL STREET MAIDSTONE, KENT  
 This 19<sup>th</sup> day of JUNE AD 2014  
 Commissioner of Oaths or Notary Public: (sign) *[Signature]*  
 (Affix Official seal to the right)

**Alexander Gwilum Astley**  
 16 Mill Street  
 Maidstone, Kent ME15 6XT  
 Tel: 01622 678341  
 Notary Public



This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OE04447.2 ADD4  
 FID#: 2895

REGISTRATION ONLY  
 CRN OE04447.27ADD4 9411

EXAMINER: *[Signature]*  
 for  
 CHIEF BOILER INSPECTOR  
 DATE: 9/26/2014

BLRs  PVs  
 FITTINGS  COMPONENTS

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Headline Filters Ltd

MANUFACTURERS ADDRESS: Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ. England


PLANT LOCATIONS: As above

**CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY**

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  
 B Flanges: all flanges  
 C Valves: all line valves  
 D Expansion joints, flexible connections, and hose assemblies: all types  
 E Strainers, filters, separators, and steam traps  
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  
 H Pressure retaining components that do not fall into one of the above categories  
 N Nuclear components: Class 1  Class 2  Class 3 . (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION  
ASME B31.3

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION  
 FORGED  WELDED  WROUGHT   
 CAST  OTHER   
 DESCRIBE OTHER:  
Machined from solid billet

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:  
For the 390AHP and 390AHPF Filter housings to drawing numbers HF4/3907 and HF4/3948  
Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate, Drawings, Calculations.  
Proof Test Certificate

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Standima

Declared before me at 16 NEW STREET MAIDSTONE, KENT  
This 19<sup>th</sup> day of JUNE AD 2014

Commissioner of Oaths  
or Notary Public: (sign) [Signature]  
(Affix Official seal to the right)

Alexander Gwillum Astley  
18 Mill Street  
Maidstone, Kent ME15 6XT  
Tel: 01622 878341  
Notary Public



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OE04447.2 ADD4

FID#: 2895

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

BOILER & PRESSURE VESSEL  
 NOVA SCOTIA  
 Date Sept. 26/14  
 C.R.N. OE04447.28ADD4  
 Dwg. as described  
 Signed Yvonne Perry  
 L of L  
 Part  
 ACT & REGULATIONS

94-114


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ. England</u>	
PLANT LOCATIONS: <u>As above</u>	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><b>E</b> Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p align="center">ASME B31.3</p>
<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <div align="center" style="font-size: 2em; font-weight: bold;">  </div>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/></p> <p>DESCRIBE OTHER: Machined from solid billet</p>
<p align="center"><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>For the 390AHP and 390AHPF Filter housings to drawing numbers HF4/3907 and HF4/3948 Existing CRN In Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate, Drawings, Calculations. Proof Test Certificate</p>	

**DECLARATION:**

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

**Alexander Gwilum Astley**

Declared before me at 16 MILL STREET MAIDSTONE, KENT

16 Mill Street E THIS SPACE


This 19<sup>th</sup> day of JUNE AD 2014


Maidstone, Kent ME15 6XT OFFICIAL

Commissioner of Oaths  
or Notary Public: (sign) 

Tel: 01622 678341  
Notary Public

(Affix Official seal to the right)



<p>This space for Regulatory Authority use</p> <p>This registration must be revalidated after ten (10) years from the date of acceptance.</p>	
CRN: <u>OE04447.2 ADD4</u>	
FID#: <u>2895</u>	
Notes:	
<p>1. All fittings shall be registered in the name of the Manufacturer.</p> <p>2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</p> <p>3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.</p> <p>4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p>	
<p align="center"><b>ACCEPTED</b></p> <p align="center"><b>PROVINCE OF PRINCE EDWARD ISLAND</b></p> <p align="center"><b>ENVIRONMENT, LABOUR &amp; JUSTICE</b></p> <p align="center">C.R.N. <u>OE04447.29 ADD4</u></p> <p align="center">DATE: <u>08 Oct 2014</u></p> <p align="center"><u></u></p> <p align="center"><b>INSPECTION SERVICES SECTION</b></p> <p align="center"><b>BOILER/PRESSURE VESSEL DEPT</b></p>	


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ. England</u>	
PLANT LOCATIONS: <u>As above</u>	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b>	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p><input checked="" type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input checked="" type="radio"/> E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME B31.3</p>
<b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b>	
	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/></p> <p>DESCRIBE OTHER: Machined from solid billet</p>
<b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b>	
<p>For the 390AHP and 390AHPF Filter housings to drawing numbers HF4/3907 and HF4/3948</p> <p>Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate, Drawings, Calculations.</p> <p>Proof Test Certificate</p>	

**DECLARATION:**

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: *Scott Hardiman*

Declared before me at 16 MILL STREET MAIDSTONE, KENT  
 This 19<sup>th</sup> day of JUNE AD 2014

Commissioner of Oaths  
 or Notary Public: (sign) *[Signature]*

**Alexander Gwillum Astley**

16 Mill Street  
 Maidstone, Kent ME15 6XT  
 Tel 01622 678341  
 Notary Public



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OE04447.2 ADD4

FID#: 2895

Notes:

- All fittings shall be registered in the name of the Manufacturer.
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Newfoundland  
 Labrador  
 Service NL

Registered OE04447.20 ADD.4  
 Date 19/09/26  
 Engineering and Inspection Services  
 Registered by *[Signature]*

UNDER THE AUTHORITY OF THE  
 PUBLIC SAFETY ACT AND  
 THE BOILER, PRESSURE VESSEL AND  
 COMPRESSED GAS REGULATIONS


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ. England</u>	
PLANT LOCATIONS: <u>As above</u>	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers          B Flanges: all flanges          C Valves: all line valves  <input checked="" type="radio"/> <b>E</b> Strainers, filters, separators, and steam traps          F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters          G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs          H Pressure retaining components that do not fall into one of the above categories          N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p align="center">ASME B31.3</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>          CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/>          DESCRIBE OTHER:          Machined from solid billet</p>	
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>For the 390AHP and 390AHPF Filter housings to drawing numbers HF4/3907 and HF4/3948          Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate, Drawings, Calculations.          Proof Test Certificate</p>	

**DECLARATION:**

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: Scott Hardiman

Declared before me at 16 MILL STREET MAIDSTONE, KENT  
 This 19<sup>th</sup> day of JUNE AD 2014

Commissioner of Oaths or Notary Public: (sign) [Signature]

**Alexander Gwilum Astley**  
 16 Mill Street  
 Maidstone, Kent ME15 6XT  
 Tel: 01622 67834  
 Notary Public

THIS SPACE OFFICIAL



<p>This registration must be revalidated every 10 years from the date of acceptance.</p> <p>CRN: <u>OE04447.2 ADD4</u></p> <p>FID#: <u>2895</u></p> <p>Notes:          1. All fittings shall be registered in the name of the Manufacturer.          2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.          3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.          4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p>	<p align="center"><b>NUNAVUT</b></p> <p align="center">Boilers and Pressure Vessels Act</p> <p align="center"><b>REGISTERED</b></p> <p>CRN <u>OE04447.2 NADD4</u>          Date <u>SEP 26, 2014</u>          Signed <u>[Signature]</u>          Chief Inspector</p> <p align="center"><b>Territorial Registration Fee</b></p>
--	---


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT



NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ. England</u>	
PLANT LOCATIONS: <u>As above</u>	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types  <input checked="" type="radio"/> E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p align="center">ASME B31.3</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
<p align="center"><b>TYPE OF CONSTRUCTION</b></p> FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: Machined from solid billet	
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> For the 390AHP and 390AHPF Filter housings to drawing numbers HF4/3907 and HF4/3948 Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate, Drawings, Calculations. Proof Test Certificate	

**DECLARATION:**  
 I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:   
 Declared before me at 16 MILL STREET MAIDSTONE, KENT  
 This 19<sup>th</sup> day of JUNE AD 2014  
 Commissioner of Oaths or Notary Public: (sign)   
 (Affix Official seal to the right)


**Alexander Gwillum Astley**  
 16 Mill Street  
 Maidstone, Kent ME15 6XT  
 Tel: 01622 878341  
 Notary Public



This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OE04447.2 ADD4  
 FID#: 2895

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

GOVERNMENT OF YUKON  
 BY   
 CRN OE04447  
 DATE 9/19/2014  
 BOILERS BRANCH

94614


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ. England</u>	
PLANT LOCATIONS: <u>As above</u>	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b>	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves <input checked="" type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types <input checked="" type="checkbox"/> E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting AECB or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION  <u>ASME B31.3</u>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: <u>Machined from solid billet</u>
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: <u>For the 390AHP and 390AHPF Filter housings to drawing numbers HF4/3907 and HF4/3948</u> <u>Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate, Drawings, Calculations, Proof Test Certificate</u>	

**DECLARATION:**

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Scott Hardiman

Declared before me at 16 MILL STREET, MALDSTONE, KENT


This 19<sup>th</sup> day of JUNE AD 2014


Commissioner of Oaths or Notary Public: (sign) [Signature]

(Affix Official seal to the right)

**Alexander Gwilum Astley**

16 Mill Street  
Maldstone, Kent ME15 6XT  
Tel: 01622 678341  
Notary Public



This registration must be revalidated after ten (10) years from the date of acceptance. CRN: <u>OE04447.2 ADD4</u> FID#: <u>2895</u>	This space for Regulatory Authority use  Northwest Territories <b>REGISTERED</b> UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT. C.R.N. <u>OE04447.21 ADD4</u> SIGNED <u>[Signature]</u> DATE <u>SEP 26 2014</u>
--	---

**Notes:**

- All fittings shall be registered in the name of the Manufacturer.
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.