



Cross Reference Chart for Balston®

This chart highlights a comparison between our product and Balston® products, cross-referenced by equivalent attributes and matching physical sizes.

Section / Description

Page Number

Filter Elements

Disposable, Stainless Steel, & Liquid Elements

2

Adsorption Cartridge

Vapor Adsorption Cartridges

10

DFU vs. DIF - DIA

Disposable In-Line Filters & Adsorbers

11

Aluminum Filter Housings

Aluminum Filter Housings & Assemblies

15

Filter Regulators

Aluminum Filter Regulators

20

SS Filter Housings

316L SS, In-Line, Fast Loop, Heatable, & PTFE Housings

21

Catch Pots

Compressed Air & Gas Water Separators

24

Plastic Filters

Plastic Filter Housings, Including Low Flow Water Filters

25

Vacuum Pump Exhaust

Vacuum Pump Exhaust Housings

26

Membrane Housings & Kits

Membrane Separator Housings & PTFE Membrane Discs

27

Discontinued Part Numbers

Part Numbers that Balston® No Longer Sells

28

Please note that Headline housings/assemblies are offered as alternatives. Refer to the specifications for each product before selection. This chart does not list all Headline housings/assemblies—only those that are similar to Balston® products. Please review the applicable bulletin specifications or contact United Filtration Systems for assistance at (586) 802-5561. You may also visit our website at www.unitedfiltration.com or email us at sales@unitedfiltration.com. If you have difficulty identifying a housing model number, please call or email for support.



Disposable Filter Elements

Balston® and UFS/Headline part numbers are fully interchangeable, offering direct compatibility.

Balston® Part Number
(Element Size: 0.50" x 1.00")

UFS/Headline Part Number
(Element Size 0.50" x 1.00")

050-03-DX	12-25-70C (95% @ .01 micron)
050-03-CX	12-25-60C (99.5% @ .01 micron)
050-03-BX	12-25-50C (99.99% @ .01 micron)
050-03-DXE	12-25-70CE (95% @ .01 micron)
050-03-CXE	12-25-60CE (99.5% @ .01 micron)
050-03-BXE	12-25-50CE (99.99% @ .01 micron)
050-03-DQ	12-25-70K (95% @ .01 micron)
050-03-CQ	12-25-60K (99.5% @ .01 micron)
050-03-BQ	12-25-50K (99.99% @ .01 micron)
050-03-AQ	12-25-40K (99.9999% @ .01 micron)
050-03-AAQ	12-25-30K (99.99998% @ .01 micron)
050-03-DH	12-25-70S (95% @ .01 micron)
050-03-CH	12-25-60S (99.5% @ .01 micron)
050-03-BH	12-25-50S (99.99% @ .01 micron)
050-03-AH	12-25-40S (99.9999% @ .01 micron)
050-03-AAH	12-25-30S (99.99998% @ .01 micron)
050-03-B	12-25-50K (99.99% @ .01 micron)
050-03-A	12-25-40K (99.9999% @ .01 micron)
050-03-AA	12-25-30K (99.99998% @ .01 micron)
050-03-371H	12-25-50CS (99.99% @ .01 micron)
050-03-SA	12-25-40L (99.9999% @ .01 micron)

Balston® Part Number
(Element Size: 0.50" x 1.25")

UFS/Headline Part Number
(Element Size 0.50" x 1.25")

050-05-DX	12-32-70C (95% @ .01 micron)
050-05-CX	12-32-60C (99.5% @ .01 micron)
050-05-BX	12-32-50C (99.99% @ .01 micron)
050-05-DXE	12-32-70CE (95% @ .01 micron)
050-05-CXE	12-32-60CE (99.5% @ .01 micron)
050-05-BXE	12-32-50CE (99.99% @ .01 micron)
050-05-DQ	12-32-70K (95% @ .01 micron)
050-05-CQ	12-32-60K (99.5% @ .01 micron)
050-05-BQ	12-32-50K (99.99% @ .01 micron)
050-05-AQ	12-32-40K (99.9999% @ .01 micron)
050-05-AAQ	12-32-30K (99.99998% @ .01 micron)
050-05-DH	12-32-70S (95% @ .01 micron)
050-05-CH	12-32-60S (99.5% @ .01 micron)
050-05-BH	12-32-50S (99.99% @ .01 micron)
050-05-AH	12-32-40S (99.9999% @ .01 micron)
050-05-AAH	12-32-30S (99.99998% @ .01 micron)

Balston® Part Number
(Element Size: 0.50" x 1.25")

UFS/Headline Part Number
(Element Size 0.50" x 1.25")

050-05-B	12-32-50K (99.99% @ .01 micron)
050-05-A	12-32-40K (99.9999% @ .01 micron)
050-05-AA	12-32-30K (99.99998% @ .01 micron)
050-05-371H	12-32-50CS (99.99% @ .01 micron)
050-05-SA	12-32-40L (99.9999% @ .01 micron)
050-05-CS	12-32-60RPT (99.5% @ .01 micron)

Balston® Part Number
(Element Size: 0.50" x 2.25")

UFS/Headline Part Number
(Element Size 0.50" x 2.25")

050-11-DX	12-57-70C (95% @ .01 micron)
050-11-CX	12-57-60C (99.5% @ .01 micron)
050-11-BX	12-57-50C (99.99% @ .01 micron)
050-11-DXE	12-57-70CE (95% @ .01 micron)
050-11-CXE	12-57-60CE (99.5% @ .01 micron)
050-11-BXE	12-57-50CE (99.99% @ .01 micron)
050-11-DQ	12-57-70K (95% @ .01 micron)
050-11-CQ	12-57-60K (99.5% @ .01 micron)
050-11-BQ	12-57-50K (99.99% @ .01 micron)
050-11-AQ	12-57-40K (99.9999% @ .01 micron)
050-11-AAQ	12-57-30K (99.99998% @ .01 micron)
050-11-DH	12-57-70S (95% @ .01 micron)
050-11-CH	12-57-60S (99.5% @ .01 micron)
050-11-BH	12-57-50S (99.99% @ .01 micron)
050-11-AH	12-57-40S (99.9999% @ .01 micron)
050-11-AAH	12-57-30S (99.99998% @ .01 micron)
050-11-B	12-57-50K (99.99% @ .01 micron)
050-11-A	12-57-40K (99.9999% @ .01 micron)
050-11-AA	12-57-30K (99.99998% @ .01 micron)
050-11-371H	12-57-50CS (99.99% @ .01 micron)
050-11-SA	12-57-40L (99.9999% @ .01 micron)
050-11-CS	12-57-60RPT (99.5% @ .01 micron)

Balston® Part Number
(Element Size: 1.00" x2.00")

UFS/Headline Part Number
(Element Size 1.00" x2.00")

100-09-DX	25-51-70C (95% @ .01 micron)
100-09-CX	25-51-60C (99.5% @ .01 micron)
100-09-BX	25-51-50C (99.99% @ .01 micron)
100-09-DXE	25-51-70CE (95% @ .01 micron)
100-09-CXE	25-51-60CE (99.5% @ .01 micron)
100-09-BXE	25-51-50CE (99.99% @ .01 micron)

Balston® Part Number
(Element Size: 1.00" x2.00")

UFS/Headline Part Number
(Element Size 1.00" x2.00")

100-09-DQ	25-51-70K (95% @ .01 micron)
100-09-CQ	25-51-60K (99.5% @ .01 micron)
100-09-BQ	25-51-50K (99.99% @ .01 micron)
100-09-AQ	25-51-40K (99.9999% @ .01 micron)
100-09-AAQ	25-51-30K (99.99998% @ .01 micron)
100-09-DH	25-51-70S (95% @ .01 micron)
100-09-CH	25-51-60S (99.5% @ .01 micron)
100-09-BH	25-51-50S (99.99% @ .01 micron)
100-09-AH	25-51-40S (99.9999% @ .01 micron)
100-09-AAH	25-51-30S (99.99998% @ .01 micron)
100-09-B	25-51-50K (99.99% @ .01 micron)
100-09-A	25-51-40K (99.9999% @ .01 micron)
100-09-AA	25-51-30K (99.99998% @ .01 micron)
100-09-371H	25-51-50CS (99.99% @ .01 micron)
100-09-SA	25-51-40L (99.9999% @ .01 micron)
100-09-CS	25-51-60RPT (99.5% @ .01 micron)

Balston® Part Number
(Element Size: 1.00" x 2.50")

UFS/Headline Part Number
(Element Size 1.00" x 2.50")

100-12-DX	25-64-70C (95% @ .01 micron)
100-12-CX	25-64-60C (99.5% @ .01 micron)
100-12-BX	25-64-50C (99.99% @ .01 micron)
100-12-DXE	25-64-70CE (95% @ .01 micron)
100-12-CXE	25-64-60CE (99.5% @ .01 micron)
100-12-BXE	25-64-50CE (99.99% @ .01 micron)
100-12-DQ	25-64-70K (95% @ .01 micron)
100-12-CQ	25-64-60K (99.5% @ .01 micron)
100-12-BQ	25-64-50K (99.99% @ .01 micron)
100-12-AQ	25-64-40K (99.9999% @ .01 micron)
100-12-AAQ	25-64-30K (99.99998% @ .01 micron)
100-12-DH	25-64-70S (95% @ .01 micron)
100-12-CH	25-64-60S (99.5% @ .01 micron)
100-12-BH	25-64-50S (99.99% @ .01 micron)
100-12-AH	25-64-40S (99.9999% @ .01 micron)
100-12-AAH	25-64-30S (99.99998% @ .01 micron)
100-12-B	25-64-50K (99.99% @ .01 micron)
100-12-A	25-64-40K (99.9999% @ .01 micron)
100-12-AA	25-64-30K (99.99998% @ .01 micron)
100-12-371H	25-64-50CS (99.99% @ .01 micron)
100-12-DH21	25-64-70S21-R (95% @ .01 micron)
100-12-SA	25-64-40L (99.9999% @ .01 micron)
100-12-404	25-64-60W (99.5% @ .01 micron)
100-12-CS	25-64-60RPT (99.5% @ .01 micron)

Balston® Part Number
(Element Size: 1.00" x 5.00")

UFS/Headline Part Number
(Element Size 1.00" x 5.00")

100-18-DX	25-127-70C (95% @ .01 micron)
100-18-CX	25-127-60C (99.5% @ .01 micron)
100-18-BX	25-127-50C (99.99% @ .01 micron)
100-18-DXE	25-127-70CE (95% @ .01 micron)
100-18-CXE	25-127-60CE (99.5% @ .01 micron)
100-18-BXE	25-127-50CE (99.99% @ .01 micron)
100-18-DQ	25-127-70K (95% @ .01 micron)
100-18-CQ	25-127-60K (99.5% @ .01 micron)
100-18-BQ	25-127-50K (99.99% @ .01 micron)
100-18-AQ	25-127-40K (99.9999% @ .01 micron)
100-18-AAQ	25-127-30K (99.99998% @ .01 micron)
100-18-DH	25-127-70S (95% @ .01 micron)
100-18-CH	25-127-60S (99.5% @ .01 micron)
100-18-BH	25-127-50S (99.99% @ .01 micron)
100-18-AH	25-127-40S (99.9999% @ .01 micron)
100-18-AAH	25-127-30S (99.99998% @ .01 micron)
100-18-B	25-127-50K (99.99% @ .01 micron)
100-18-A	25-127-40K (99.9999% @ .01 micron)
100-18-AA	25-127-30K (99.99998% @ .01 micron)
100-18-371H	25-127-50CS (99.99% @ .01 micron)
100-18-SA	25-127-40L (99.9999% @ .01 micron)
100-18-CS	25-127-60RPT (99.5% @ .01 micron)

Balston® Part Number
(Element Size: 1.00" x 7.00")

UFS/Headline Part Number
(Element Size 1.00" x 7.00")

100-25-DX	25-178-70C (95% @ .01 micron)
100-25-CX	25-178-60C (99.5% @ .01 micron)
100-25-BX	25-178-50C (99.99% @ .01 micron)
100-25-DXE	25-178-70CE (95% @ .01 micron)
100-25-CXE	25-178-60CE (99.5% @ .01 micron)
100-25-BXE	25-178-50CE (99.99% @ .01 micron)
100-25-DQ	25-178-70K (95% @ .01 micron)
100-25-CQ	25-178-60K (99.5% @ .01 micron)
100-25-BQ	25-178-50K (99.99% @ .01 micron)
100-25-AQ	25-178-40K (99.9999% @ .01 micron)
100-25-AAQ	25-178-30K (99.99998% @ .01 micron)
100-25-DH	25-178-70S (95% @ .01 micron)
100-25-CH	25-178-60S (99.5% @ .01 micron)
100-25-BH	25-178-50S (99.99% @ .01 micron)
100-25-AH	25-178-40S (99.9999% @ .01 micron)
100-25-AAH	25-178-30S (99.99998% @ .01 micron)

Balston® Part Number
(Element Size: 1.00" x 7.00")

UFS/Headline Part Number
(Element Size 1.00" x 7.00")

100-25-B
100-25-A
100-25-AA
100-25-371H
100-25-DH21
100-25-SA
100-25-CS

25-178-50K (99.99% @ .01 micron)
25-178-40K (99.9999% @ .01 micron)
25-178-30K (99.99998% @ .01 micron)
25-178-50CS (99.99% @ .01 micron)
25-178-70S21-R (95% @ .01 micron)
25-178-40L (99.9999% @ .01 micron)
25-178-60RPT (99.5% @ .01 micron)

Balston® Part Number
(Element Size: 1.50" x 6.00")

UFS/Headline Part Number
(Element Size 1.50" x 6.00")

150-19-DX
150-19-CX
150-19-BX
150-19-DXE
150-19-CXE
150-19-BXE
150-19-DQ
150-19-CQ
150-19-BQ
150-19-AQ
150-19-AAQ
150-19-DH
150-19-CH
150-19-BH
150-19-AH
150-19-AAH
150-19-B
150-19-A
150-19-AA
150-19-371H
150-19-SA

38-152-70C-DOE (95% @ .01 micron)
38-152-60C-DOE (99.5% @ .01 micron)
38-152-50C-DOE (99.99% @ .01 micron)
38-152-70CE-DOE (95% @ .01 micron)
38-152-60CE-DOE (99.5% @ .01 micron)
38-152-50CE-DOE (99.99% @ .01 micron)
38-152-70K (95% @ .01 micron)
38-152-60K (99.5% @ .01 micron)
38-152-50K (99.99% @ .01 micron)
38-152-40K (99.9999% @ .01 micron)
38-152-30K (99.99998% @ .01 micron)
38-152-70S (95% @ .01 micron)
38-152-60S (99.5% @ .01 micron)
38-152-50S (99.99% @ .01 micron)
38-152-40S (99.9999% @ .01 micron)
38-152-30S (99.99998% @ .01 micron)
38-152-50K (99.99% @ .01 micron)
38-152-40K (99.9999% @ .01 micron)
38-152-30K (99.99998% @ .01 micron)
38-152-50CS-DOE (99.99% @ .01 micron)
38-152-40L (99.9999% @ .01 micron)

Balston® Part Number
(Element Size: 2.00" x 3.50")

UFS/Headline Part Number
(Element Size 2.00" x 3.50")

200-16-DX
200-16-CX
200-16-BX
200-16-DXE
200-16-CXE
200-16-BXE

51-89-70C (95% @ .01 micron)
51-89-60C (99.5% @ .01 micron)
51-89-50C (99.99% @ .01 micron)
51-89-70CE (95% @ .01 micron)
51-89-60CE (99.5% @ .01 micron)
51-89-50CE (99.99% @ .01 micron)

Balston® Part Number
(Element Size: 2.00" x 3.50")

UFS/Headline Part Number
(Element Size 2.00" x 3.50")

200-16-DQ
200-16-CQ
200-16-BQ
200-16-AQ
200-16-AAQ
200-16-DH
200-16-CH
200-16-BH
200-16-AH
200-16-AAH
200-16-B
200-16-A
200-16-AA
200-16-371H
200-16-SA

51-89-70K (95% @ .01 micron)
51-89-60K (99.5% @ .01 micron)
51-89-50K (99.99% @ .01 micron)
51-89-40K (99.9999% @ .01 micron)
51-89-30K (99.99998% @ .01 micron)
51-89-70S (95% @ .01 micron)
51-89-60S (99.5% @ .01 micron)
51-89-50S (99.99% @ .01 micron)
51-89-40S (99.9999% @ .01 micron)
51-89-30S (99.99998% @ .01 micron)
51-89-50K (99.99% @ .01 micron)
51-89-40K (99.9999% @ .01 micron)
51-89-30K (99.99998% @ .01 micron)
51-89-50CS (99.99% @ .01 micron)
51-89-40L (99.9999% @ .01 micron)

Balston® Part Number
(Element Size: 2.00" x 8.39")

UFS/Headline Part Number
(Element Size 2.00" x 8.39")

200-30-R

34/59-213-70ZZ (95% @ .01 micron)

Balston® Part Number
(Element Size: 2.00" x 9.00")

UFS/Headline Part Number
(Element Size 2.00" x 9.00")

200-35-DX
200-35-CX
200-35-BX
200-35-DXE
200-35-CXE
200-35-BXE
200-35-DQ
200-35-CQ
200-35-BQ
200-35-AQ
200-35-AAQ
200-35-DH
200-35-CH
200-35-BH
200-35-AH
200-35-AAH
200-35-B
200-35-A
200-35-AA
200-35-371H
200-35-SA

51-230-70C (95% @ .01 micron)
51-230-60C (99.5% @ .01 micron)
51-230-50C (99.99% @ .01 micron)
51-230-70CE (95% @ .01 micron)
51-230-60CE (99.5% @ .01 micron)
51-230-50CE (99.99% @ .01 micron)
51-230-70K (95% @ .01 micron)
51-230-60K (99.5% @ .01 micron)
51-230-50K (99.99% @ .01 micron)
51-230-40K (99.9999% @ .01 micron)
51-230-30K (99.99998% @ .01 micron)
51-230-70S (95% @ .01 micron)
51-230-60S (99.5% @ .01 micron)
51-230-50S (99.99% @ .01 micron)
51-230-40S (99.9999% @ .01 micron)
51-230-30S (99.99998% @ .01 micron)
51-230-50K (99.99% @ .01 micron)
51-230-40K (99.9999% @ .01 micron)
51-230-30K (99.99998% @ .01 micron)
51-230-50CS (99.99% @ .01 micron)
51-230-40L (99.9999% @ .01 micron)

Balston® Part Number
(Element Size: 2.00" x 18.11")

UFS/Headline Part Number
(Element Size 2.00" x 18.11")

200-75-R

37/59-460-70ZZ (95% @ .01 micron)

Balston® Part Number
(Element Size: 2.00" x 18.75")

UFS/Headline Part Number
(Element Size 2.00" x 18.75")

200-80-DX
200-80-CX
200-80-BX
200-80-DXE
200-80-CXE
200-80-BXE
200-80-DQ
200-80-CQ
200-80-BQ
200-80-AQ
200-80-AAQ
200-80-DH
200-80-CH
200-80-BH
200-80-AH
200-80-AAH
200-80-B
200-80-A
200-80-AA
200-80-371H
200-80-SA

51-476-70C (95% @ .01 micron)
51-476-60C (99.5% @ .01 micron)
51-476-50C (99.99% @ .01 micron)
51-476-70CE (95% @ .01 micron)
51-476-60CE (99.5% @ .01 micron)
51-476-50CE (99.99% @ .01 micron)
51-476-70K (95% @ .01 micron)
51-476-60K (99.5% @ .01 micron)
51-476-50K (99.99% @ .01 micron)
51-476-40K (99.9999% @ .01 micron)
51-476-30K (99.99998% @ .01 micron)
51-476-70S (95% @ .01 micron)
51-476-60S (99.5% @ .01 micron)
51-476-50S (99.99% @ .01 micron)
51-476-40S (99.9999% @ .01 micron)
51-476-30S (99.99998% @ .01 micron)
51-476-50K (99.99% @ .01 micron)
51-476-40K (99.9999% @ .01 micron)
51-476-30K (99.99998% @ .01 micron)
51-476-50CS (99.99% @ .01 micron)
51-476-40L (99.9999% @ .01 micron)

Stainless Steel Elements

UFS/Headline and Balston® part numbers come complete with Viton O-Rings.

Balston® Part Number
(Element Size: 0.50" x 2.25")

UFS/Headline Part Number
(Element Size 0.50" x 2.25")

050-11-05M
050-11-10M
050-11-20M
050-11-40M
050-11-70M
050-11-00M

SS-12-57-03V (3 Micron)
SS-12-57-10V (10 Micron)
SS-12-57-25V (25 Micron)
SS-12-57-50V (50 Micron)
SS-12-57-50V (50 Micron)
SS-12-57-100V (100 Micron)

Balston® Part Number
(Element Size: 1.00" x 2.50")

UFS/Headline Part Number
(Element Size 1.00" x 2.50")

100-12-05M
100-12-10M
100-12-20M
100-12-40M
100-12-70M
100-12-00M

SS-25-64-03V (3 Micron)
SS-25-64-10V (10 Micron)
SS-25-64-25V (25 Micron)
SS-25-64-50V (50 Micron)
SS-25-64-50V (50 Micron)
SS-25-64-100V (100 Micron)

Balston® Part Number
(Element Size: 1.00" x 7.00")

UFS/Headline Part Number
(Element Size 1.00" x 7.00")

100-25-05M
100-25-10M
100-25-20M
100-25-40M
100-25-70M
100-25-00M

SS-25-178-03V (3 Micron)
SS-25-178-10V (10 Micron)
SS-25-178-25V (25 Micron)
SS-25-178-50V (50 Micron)
SS-25-178-50V (50 Micron)
SS-25-178-100V (100 Micron)

Liquid Elements

Cross Comparisons are based on functionality, but not interchangeable.

Balston® Part Number
Material: Polypropylene
(Element Size: 1.00" x 2.50")

UFS/Headline Part Number
Material: Polyethylene
(Element Size 1.00" x 2.50")

LP100-12-10
LP100-12-20
LP100-12-30
LP100-12-50

PEL-25-64-75 (75 Micron)
PEL-25-64-25 (25 Micron)
PEL-25-64-10 (10 Micron)
PEL-25-64-01 (01 Micron)

Balston® Part Number
Material: Polypropylene
(Element Size: 1.00" x 7.00")

UFS/Headline Part Number
Material: Polyethylene
(Element Size 1.00" x 7.00")

LP100-25-10
LP100-25-20
LP100-25-30
LP100-25-50

PEL-25-178-75 (75 Micron)
PEL-25-178-25 (25 Micron)
PEL-25-178-10 (10 Micron)
PEL-25-178-01 (01 Micron)

Balston® Part Number
Material: Polypropylene
(Nominal Element Size: 1.00" x 5.00")

UFS/Headline Part Number
Material: Pleated Polypropylene
(Nominal Element Size 1.00" x 5.00")

LP200-18-10
LP200-18-20
LP200-18-30
LP200-18-50

LE-818-75PL (75 Micron)
LE-818-25PL (25 Micron)
LE-818-10PL (10 Micron)
LE-818-01PL (01 Micron)

Balston® Part Number
Material: Polypropylene
(Nominal Element Size: 1.00" x 10.00")

LP200-50-10
LP200-50-20
LP200-50-30
LP200-50-50

UFS/Headline Part Number
Material: Pleated Polypropylene
(Nominal Element Size 1.00" x 10.00")

LE-820-75PL (75 Micron)
LE-820-25PL (25 Micron)
LE-820-10PL (10 Micron)
LE-820-01PL (01 Micron)

Balston® Part Number
Material: Polypropylene
(Nominal Element Size: 1.00" x 20.00")

LP200-95-10
LP200-95-20
LP200-95-30
LP200-95-50

UFS/Headline Part Number
Material: Pleated Polypropylene
(Nominal Element Size 1.00" x 20.00")

LE-895-75PL (75 Micron)
LE-895-25PL (25 Micron)
LE-895-10PL (10 Micron)
LE-895-01PL (01 Micron)

Vapor Adsorption Cartridges

Balston® and UFS/Headline part numbers are 100% compatible and interchangeable.

Balston® Part Number
(Element Size: 1.00" x 2.50")

CI-100-12-000
CI-100-12-101
CI-100-12-102
CI-100-12-103
CI-100-12-105
CI-100-12-107

UFS/Headline Part Number
(Element Size 1.00" x 2.50")

25-64-CC-TS (Activated Carbon)
25-64-SG-TS (Silica Gel)
25-64-4A-TS (4A Molecular Sieve)
25-64-13X-TS (13X Molecular Sieve)
25-64-PP-TS (Potassium Permanganate)
25-64-MB-TS (Mixed Bases)

Balston® Part Number
(Element Size: 1.00" x 7.00")

CI-100-25-000
CI-100-25-101
CI-100-25-102
CI-100-25-103
CI-100-25-105
CI-100-25-107

UFS/Headline Part Number
(Element Size 1.00" x 7.00")

25-178-CC-TS (Activated Carbon)
25-178-SG-TS (Silica Gel)
25-178-4A-TS (4A Molecular Sieve)
25-178-13X-TS (13X Molecular Sieve)
25-178-PP-TS (Potassium Permanganate)
25-178-MB-TS (Mixed Bases)

Balston® Part Number
(Element Size: 1.50" x 6.00")

CI-150-19-000
CI-150-19-101
CI-150-19-102
CI-150-19-103
CI-150-19-105
CI-150-19-107

UFS/Headline Part Number
(Element Size 1.50" x 6.00")

38-152-CC-TS (Activated Carbon)
38-152-SG-TS (Silica Gel)
38-152-4A-TS (4A Molecular Sieve)
38-152-13X-TS (13X Molecular Sieve)
38-152-PP-TS (Potassium Permanganate)
38-152-MB-TS (Mixed Bases)

**Balston® Part Number
(Element Size: 2.00" x 9.00")**

CI-200-35-000
CI-200-35-101
CI-200-35-102
CI-200-35-103
CI-200-35-105
CI-200-35-107

**UFS/Headline Part Number
(Element Size 2.00" x 9.00")**

51-230-CC-TS (Activated Carbon)
51-230-SG-TS (Silica Gel)
51-230-4A-TS (4A Molecular Sieve)
51-230-13X-TS (13X Molecular Sieve)
51-230-PP-TS (Potassium Permanganate)
51-230-MB-TS (Mixed Bases)

**Balston® Part Number
(Element Size: 2.00" x 18.75")**

CI-200-80-000
CI-200-80-101
CI-200-80-102
CI-200-80-103
CI-200-80-105
CI-200-80-107

**UFS/Headline Part Number
(Element Size 2.00" x 18.75")**

51-476-CC-TS (Activated Carbon)
51-476-SG-TS (Silica Gel)
51-476-4A-TS (4A Molecular Sieve)
51-476-13X-TS (13X Molecular Sieve)
51-476-PP-TS (Potassium Permanganate)
51-476-MB-TS (Mixed Bases)

Disposable In-Line Filters

Balston® and UFS/Headline part numbers are 100% compatible and interchangeable.

**Balston® Part Number
(Nylon Body w/ Microfiber Element)**

1/4" Inlet / Outlet, 4cc Volume

9933-03-AAQ
9933-03-AQ
9933-03-BQ
9933-03-CQ
9933-03-DQ

**UFS/Headline Part Number
(Nylon Body w/ Microfiber Element)**

1/4" Inlet / Outlet, 6cc Volume

DIF-MN30 (99.99998% @ .01 micron)
DIF-MN40 (99.9999% @ .01 micron)
DIF-MN50 (99.99% @ .01 micron)
DIF-MN60 (99.5% @ .01 micron)
DIF-MN70 (95% @ .01 micron)

**Balston® Part Number
(Nylon Body w/ Microfiber Element)**

1/4" Inlet / Outlet, 10cc Volume

9933-05-AAQ
9933-05-AQ
9933-05-BQ
9933-05-CQ
9933-05-DQ
9900-05-BK

**UFS/Headline Part Number
(Nylon Body w/ Microfiber Element)**

1/4" Inlet / Outlet, 11.5cc Volume

DIF-BN30 (99.99998% @ .01 micron)
DIF-BN40 (99.9999% @ .01 micron)
DIF-BN50 (99.99% @ .01 micron)
DIF-BN60 (99.5% @ .01 micron)
DIF-BN70 (95% @ .01 micron)
DIF-BN50I (Oil Indicating Dye) (99.99% @ .01 micron)

Balston® Part Number
(Kynar Body w/ Microfiber Element)

UFS/Headline Part Number
(Kynar Body w/ Microfiber Element)

1/4" Inlet / Outlet, 10cc Volume

9922-05-AAQ
9922-05-AQ
9922-05-BQ
9922-05-CQ
9922-05-DQ

1/4" Inlet / Outlet, 11.5cc Volume

DIF-BK30 (99.99998% @ .01 micron)
DIF-BK40 (99.9999% @ .01 micron)
DIF-BK50 (99.99% @ .01 micron)
DIF-BK60 (99.5% @ .01 micron)
DIF-BK70 (95% @ .01 micron)

Balston® Part Number
(Nylon Body w/ Microfiber Element)

UFS/Headline Part Number
(Nylon Body w/ Microfiber Element)

1/4" Inlet / Outlet, 50cc Volume

9933-11-AAQ
9933-11-AQ
9933-11-BQ
9933-11-CQ
9933-11-DQ

1/4" Inlet / Outlet, 50cc Volume

DIF-IN30 (99.99998% @ .01 micron)
DIF-IN40 (99.9999% @ .01 micron)
DIF-IN50 (99.99% @ .01 micron)
DIF-IN60 (99.5% @ .01 micron)
DIF-IN70 (95% @ .01 micron)

Balston® Part Number
(Nylon Body w/ Microfiber Element)

UFS/Headline Part Number
(Nylon Body w/ Microfiber Element)

1/4" Inlet / Outlet, 50cc Volume, 3rd Drain Port

8833-11-BX
8833-11-DX

1/4" Inlet / Outlet, 50cc Volume, 3rd Drain Port

DIF-IN50C (Coalescing Element) (99.99% @ .01 micron)
DIF-IN70C (Coalescing Element) (95% @ .01 micron)

Balston® Part Number
(Kynar Body w/ Microfiber Element)

UFS/Headline Part Number
(Kynar Body w/ Microfiber Element)

1/4" Inlet / Outlet, 50cc Volume

9922-11-AAQ
9922-11-AQ
9922-11-BQ
9922-11-CQ
9922-11-DQ

1/4" Inlet / Outlet, 50cc Volume

DIF-IK30 (99.99998% @ .01 micron)
DIF-IK40 (99.9999% @ .01 micron)
DIF-IK50 (99.99% @ .01 micron)
DIF-IK60 (99.5% @ .01 micron)
DIF-IK70 (95% @ .01 micron)

Balston® Part Number
(Nylon Body w/ Microfiber Element)

UFS/Headline Part Number
(Nylon Body w/ Microfiber Element)

Slip On Connection, 138cc Volume

8800-12-AAQ
8800-12-AQ
8800-12-BQ
8800-12-CQ
8800-12-DQ

Slip On Connection, 120cc Volume

DIF-LN30-SLIPON (99.99998% @ .01 micron)
DIF-LN40-SLIPON (99.9999% @ .01 micron)
DIF-LN50-SLIPON (99.99% @ .01 micron)
DIF-LN60-SLIPON (99.5% @ .01 micron)
DIF-LN70-SLIPON (95% @ .01 micron)

***1/4" MNPT Available**

Balston® Part Number
(Kynar Body w/ Microfiber Element)

UFS/Headline Part Number
(Kynar Body w/ Microfiber Element)

Slip On Connection, 138cc Volume

8822-12-AAQ
8822-12-AQ
8822-12-BQ
8822-12-CQ
8822-12-DQ

Slip On Connection, 120cc Volume

DIF-LK30-SLIP ON (99.99998% @ .01 micron)
DIF-LK40-SLIP ON (99.9999% @ .01 micron)
DIF-LK50-SLIP ON (99.99% @ .01 micron)
DIF-LK60-SLIP ON (99.5% @ .01 micron)
DIF-LK70-SLIP ON (95% @ .01 micron)
***1/4" MNPT Available**

Balston® Part Number
(Nylon Body w/ Microfiber Element)

UFS/Headline Part Number
(Nylon Body w/ Microfiber Element)

1/4" Inlet / Outlet, 10cc Volume

1/4" Tube Step to 3/8" Tube
4433-05-10P (100 Micron Plastic Element)

4433-05-AAQ
4433-05-AQ
4433-05-BQ
4433-05-CQ
4433-05-DQ

1/4" Inlet / Outlet, 11.5cc Volume

1/8" ID Tube

DIF-BN100SS-SP-1/8" (100 Micron SS Screen)
DIF-BN30-SP-1/8" (99.99998% @ .01 micron)
DIF-BN40-SP-1/8" (99.9999% @ .01 micron)
DIF-BN50-SP-1/8" (99.99% @ .01 micron)
DIF-BN60-SP-1/8" (99.5% @ .01 micron)
DIF-BN70-SP-1/8" (95% @ .01 micron)

Disposable In-Line Adsorbers

Balston® Part Number
(Nylon Body)

UFS/Headline Part Number
(Nylon Body)

1/4" Inlet / Outlet, 4cc Volume

9933-03-000
9933-03-101
9933-03-102
9933-03-103
9933-03-105
9933-03-107

1/4" Inlet / Outlet, 6cc Volume

DIA-MNCC (Activated Carbon)
DIA-MNSG (Silica Gel)
DIA-MN4A (4A Molecular Sieve)
DIA-MN13X (13X Molecular Sieve)
DIA-MNPP (Potassium Permanganate)
DIA-MNMB (Mixed Bases)

Balston® Part Number
(Nylon Body)

UFS/Headline Part Number
(Nylon Body)

1/4" Inlet / Outlet, 10cc Volume

9933-05-000
9933-05-101
9933-05-102
9933-05-103
9933-05-105
9933-05-107

1/4" Inlet / Outlet, 11.5cc Volume

DIA-BNCC (Activated Carbon)
DIA-BNSG (Silica Gel)
DIA-BN4A (4A Molecular Sieve)
DIA-BN13X (13X Molecular Sieve)
DIA-BNPP (Potassium Permanganate)
DIA-BNMB (Mixed Bases)

**Balston® Part Number
(Kynar Body)**

1/4" Inlet / Outlet, 10cc Volume

9922-05-000
9922-05-101
9922-05-102
9922-05-103
9922-05-105
9922-05-107

**UFS/Headline Part Number
(Kynar Body)**

1/4" Inlet / Outlet, 11.5cc Volume

DIA-BKCC (Activated Carbon)
DIA-BKSG (Silica Gel)
DIA-BK4A (4A Molecular Sieve)
DIA-BK13X (13X Molecular Sieve)
DIA-BKPP (Potassium Permanganate)
DIA-BKMB (Mixed Bases)

**Balston® Part Number
(Nylon Body)**

1/4" Inlet / Outlet, 50cc Volume

9933-11-000
9933-11-101
9933-11-102
9933-11-103
9933-11-105
9933-11-107

**UFS/Headline Part Number
(Nylon Body)**

1/4" Inlet / Outlet, 50cc Volume

DIA-INCC (Activated Carbon)
DIA-INSG (Silica Gel)
DIA-IN4A (4A Molecular Sieve)
DIA-IN13X (13X Molecular Sieve)
DIA-INPP (Potassium Permanganate)
DIA-INMB (Mixed Bases)

**Balston® Part Number
(Kynar Body)**

1/4" Inlet / Outlet, 50cc Volume

9922-11-000
9922-11-101
9922-11-102
9922-11-103
9922-11-105
9922-11-107

**UFS/Headline Part Number
(Kynar Body)**

1/4" Inlet / Outlet, 50cc Volume

DIA-IKCC (Activated Carbon)
DIA-IKSG (Silica Gel)
DIA-IK4A (4A Molecular Sieve)
DIA-IK13X (13X Molecular Sieve)
DIA-IKPP (Potassium Permanganate)
DIA-IKMB (Mixed Bases)

**Balston® Part Number
(Nylon Body w/ Microfiber Element)**

Slip On Connection, 138cc Volume

8800-12-000
8800-12-101
8800-12-102
8800-12-103
8800-12-105
8800-12-107

**UFS/Headline Part Number
(Nylon Body w/ Microfiber Element)**

Slip On Connection, 120cc Volume

DIA-LNCC-SLIP ON (Activated Carbon)
DIA-LNSG-SLIP ON (Silica Gel)
DIA-LN4A-SLIP ON (4A Molecular Sieve)
DIA-LN13X-SLIP ON (13X Molecular Sieve)
DIA-LNPP-SLIP ON (Potassium Permanganate)
DIA-LNMB-SLIP ON (Mixed Bases)

*1/4" MNPT Available

Balston® Part Number
(Kynar Body w/ Microfiber Element)

UFS/Headline Part Number
(Kynar Body w/ Microfiber Element)

Slip On Connection, 138cc Volume

8822-12-000
8822-12-101
8822-12-102
8822-12-103
8822-12-105
8822-12-107

Slip On Connection, 120cc Volume

DIA-LKCC-SLIP ON (Activated Carbon)
DIA-LKSG-SLIP ON (Silica Gel)
DIA-LK4A-SLIP ON (4A Molecular Sieve)
DIA-LK13X-SLIP ON (13X Molecular Sieve)
DIA-LKPP-SLIP ON (Potassium Permanganate)
DIA-LKMB-SLIP ON (Mixed Bases)

***1/4" MNPT Available**

Aluminum Filter Assemblies

Filter housings provide an alternative with fully interchangeable elements, and are available with O-rings in multiple materials, including perfluoroelastomer.

Balston® Part Number
(Anodized Aluminum Head, Polycarbonate Bowl,
& Nylon Internals)

UFS/Headline Part Number
(Anodized Aluminum Head, Polycarbonate Bowl,
& Nylon Internals)

1/4" NPT, Buna-N O-Rings, 150 PSIG Max.

Element Size: 050-05-xx

A914-BX
A914-DX

1/4" NPT, Buna-N O-Rings, 150 PSIG Max.

Element Size: 12-32-xx

315-50C
315-70C

Balston® Part Number
(Anodized Aluminum Head, Zinc Bowl,
& Nylon Internals)

UFS/Headline Part Number
(Anodized Aluminum w/ Nylon Internals)

1/4" NPT, Buna-N O-Rings, 250 PSIG Max.

Element Size: 050-05-xx

A914A-BX
A914A-DX

1/4" NPT, Buna-N O-Rings, 500 PSIG Max.

Element Size: 12-32-xx

315A-50C
315A-70C

2002N Series

360A Series

Balston® Part Number
(Anodized Aluminum w/ Nylon Internals)

UFS/Headline Part Number
(Anodized Aluminum w/ Nylon Internals)

1/4" NPT, Buna-N O-Rings, 250 PSIG Max., Manual Drain

Element Size: 100-12-xx

2002N-0A0
2002N-0A0-DX
2002N-0A0-BX
2002N-0A0-DXE
2002N-0A0-BXE

1/4" NPT, Buna-N O-Rings, 500 PSIG Max., Manual Drain

Element Size: 25-64-xx

360A (No Element Installed)
360A-70C
360A-50C
360A-70CE
360A-50CE

Adsorption Cartridge Installed: CI-100-12-000

2002N-0A0-000

250 PSIG Max., Manual Drain, and Indicator

2002N-1B2-DX

2002N-1B2-BX

2002N-1B2-DXE

2002N-1B2-BXE

250 PSIG Max., Float Drain, and Indicator

2002N-1B1-DX

2002N-1B1-BX

2002N-1B1-DXE

2002N-1B1-BXE

Viton O-Ring, Adsorption Cartridge Installed: 25-64-CC-TS

230A-CC

250 PSIG Max., Manual Drain, and Indicator

360AI-70C

360AI-50C

360AI-70CE

360AI-50CE

250 PSIG Max., Float Drain, and Indicator

360AFI-70C

360AFI-50C

360AFI-70CE

360AFI-50CE

2003N Series

Balston® Part Number
(Anodized Aluminum w/ Nylon Internals)

3/8" NPT, Buna-N O-Rings, 250 PSIG Max., Manual Drain

Element Size: 100-12-xx

2003N-0A0

2003N-0A0-DX

2003N-0A0-BX

2003N-0A0-DXE

2003N-0A0-BXE

Adsorption Cartridge Installed: CI-100-12-000

2003N-0A0-000

250 PSIG Max., Manual Drain, and Indicator

2003N-1B2-DX

2003N-1B2-BX

2003N-1B2-DXE

2003N-1B2-BXE

250 PSIG Max., Float Drain, and Indicator

2003N-1B1-DX

2003N-1B1-BX

2003N-1B1-DXE

2003N-1B1-BXE

360A-3/8" Series

UFS/Headline Part Number
(Anodized Aluminum w/ Nylon Internals)

3/8" NPT, Buna-N O-Rings, 500 PSIG Max., Manual Drain

Element Size: 25-64-xx

360A-3/8" (No Element Installed)

360A-3/8"-70C

360A-3/8"-50C

360A-3/8"-70CE

360A-3/8"-50CE

Adsorption Cartridge Installed: 25-64-CC-TS

360A-AD-3/8"-CC-TS

250 PSIG Max., Manual Drain, and Indicator

360AI-3/8"-70C

360AI-3/8"-50C

360AI-3/8"-70CE

360AI-3/8"-50CE

250 PSIG Max., Float Drain, and Indicator

360AFI-3/8"-70C

360AFI-3/8"-50C

360AFI-3/8"-70CE

360AFI-3/8"-50CE

2004N Series

Balston® Part Number
(Anodized Aluminum w/ Nylon Internals)

1/2" NPT, Buna-N O-Rings, 250 PSIG Max., Manual Drain

Element Size: 100-12-xx

2004N-0A0

2004N-0A0-DX

2004N-0A0-BX

2004N-0A0-DXE

2004N-0A0-BXE

365A Series

UFS/Headline Part Number
(Anodized Aluminum w/ Nylon Internals)

1/2" NPT, Buna-N O-Rings, 500 PSIG Max., Manual Drain

Element Size: 25-64-xx

365A (No Element Installed)

365A-70C (500 psig)

365A-50C (500 psig)

365A-70CE (500 psig)

365A-50CE (500 psig)

2004N Series

Balston® Part Number
(Anodized Aluminum w/ Nylon Internals)

Adsorption Cartridge Installed: CI-100-12-000

2004N-0A0-000

250 PSIG Max., Manual Drain, and Indicator

2004N-1B2-DX

2004N-1B2-BX

2004N-1B2-DXE

2004N-1B2-BXE

250 PSIG Max., Float Drain, and Indicator

2004N-1B1-DX

2004N-1B1-BX

2004N-1B1-DXE

2004N-1B1-BXE

365A Series

UFS/Headline Part Number
(Anodized Aluminum w/ Nylon Internals)

Viton O-Ring, Adsorption Element Installed: 25-64-CC-TS

233A-CC

250 PSIG Max., Manual Drain, and Indicator

365AI-70C

365AI-50C

365AI-70CE

365AI-50CE

250 PSIG Max., Float Drain, and Indicator

365AFI-70C

365AFI-50C

365AFI-70CE

365AFI-50CE

2104N Series

Balston® Part Number
(Anodized Aluminum w/ Nylon Internals)

1/2" NPT, Buna-N O-Rings, 250 PSIG Max., Manual Drain

Element Size: 100-25-xx

2104N-0A0

2104N-0A0-DX

2104N-0A0-BX

2104N-0A0-DXE

2104N-0A0-BXE

Adsorption Cartridge Installed: CI-100-25-000

2104N-0A0-000

250 PSIG Max., Manual Drain, and Indicator

2104N-1B2-DX

2104N-1B2-BX

2104N-1B2-DXE

2104N-1B2-BXE

250 PSIG Max., Float Drain, and Indicator

2104N-1B1-DX

2104N-1B1-BX

2104N-1B1-DXE

2104N-1B1-BXE

370A Series

UFS/Headline Part Number
(Anodized Aluminum w/ Nylon Internals)

1/2" NPT, Buna-N O-Rings, 500 PSIG Max., Manual Drain

Element Size: 25-178-xx

375A (No Element Installed)

375A-70C

375A-50C

375A-70CE

375A-50CE

Adsorption Cartridge Installed: 25-178-CC-TS

253A-CC

250 PSIG Max., Manual Drain, and Indicator

375AI-70C

375AI-50C

375AI-70CE

375AI-50CE

250 PSIG Max., Float Drain, and Indicator

375AFI-1-70C

375AFI-50C

375AFI-70CE

375AFI-50CE

2206N Series

Balston® Part Number
(Anodized Aluminum w/ Aluminum Internals)

3/4" NPT, Buna-N O-Rings, 250 PSIG Max.

Element Size: 150-19-xx

2206N-0A0

2206N-0A0-DX

2206N-0A0-BX

2206N-0A0-DXE

2206N-0A0-BXE

Adsorption Cartridge Installed: CI-150-19-000

2206N-0A0-000

250 PSIG Max., Manual Drain, and Indicator

2206N-1B2-DX

2206N-1B2-BX

2206N-1B2-DXE

2206N-1B2-BXE

250 PSIG Max., Float Drain, and Indicator

2206N-1B1-DX

2206N-1B1-BX

2206N-1B1-DXE

2206N-1B1-BXE

2208N Series

Balston® Part Number
(Anodized Aluminum w/ Aluminum Internals)

1" NPT, Buna-N O-Rings, 250 PSIG Max., Manual Drain

Element Size: 150-19-xx

2208N-0A0

2208N-0A0-DX

2208N-0A0-BX

2208N-0A0-DXE

2208N-0A0-BXE

Adsorption Cartridge Installed: CI-150-19-000

2208N-0A0-000

250 PSIG Max., Manual Drain, and Indicator

2208N-1B2-DX

2208N-1B2-BX

2208N-1B2-DXE

2208N-1B2-BXE

250 PSIG Max., Float Drain, and Indicator

2208N-1B1-DX

2208N-1B1-BX

2208N-1B1-DXE

2208N-1B1-BXE

380AHP Series

UFS/Headline Part Number
(Anodized Aluminum w/ Nylon Internals)

3/4" NPT, Buna-N O-Rings, 1500 PSIG Max.

Element Size: 38-152-xx-DOE

380AHP (No Element Installed)

380AHP-70CS-DOE

380AHP-50CS-DOE

380AHP-70CSE-DOE

380AHP-50CSE-DOE

Adsorption Cartridge Installed: 38-152-CC-TS

380AHP-AD-CC

500 PSIG Max., Manual Drain, and Indicator

380AHPVDI-70CS-DOE

380AHPVDI-50CS-DOE

380AHPVDI-70CSE-DOE

380AHPVDI-50CSE-DOE

250 PSIG Max., Float Drain, and Indicator

380AHPFVDI-70CS-DOE

380AHPFVDI-50CS-DOE

380AHPFVDI-70CSE-DOE

380AHPFVDI-50CSE-DOE

383AHP Series

UFS/Headline Part Number
(Anodized Aluminum w/ Nylon Internals)

1" NPT, Buna-N O-Rings, 1500 PSIG Max., Manual Drain

Element Size: 38-152-xx-DOE

383AHP (No Element Installed)

383AHP-70CS-DOE

383AHP-50CS-DOE

383AHP-70CSE-DOE

383AHP-50CSE-DOE

Adsorption Cartridge Installed: 38-152-CC-TS

383AHP-AD-CC

500 PSIG Max., Manual Drain, and Indicator

383AHPVDI-70CS-DOE

383AHPVDI-50CS-DOE

383AHPVDI-70CSE-DOE

383AHPVDI-50CSE-DOE

250 PSIG Max., Float Drain, and Indicator

383AHPFVDI-70CS-DOE

383AHPFVDI-50CS-DOE

383AHPFVDI-70CSE-DOE

383AHPFVDI-50CSE-DOE

2312N Series

Balston® Part Number
(Anodized Aluminum w/ Aluminum Internals)

1 1/2" NPT, Buna-N O-Rings, 250 PSIG Max, Manual Drain

Element Size: 200-35-xx

2312N-0A0

2312N-0A0-DX

2312N-0A0-BX

2312N-0A0-DXE

2312N-0A0-BXE

Adsorption Cartridge Installed: CI-200-35-000

2312N-0A0-000

250 PSIG Max., Manual Drain, and Indicator

2312N-1B2-DX

2312N-1B2-BX

2312N-1B2-DXE

2312N-1B2-BXE

250 PSIG Max., Float Drain, and Indicator

2312N-1B1-DX

2312N-1B1-BX

2312N-1B1-DXE

2312N-1B1-BXE

385AHP Series

UFS/Headline Part Number
(Anodized Aluminum w/ Nylon Internals)

1 1/2" NPT, Buna-N O-Rings, 1000 PSIG Max

Manual Drain, Element Size: 51-230-xx

385AHP (No Element Installed)

385AHP-70CS

385AHP-50CS

385AHP-70CSE

385AHP-50CSE

Adsorption Cartridge Installed: 51-230-CC-TS

385AHP-AD-CC

500 PSIG Max., Manual Drain, and Indicator

385AHPVDI-70CS

385AHPVDI-50CS

385AHPVDI-70CSE

385AHPVDI-50CSE

250 PSIG Max., Float Drain, and Indicator

385AHPFVDI-70CS

385AHPFVDI-50CS

385AHPFVDI-70CSE

385AHPFVDI-50CSE

A15/80 Series

Balston® Part Number
(Anodized Aluminum w/ Stainless Steel Internals)

2" NPT, Buna-N O-Rings, 250 PSIG Max.

Element Size: 200-80-xx

A15/80-0A0

A15/80-0A0-DX

A15/80-0A0-BX

A15/80-0A0-DXE

A15/80-0A0-BXE

Adsorption Cartridge Installed: CI-200-80-000

A15/80-0A0-000

250 PSIG Max., Float Drain, and Indicator

A15/80-1B1-DX

A15/80-1B1-BX

A15/80-1B1-DXE

A15/80-1B1-BXE

390AHP Series

UFS/Headline Part Number
(Anodized Aluminum w/ Nylon Internals)

2" NPT, Buna-N O-Rings, 1000 PSIG Max.

Element Size: 51-476-xx

390AHP (No Element Installed)

390AHP-70CS

390AHP-50CS

390AHP-70CSE

390AHP-50CSE

Adsorption Cartridge Installed: 51-476-CC-TS

390AHP-AD-CC

250 PSIG Max., Float Drain, and Indicator

390AHPFVDI-70CS

390AHPFVDI-50CS

390AHPFVDI-70CSE

390AHPFVDI-50CSE

Anodized Aluminum Filter Regulators

Cross Comparisons are based on functionality but not interchangeable.

Balston® Part Number (Anodized Aluminum Head w/ Polycarbonate Bowl)	UFS/Headline Part Number (Anodized Aluminum Head w/ Polycarbonate Bowl)
1/4" NPT, Buna-N O-Rings, Brass Internals, 150 Max. PSIG Element Size: 050-05-BX AFR-940-30 (0-30 PSI Regulation Range) AFR-940-60 (5-60 PSI Regulation Range) AFR-940-130 (1-130 PSI Regulation Range)	1/4" NPT, Buna-N O-Rings, Nylon Internals 150 Max. PSIG, Element Size: 12-32-50C FR516-1/4"-30R (0-30 PSI Regulation Range) FR516-1/4"-60R (5-60 PSI Regulation Range) FR516-1/4"-130R (10-130 PSI Regulation Range) *1/8" NPT Available

Balston® Part Number (Anodized Aluminum)	UFS/Headline Part Number (Anodized Aluminum)
1/4" NPT, Buna-N O-Rings, Brass Internals, 250 Max. PSIG Element Size: 050-05-BX AFR-940A-30 (0-30 PSI Regulation Range) AFR-940A-60 (5-60 PSI Regulation Range) AFR-940A-130 (10-130 Regulation Range)	1/4" NPT, Buna-N O-Rings, Nylon/Brass Internals 250 Max. PSIG, Element Size: 12-32-50C FRA516-1/4"-30R (0-30 PSI Regulation Range) FRA516-1/4"-60R (5-60 PSI Regulation Range) FRA516-1/4"-130R (10-130 PSI Regulation Range) *1/8" NPT Available

Balston® Part Number (Anodized Aluminum Head w/ Polycarbonate Bowl)	UFS/Headline Part Number (Anodized Aluminum Head w/ Polycarbonate Bowl)
1/4" NPT, Buna-N O-Rings, Brass Internals, 150 Max. PSIG Element Size: 100-12-BX AFR-920-30 (0-30 PSI Regulation Range) AFR-920-60 (5-60 PSI Regulation Range) AFR-920-130 (10-130 PSI Regulation Range)	1/4" NPT, Buna-N O-Rings, Nylon/Brass Internals 150 Max PSIG, Element Size: 25-64-50CW FRT066-1/4"-30R (0-30 PSI Regulation Range) FRT066-1/4"-60R (5-60 PSI Regulation Range) FRT066-1/4"-130R (10-130 PSI Regulation Range) *1/2" NPT Available

Balston® Part Number (Anodized Aluminum)	UFS/Headline Part Number (Anodized Aluminum)
1/4" NPT, Buna-N O-Rings, Brass Internals, 250 Max. PSIG Element Size: 100-12-BX AFR-920A-30 (0-30 PSI Regulation Range) AFR-920A-60 (5-60 PSI Regulation Range) AFR-920A-130 (10-130 PSI Regulation Range)	1/4" NPT, Buna-N O-Rings, Nylon/Brass Internals 250 Max PSIG, Element Size: 25-64-50CW FRAT066-1/4"-30R (0-30 PSI Regulation Range) FRAT066-1/4"-60R (5-60 PSI Regulation Range) FRAT066-1/4"-130R (10-130 PSI Regulation Range) *1/2" NPT Available

Stainless Steel Filter Housings

Filter housings provide an alternative solution featuring 100% interchangeable elements. Viton O-rings are standard, with additional O-ring materials—including perfluoroelastomer—available upon request.

Balston® Part Number
(Max. Pressure: 5000 PSI, Viton O-Rings)

UFS/Headline Part Number
(Max. Pressure: 5000 PSI, Viton O-Rings)

Element Sold Separately

105S6 (1/8")

105S6-1/4

91S6 (1/8")

91S6-1/4"

95S6 (1/8")

95S6-1/4"

47S6 (1/8")

47S6-1/4"

85 (1/4")

Element Sold Separately

110

112

120

122

120

122

120B4 (5 Ports)

122B4 (5 Ports)

122LB (Long Bowl)

Balston® Part Number
(Max. Pressure: 425 PSI, Viton O-Rings)

UFS/Headline Part Number
(Max. Pressure: 150 PSI, Viton O-Rings)

Element Sold Separately

31S6-1/4"

31S6 (1/2")

33S6-1/4" (1/8" Drain)

33S6 (1/2" NPT, 1/8" Drain)

Element Sold Separately

137

138

137

138

Balston® Part Number
(Max. Pressure: 425 PSI, Viton O-Rings)

UFS/Headline Part Number
(Max. Pressure: 1500 PSI, Viton O-Rings)

31S6-1/4"

31S6 (1/2")

33S6-1/4" (1/8" Drain)

33S6 (1/2" NPT, 1/8" Drain)

130

132

130

132

Balston® Part Number
(Max. Pressure: 250 PSI, PTFE O-Rings)

UFS/Headline Part Number
(Max. Pressure: 1500 PSI, PTFE O-Rings)

No Drain, Element Included

A34

No Drain, Element Included

134S-80CS

Balston® Part Number
(Max. Pressure: 100 PSI, Viton O-Rings)

UFS/Headline Part Number
(Max. Pressure: 100 PSI, Viton O-Rings)

1/4" NPT, Element Sold Separately

31G-1/4"
33G-1/4"
41G-1/4"
45G-1/4"

1/4" NPT, Element Sold Separately

137G
137G
147G
147G

1/2" NPT, Element Sold Separately

31G
33G
41G
45G

1/2" NPT, Element Sold Separately

138G
138G
148G
148G

Balston® Part Number
(Stainless Steel Head, Pyrex Glass Bowl)

UFS/Headline Part Number
(Stainless Steel Head, Pyrex Glass Bowl)

100 PSIG Max. Pressure, Viton O-Rings
Element Sold Separately

31GCFL-1/4"
41GCFL-1/4"

100 PSIG Max. Pressure, Viton O-Rings
Element Sold Separately

137G
147G

Balston® Part Number
(Stainless Steel Head and Bowl)

UFS/Headline Part Number
(Stainless Steel Head and Bowl)

425 PSIG Max. Pressure, Viton O-Rings
Element Sold Separately

31S6CFL-1/4"
41S6CFL-1/4"

150 PSIG Max. Pressure, Viton O-Rings
Element Sold Separately

137
147

Balston® Part Number
(Max. Pressure: 250 PSI, Viton O-Rings)

UFS/Headline Part Number
(Max. Pressure: 150 PSI, Viton O-Rings)

Element Sold Separately

41S6-1/4"
41S6 (1/2" NPT)
45S6-1/4"
45S6 (1/2" NPT)

Element Sold Separately

147
148
147
148

Our 1500 PSIG Max Pressure Option:

41S6-1/4"
41S6 (1/2" NPT)

140
142

Balston® Part Number
(Max. Pressure: 800 PSI, Viton O-Rings)

UFS/Headline Part Number
(Max. Pressure: 1500 PSI, Viton O-Rings)

1" NPT, Element Sold Separately

27/35 (1")

27/80 (1")

1" NPT, Element Sold Separately

150

160

Balston® Part Number
(Max. Pressure: 3000 PSI, Viton O-Rings)

UFS/Headline Part Number
(Max. Pressure: 3000 PSI, Viton O-Rings)

1" NPT, Element Sold Separately

27/35-3000 (1")

27/80-3000 (1")

1" NPT, Element Sold Separately

150HP

160HP

Balston® Part Number
(Max. Pressure: 4000 PSI, Viton O-Rings)

UFS/Headline Part Number
(Max. Pressure: 6000 PSI, Viton O-Rings)

1/2" NPT, 1/8" Drain, Element Sold Separately

37/12

37/25

37/12

37/25

1/2" NPT, 1/4" Drain, Element Sold Separately

132VP

142VP

Our 3000 PSIG Max Pressure Option:

132HP

142HP

Balston® Part Number
(Max. Pressure: 500 PSIG, Viton O-Rings)

UFS/Headline Part Number
(Max. Pressure: 1500 PSIG, Viton O-Rings)

2" NPT, 1/4" Drain, Element Sold Separately

15/80SG

2" NPT, 1/4" Drain, Element Sold Separately

162

In-Line Filter Housing

Balston® Part Number
(Max. Pressure: 5000 PSI, Viton O-Rings)

UFS/Headline Part Number
(Max. Pressure: 5000 PSI, Viton O-Rings)

1/4" NPT, Element Sold Separately

97S6 (1/4")

1/4" NPT, Element Sold Separately

116IL

Balston® Part Number
(Max. Pressure: 100 PSI, Viton O-Rings)

UFS/Headline Part Number
(Max. Pressure: 1500 PSI, Viton O-Rings)

1/2" NPT, Element Sold Separately

30/12

30/25

1/2" NPT, Element Sold Separately

136IL

146IL

Fast Loop Housings

Balston® Part Number
(Stainless Steel Head and Bowl)

5000 PSIG Max. Pressure, Viton O-Rings
Element Sold Separately
48S6 (1/4")

1500 PSIG Max. Pressure,
1/2" Inlet/Outlet, 1/4" Sample Port
Viton O-Rings, Element Sold Separately
49S6 (1/2")

UFS/Headline Part Number
(Stainless Steel Head and Bowl)

5000 PSIG Max. Pressure, Viton O-Rings
Element Sold Separately
126IL-3

1500 PSIG Max. Pressure,
1/2" Inlet/Outlet, 1/4" Sample Port
Viton O-Rings, Element Sold Separately
146IL-3

Heatable Housings

Balston® Part Number
(Max. Pressure: 20 PSI)

1/4" NPT, Viton O-Rings
Element Sold Separately
38/12 (1/4")
38/25 (1/4")

UFS/Headline Part Number
(Max. Pressure: 30 PSI)

1/4" NPT, Silicone O-Rings
Element Sold Separately
H130S-TR
H140S-TR

PTFE Housings

Balston® Part Number
(Max. Pressure: 150 PSI)

Viton O-Rings, Element Sold Separately
95T (1/8" NPT)
95T (1/4" NPT)

UFS/Headline Part Number
(Max. Pressure: 100 PSI)

Viton O-Rings, Element Sold Separately
120P (1/8" NPT)
122P (1/4" NPT)

Compressed Air & Gas Water Separators

Cross-comparisons are based on functionality and are not interchangeable. Other O-ring materials, including perfluoroelastomer, are readily available.

Balston® Part Number
(Max. Pressure: 232 PSI)

Anodized Aluminum w/ Viton O-Rings
WS002N 1/4"
WS003N 3/8"
WS004N 1/2"
WS0H3N 3/8"
WS0H4N 1/2"
WS006N 3/4"
WS008N 1"

UFS/Headline Part Number
(Max. Pressure: See Below)

Anodized Aluminum w/ Buna-N O-Rings
360ACP-1/4" (500 PSIG)
368ACP-3/8" (500 PSIG)
365ACP-1/2" (500 PSIG)
375ACP-1/2" (500 PSIG)
375ACP-1/2" (500 PSIG)
370ACP-4050-3/4" (500 PSIG)
370ACP-4050-3/4" (500 PSIG)

Balston® Part Number
(Max. Pressure: 232 PSI)

UFS/Headline Part Number
(Max. Pressure: See Below)

WS0H6N 3/4"
WS0H8N 1"
WS0010N 1-1/4"
WS0012N 1-1/2"
WS0H10N 1-1/4"
WS0H12N 1-1/2"
WS0016N 2"
WS0020N 2-1/2"

380AHPCP-3/4" (1500 PSIG)
383AHPCP-1" (1500 PSIG)
385AHPCP-1-1/4" (1500 PSIG)
385AHPCP-1-1/2" (1500 PSIG)
385AHPCP-1-1/4" (1000 PSIG)
385AHPCP-1-1/2" (1000 PSIG)
385AHPCP-2" (1000 PSIG)
390AHPCP-2" (1000 PSIG)

Plastic Filter Housings

Cross-comparisons are based on functionality and are not interchangeable. Other O-ring materials, including perfluoroelastomer, are readily available.

Balston® Part Number
(Nylon)

UFS/Headline Part Number
(Nylon)

1/4" NPT, Viton O-Rings, 125 PSIG Max. Pressure
Element Size: LP-100-12-xx
58P

1/4" NPT, Viton O-Rings, 100 PSIG Max. Pressure
Element Size: PEL-25-64-xx
750N
*1/2" NPT Available

Balston® Part Number
(Nylon Head, Polycarbonate Bowl)

UFS/Headline Part Number
(Nylon)

1/4" NPT, Viton O-Rings, 10 PSIG Max. Pressure
Element Size: 100-12-xx
58N

1/4" NPT, Viton O-Rings, 100 PSIG Max. Pressure
Element Size: 25-64-xx
750N
*1/2" NPT Available

Balston® Part Number
(Polypropylene)

UFS/Headline Part Number
(Polypropylene Head/SAN Bowl)

3/8" NPT, EPR Seals, 125 PSIG Max. Pressure
Element Size: LP-200-18-xx
53/18

3/8" NPT, Buna-N O-Rings, 125 PSIG Max. Pressure
Element Size: LE-818-xx
718

Balston® Part Number
(Polypropylene)

UFS/Headline Part Number
(Polypropylene)

3/4" NPT, EPR Seals, 125 PSIG Max. Pressure
Element Size: LP-200-18-xx
53/50

3/4" NPT, Buna-N O-Rings, 125 PSIG Max. Pressure
Element Size: LE-820-xx
720B

**Balston® Part Number
(Polypropylene)**

3/4" NPT, EPR Seals, 125 PSIG Max. Pressure
Element Size: LP-200-18-xx
54/50

**UFS/Headline Part Number
(Polypropylene Head/SAN Bowl)**

3/4" NPT, Buna-N O-Rings, 125 PSIG Max. Pressure
Element Size: LE-820-xx
720

**Balston® Part Number
(Polypropylene Head/SAN Bowl)**

3/4" NPT, EPR Seals, 125 PSIG Max. Pressure
Element Size: LP-200-18-xx
53/95

**UFS/Headline Part Number
(Polypropylene Head/SAN Bowl)**

3/4" NPT, Buna-N O-Rings, 125 PSIG Max. Pressure
Element Size: LE-895-xx
795

Vacuum Pump Exhaust Filter Housings

Filter Housings are an equivalent with 100% Interchangeable Elements

**Balston® Part Number
(Max. Pressure: 30 PSI)**

Nylon Housing w/ Viton O-Rings
9955-12-371H (1/2" NPT)

Steel Housings w/ Viton O-Rings
18/18-371H (3/4" NPT)
AR-0316-371H (1" NPT)
AR-0335-371H (1 1/2" NPT)
AR-0735-371H (3" NPT)
AR-0780-371H (3" NPT)
AR-1680-371H (4" Flange)

Stainless Steel Housings w/ Viton O-Rings
CV-0112-371H (1/2" NPT)
CV-0118-371H (3/4" NPT)
ACV-0135-371H (1" NPT)
ACV-0335-371H (1 1/2" NPT)
ACV-0735-371H (3" NPT)
ACV-0780-371H (3" NPT)

**UFS/Headline Part Number
(Max. Pressure: 30 PSI)**

Anodized Aluminum w/ Buna-N O-Rings
420-50CS (1/2" NPT)

Anodized Aluminum w/ Buna-N O-Rings
425-50CS (3/4" NPT)
430-50CS (1" NPT)
433-50CS (1 1/2" NPT)
437-50CS (3" NPT)
447-50CS (3" NPT)
456-50CS (4" Flange)

Stainless Steel Housings w/ Viton O-Rings
420S-50CS (1/2" NPT)
425S-50CS (3/4" NPT)
430S-50CS (1" NPT)
433S-50CS (1 1/2" NPT)
437S-50CS (3" NPT)
447S-50CS (3" NPT)

Membrane Separators

Membrane separator housings provide an alternative solution featuring 100% interchangeable membranes. Multiple O-ring materials are available, including perfluoroelastomer, EPDM, and Buna-N.

Balston 98 Series

Balston® Part Number
(1/4" NPT, Max. Pressure: 1000 PSI)

Stainless Steel Housings w/ Viton O-Rings

98-0

98-2

GMS100 Series (Mounting Bracket Available)

UFS/Headline Part Number
(1/4" NPT, Max. Pressure: 1500 PSI)

Stainless Steel Housings w/ Viton O-Rings

GMS100-1/4"-M1HG

GMS100-1/4"-M2HG

Balston A98/11 Series

Balston® Part Number
(1/4" NPT, Max. Pressure: 1000 PSI)

Stainless Steel Housings w/ Viton O-Rings

A98/11-0

A98/11-2

GMS122 Series (Mounting Bracket Available)

UFS/Headline Part Number
(1/4" NPT, Max. Pressure: 1500 PSI)

Stainless Steel Housings w/ Viton O-Rings

GMS122.M1HG

GMS122.M2HG

Balston A39/12 Series

Balston® Part Number
(1/2" NPT, Max. Pressure: 425 PSI)

Stainless Steel Housings w/ Viton O-Rings

A39/ 12-0

A39/ 12-2

GMS132 Series (Mounting Bracket Available)

UFS/Headline Part Number
(1/2" NPT, Max. Pressure: 1500 PSI)

Stainless Steel Housings w/ Viton O-Rings

GMS132.M1HG

GMS132.M2HG

**1/4" NPT Also Available

Balston A39/12G Series

Balston® Part Number
(1/2" NPT, Max. Pressure: 100 PSI)

Stainless Steel w/ Pyrex Housings w/ Viton O-Rings

A39/12G-B-O

A39/12G-B-O

GMS138 Series (Mounting Bracket Available)

UFS/Headline Part Number
(1/2" NPT, Max. Pressure: 100 PSI)

Stainless Steel w/ Pyrex Housings w/ Viton O-Rings

GMS138G.M1HG

GMS138G.M2HG

**1/4" NPT Also Available

Balston A39/12G Series

Balston® Part Number
(1/2" NPT, Max. Pressure: 500 PSI)

Stainless Steel Housings w/ Viton O-Rings

A39/12G-B-O

39-2

GMS205 Series (Mounting Bracket Available)

UFS/Headline Part Number
(1/2" NPT, Max. Pressure: 1500 PSI)

Stainless Steel Housings w/ Viton O-Rings

GMS205ST-1/2".M1HG

GMS205ST-1/2".M2HG

**1/4" NPT Also Available

MEMBRANE KITS

Balston® and UFS/Headline membrane kits are fully compatible and interchangeable. Headline O-rings and membranes are bonded into a single assembly to simplify installation. Viton O-rings are standard; perfluoroelastomer is available upon request.

Balston® Part Number (5 Piece Kit)	UFS/Headline Part Number (5 Piece Kit)
<p>For A98/11 Series Membrane, Element, Viton O-Ring 98011 98012 98013 98010</p>	<p>For GMS122 Series Membrane, Coalescing Element, Viton O-Ring MT.33.M1HG/50C MT.33.M2HG/50C MT.33.M2HG/50C MT.33.M1HG/50C</p>
<p>For A98/11 & 98-0 Series Membrane Only 98002 98020 Element Only 050-11-DQ 050-11-BQ</p>	<p>For GMS100 Series Membrane, Viton O-Ring MT.33.M1HG MT.33.M2HG Coalescing Element Only 12-57-70C 12-57-50C</p>
<p>For A38/11 & A39/12G Membrane, Element, Viton O-Ring 39014 39015</p>	<p>For GMS132 Series, & GMS138G Series Membrane, Coalescing Element, Viton O-Ring MT.61.M1HG/50C MT.61.M2HG/50C</p>
<p>Membrane Only 39002 39020 Element Only 150-12-DQ 150-12-BQ</p>	<p>For GMS 205 Series, Membrane, Viton O-Ring MT.61.M1HG MT.61.M2HG Coalescing Element Only 38-64-70C 38-64-50C</p>

Discontinued Balston® Part Numbers

Filter Housings are an alternative with 100% Interchangeable Elements

Balston® Part Number (Nylon Housing w/ Nylon Internals)	UFS/Headline Part Number (Nylon Assembly w/ Nylon Internals)
<p>1/4" NPT, Buna O-Rings, 150 PSIG Max. Element Size: 050-05-xx A944-BX A944-DX A944-000</p>	<p>1/4" NPT, Viton O-Rings, 100 PSIG Max. Element Size: 12-32-xx 710N-50C 710N-70C 710N-TRECC</p>

**Balston® Part Number
(Nylon Housing w/ Nylon Internals)**

**UFS/Headline Part Number
(Nylon Assembly w/ Nylon Internals)**

1/4" NPT, Buna O-Rings, 150 PSIG Max.
w/ Constant Bleed Drain
Element Size: 050-05-xx
A945-BX
A945-DX

1/4" NPT, Viton O-Rings, 100 PSIG Max.
w/ Constant Bleed Drain
Element Size: 12-32-xx
710N-CBD-50C
710N-CBD-70C

**Balston® Part Number
(Aluminum w/ Nylon Internals)**

**UFS/Headline Part Number
(Anodized Aluminum w/ Nylon Internals)**

1/4" NPT, Buna O-Rings, 250 PSIG Max.
Element Size: 050-05-xx
A94A-BX
A94A-DX

1/4" NPT, Buna O-Rings, 500 PSIG Max.
Element Size: 12-32-xx
315A-50C
315A-70C

Adsorption Cartridge Installed: CI-050-05-000
A94A-000

Adsorption Cartridge Installed: TRE-12-32-CC
315A-TRECC

**Balston® Part Number
(Aluminum w/ Metal Internals)**

**UFS/Headline Part Number
(Anodized Aluminum w/ Nylon Internals)**

1/2" NPT, Buna O-Rings, 250 PSIG Max.
Element Size: 100-12-xx
A912A-BX
A912A-DX

1/2" NPT, Buna O-Rings, 500 PSIG Max.
Element Size: 25-64-xx
365A-50C
365A-70C

Adsorption Cartridge Installed: CI-100-12-000
A912A-000

Adsorption Cartridge Installed: 25-64-CC-TS,
Metal Internals
233A-1/2"-CC-TS

**Balston® Part Number
(Aluminum Head, Nylon Bowl, & Metal Internals)**

**UFS/Headline Part Number
(Anodized Aluminum Head, Polycarbonate Bowl
& Nylon Internals)**

1/2" NPT, Buna O-Rings, 150 PSIG Max.
Element Size: 100-12-xx
A912-BX
A912-DX

1/2" NPT, Buna O-Rings, 150 PSIG Max.
Element Size: 25-64-xx
365-50C
365-70C

Adsorption Cartridge Installed: CI-100-12-000
A912-000

Adsorption Cartridge Installed: 25-64-CC-TS,
Metal Internals
233-1/2"-CC-TS

Balston® Part Number
(Aluminum w/ Metal Internals)

1/2" NPT, Buna O-Rings, 250 PSIG Max.
Element Size: 100-12-xx, Float Drain Installed

A913A-BX
A913A-DX

UFS/Headline Part Number
(Anodized Aluminum w/ Nylon Internals)

1/2" NPT, Buna O-Rings, 250 PSIG Max.
Element Size: 25-64-xx, Float Drain Installed

365AF-50C
365AF-70C

Balston® Part Number
(Aluminum Head, Nylon Bowl, & Metal Internals)

1/2" NPT, Buna O-Rings, 250 PSIG Max.
Element Size: 100-12-xx, Float Drain Installed

A913-BX
A913-DX

UFS/Headline Part Number
(Anodized Aluminum Head, Polycarbonate Bowl & Nylon Internals)

1/2" NPT, Buna O-Rings, 250 PSIG Max.
Element Size: 25-64-xx, Float Drain Installed

365F-50C
365F-70C

Balston® Part Number
(Aluminum w/ Metal Internals)

1/2" NPT, Buna O-Rings, 250 PSIG Max.
Element Size: 100-18, Float Drain & Indicator Installed

A915A-BX
A915A-DX

UFS/Headline Part Number
(Anodized Aluminum w/ Nylon Internals)

1/2" NPT, Buna O-Rings, 250 PSIG Max.
Element Size: 25-127, Float Drain & Indicator Installed

375AFI-50C
375AFI-50C

Balston® Part Number
(Aluminum w/ Metal Internals)

1/2" NPT, Buna O-Rings, 250 PSIG Max.
Adsorption Cartridge Installed: CI-100-25-000

A917A-000

UFS/Headline Part Number
(Anodized Aluminum w/ Metal Internals)

1/2" NPT, Buna O-Rings, 500 PSIG Max.
Adsorption Cartridge Installed: 25-178-CC-TS

253A-1/2"-CC-TS

Balston® Part Number
(Aluminum Head, Steel Bowl, & Steel Internals)

3/4" NPT, Buna O-Rings, 250 PSIG Max.
Element Size: 150-19, Float Drain & Indicator Installed

A963-BX
A963-DX

UFS/Headline Part Number
(Anodized Aluminum w/ Nylon Internals)

3/4" NPT, Buna O-Rings, 250 PSIG Max.
Element Size: 38-152, Float Drain & Indicator Installed

380AHPFVDI-50CS
380AHPFVDI-70CS

Balston® Part Number
(Aluminum Head, Steel Bowl, & Steel Internals)

3/4" NPT, Buna O-Rings, 250 PSIG Max.
Adsorption Cartridge Installed: CI-150-19-000

A963-000

UFS/Headline Part Number
(Anodized Aluminum w/ Metal Internals)

3/4" NPT, Buna O-Rings, 1500 PSIG Max.
Adsorption Cartridge Installed: 38-152-CC-TS

380AHP-AD-3/4"-CC-TS

Balston® Part Number
(Aluminum Head, Steel Bowl, & Steel Internals)

UFS/Headline Part Number
(Anodized Aluminum w/ Nylon Internals)

1" NPT, Buna O-Rings, 250 PSIG Max.
Element Size: 150-19, Float Drain & Indicator Installed

A962-BX
A962-DX

1" NPT, Buna O-Rings, 250 PSIG Max.
Element Size: 38-152, Float Drain & Indicator Installed

383AHPFVDI-50CS
383AHPFVDI-70CS

Balston® Part Number
(Aluminum Head, Steel Bowl, & Steel Internals)

UFS/Headline Part Number
(Anodized Aluminum w/ Metal Internals)

1" NPT, Buna O-Rings, 250 PSIG Max.
Adsorption Cartridge Installed: CI-150-19-000

A962-000

1" NPT, Buna O-Rings, 1500 PSIG Max.
Adsorption Cartridge Installed: 38-152-CC-TS

383AHP-AD-1"-CC-TS

Balston® Part Number
(Aluminum Head & Bowl, & Steel Internals)

UFS/Headline Part Number
(Anodized Aluminum w/ Nylon Internals)

1 1/2" NPT, Buna O-Rings, 250 PSIG Max.
Element Size: 200-35, Float Drain & Indicator Installed

A960-BX
A960-DX

1 1/2" NPT, Buna O-Rings, 250 PSIG Max.
Element Size: 51-230, Float Drain & Indicator Installed

385AHPFVDI-50CS
385AHPFVDI-70CS

Balston® Part Number
(Aluminum Head, Steel Bowl, & Steel Internals)

UFS/Headline Part Number
(Anodized Aluminum w/ Metal Internals)

1 1/2" NPT, Buna O-Rings, 250 PSIG Max.
Adsorption Cartridge Installed: CI-200-35-000

A960-000

1 1/2" NPT, Buna O-Rings, 1000 PSIG Max.
Adsorption Cartridge Installed: 51-230-CC-TS

385AHP-AD-1 1/2"-CC-TS