



# Cross Reference Chart for Parker Finite®

This chart presents a cross-reference between our products and Parker Finite® products based on mutual performance attributes and equivalent physical dimensions.

<b>Section / Description</b>	<b>Page Number</b>
<b>Filter Elements</b> Disposable, Stainless Steel, Pleated & NGV Elements	<b>2</b>
<b>Type ID &amp; SD - DIF &amp; DIA</b> Disposable In-Line Filters & Adsorbers	<b>8</b>
<b>KN Series - Nylon Filters</b> Nylon Filter Housings	<b>9</b>
<b>Q &amp; H Series (Aluminum Housings)</b> Aluminum Filter Housings & Assemblies	<b>11</b>
<b>H Series - Aluminum Filter Housings</b> Aluminum Filter Assemblies	<b>14</b>
<b>BA Series - Dual Stage Aluminum</b> Dual Stage Aluminum Filter Assemblies	<b>28</b>
<b>FFC Series (NGV Filters)</b> NGV / CNG Assemblies - Includes A5R/A1R Series	<b>32</b>
<b>M Series Filter Assemblies</b> Stainless Steel and Aluminum Filter Assemblies	<b>35</b>
<b>SM Series - Stainless Steel Filters</b> Stainless Steel Filter Housings	<b>39</b>
<b>SJ Series / J Series - High Pressure</b> Stainless Steel & Carbon Steel High Pressure Filters	<b>41</b>
<b>Bypass / High Pressure Filters</b> Bypass Filters & Stainless Steel Filter Housings	<b>46</b>
<b>Small Internal Volume Filters</b> Small Internal Volume Stainless Steel Filters	<b>48</b>
<b>High Flow SS Filters (Includes SN Series)</b> High Flow SS Filter Housings & Assemblies	<b>52</b>

Please note that the Headline housings/assemblies listed are alternatives. Be sure to review the specifications of each unit. This list does not include all available Headline housings/assemblies—only those that are similar to Finite®.

Refer to the bulletin specifications for each product, or contact United Filtration Systems at (586) 802-5561. You may also visit our website at [www.unitedfiltration.com](http://www.unitedfiltration.com) or email us at [sales@unitedfiltration.com](mailto:sales@unitedfiltration.com).

If you have difficulty identifying a housing model number, please call or email us for assistance.



# Disposable Filter Elements

Finite® and UFS/Headline part numbers are interchangeable.

---

**Finite® Part Number**  
**(Element Size: 0.50" x 1.00")**

---

**6H04-010 X 10**  
**6G04-010 X 10**  
**8G04-010 X 10**  
**8T04-010 X 10**  
**10H04-010 X 10**

---

**UFS/Headline Part Number**  
**(Element Size 0.50" x 1.00")**

---

**12-25-50C** (99.99% @ .01 micron)  
**12-25-50K** (99.99% @ .01 micron)  
**12-25-60K** (99.5% @ .01 micron)  
**12-25-60S** (99.5% @ .01 micron)  
**12-25-70C** (95% @ .01 micron)

---

**Finite® Part Number**  
**(Element Size: 0.50" x 1.25")**

---

**4G04-013 X 10**  
**4T04-013 X 10**  
**6H04-013 X 10**  
**6G04-013 X 10**  
**6T04-013 X 10**  
**8G04-013 X 10**  
**10H04-013 X 10**  
**10G04-013 X 10**  
**10T04-013 X 10**  
**12G04-013 X 10**

---

**UFS/Headline Part Number**  
**(Element Size 0.50" x 1.25")**

---

**12-32-40K** (99.9999% @ .01 micron)  
**12-32-40S** (99.9999% @ .01 micron)  
**12-32-50C** (99.99% @ .01 micron)  
**12-32-50K** (99.99% @ .01 micron)  
**12-32-50S** (99.99% @ .01 micron)  
**12-32-60K** (99.5% @ .01 micron)  
**12-32-70C** (95% @ .01 micron)  
**12-32-70K** (95% @ .01 micron)  
**12-32-70S** (95% @ .01 micron)  
**12-32-80K** (75%+ @ .01 micron)

---

**Finite® Part Number**  
**(Element Size: 0.50" x 2.25")**

---

**4C04-023 X 10**  
**4F04-023 X 10**  
**4G04-023 X 10**  
**4T04-023 X 10**  
**6C04-023 X 10**  
**6H04-023 X 10**  
**6H04-023 X 10**  
**6G04-023 X 10**  
**6T04-023 X 10**  
**8C04-023 X 10**  
**8H04-023 X 10**  
**8G04-023 X 10**  
**8T04-023 X 10**  
**10C04-023 X 10**  
**10H04-023 X 10**  
**10G04-023 X 10**  
**10T04-023 X 10**

---

**UFS/Headline Part Number**  
**(Element Size 0.50" x 1.25")**

---

**12-57-40C** (99.9999% @ .01 micron)  
**12-57-40K** (99.9999% @ .01 micron)  
**12-57-40K** (99.9999% @ .01 micron)  
**12-57-40S** (99.9999% @ .01 micron)  
**12-57-50C** (99.99% @ .01 micron)  
**12-57-50C** (99.99% @ .01 micron)  
**12-57-50K** (99.99% @ .01 micron)  
**12-57-50K** (99.99% @ .01 micron)  
**12-57-50S** (99.99% @ .01 micron)  
**12-57-60C** (99.5% @ .01 micron)  
**12-57-60C** (99.5% @ .01 micron)  
**12-57-60K** (99.5% @ .01 micron)  
**12-57-60S** (99.5% @ .01 micron)  
**12-57-70C** (95% @ .01 micron)  
**12-57-70C** (95% @ .01 micron)  
**12-57-70K** (95% @ .01 micron)  
**12-57-70S** (95% @ .01 micron)

---

**Finite® Part Number**  
**(Element Size: 1.00" x 2.00")**

---

---

**UFS/Headline Part Number**  
**(Element Size 1.00" x 2.00")**

---

**6C10-020 X 8**  
**6H10-020 X 8**  
**6G10-020 X 10**  
**8H10-020 X 8**  
**8G10-020 X 10**  
**10CH10-020 X 1**  
**10H10-020 X 8**

**25-51-50C** (99.99% @ .01 micron)  
**25-51-50C** (99.99% @ .01 micron)  
**25-51-50K** (99.99% @ .01 micron)  
**25-51-60C** (99.5% @ .01 micron)  
**25-51-60K** (99.5% @ .01 micron)  
**25-51-70C** (95% @ .01 micron)  
**25-51-70C** (95% @ .01 micron)

---

**Finite® Part Number**  
**(Element Size: 1.00" x 2.50")**

---

---

**UFS/Headline Part Number**  
**(Element Size 1.00" x 2.50")**

---

**4C10-025 X 8**  
**4CU10-025 X 8**  
**4G10-025 X 10**  
**4T10-025 X 10**  
**4QU10-025 X 8**  
**6C10-025 X 8**  
**6CU10-025 X 8**  
**6H10-025 X 8**  
**6F10-025 X 10**  
**6G10-025 X 10**  
**6T10-025 X 10**  
**6QU10-025 X 8**  
**8C10-025 X 8**  
**8H10-025 X 8**  
**8G10-025 X 10**  
**8T10-025 X 10**  
**8QU10-025 X 8**  
**10C10-025 X 8**  
**10CU10-025 X 8**  
**10H10-025 X 8**  
**10F10-025 X 10**  
**10G10-025 X 10**  
**10T10-025 X 10**  
**10QU10-025 X 8**  
**12G10-025 X 10**

**25-64-40C** (99.9999% @ .01 micron)  
**25-64-40CS-UF** (99.9999% @ .01 micron)  
**25-64-40K** (99.9999% @ .01 micron)  
**25-64-40S** (99.9999% @ .01 micron)  
**25-64-40DPC** (99.9999% @ .01 micron)  
**25-64-50C** (99.99% @ .01 micron)  
**25-64-50CS-UF** (99.99% @ .01 micron)  
**25-64-50C** (99.99% @ .01 micron)  
**25-64-50K** (99.99% @ .01 micron)  
**25-64-50K** (99.99% @ .01 micron)  
**25-64-50S** (99.99% @ .01 micron)  
**25-64-50DPC** (99.99% @ .01 micron)  
**25-64-60C** (99.5% @ .01 micron)  
**25-64-60C** (99.5% @ .01 micron)  
**25-64-60K** (99.5% @ .01 micron)  
**25-64-60S** (99.5% @ .01 micron)  
**25-64-60DPC** (99.5% @ .01 micron)  
**25-64-70C** (95% @ .01 micron)  
**25-64-70CS-UF** (95% @ .01 micron)  
**25-64-70C** (95% @ .01 micron)  
**25-64-70K** (95% @ .01 micron)  
**25-64-70S** (95% @ .01 micron)  
**25-64-70DPC** (95% @ .01 micron)  
**25-64-80K** (75%+ @ .01 micron)

---

**Finite® Part Number**  
**(Element Size: 1.00" x 5.00")**

---

---

**UFS/Headline Part Number**  
**(Element Size 1.00" x 5.00")**

---

**4C10-050 X 4**  
**4CU10-050 X 4**  
**4QU10-050 X 4**

**25-127-40C** (99.9999% @ .01 micron)  
**25-127-40CS-UF** (99.9999% @ .01 micron)  
**25-127-40DPC** (99.9999% @ .01 micron)

---

**Finite® Part Number**  
**(Element Size: 1.00" x 5.00")**

---

---

**UFS/Headline Part Number**  
**(Element Size 1.00" x 5.00")**

---

6C10-050 X 4  
6CU10-050 X 4  
6H10-050 X 4  
6G10-050 X 10  
6T10-050 X 10  
6QU10-050 X 4  
8C10-050 X 4  
8CU10-050 X 4  
8H10-050 X 4  
8QU10-050 X 4  
10C10-050 X 4  
10CM10-050 X 4  
10CU10-050 X 4  
10H10-050 X 4  
10G10-050 X 10  
10T10-050 X 10  
10QU10-050 X 4

25-127-50C (99.99% @ .01 micron)  
25-127-50CS-UF (99.99% @ .01 micron)  
25-127-50C (99.99% @ .01 micron)  
25-127-50K (99.99% @ .01 micron)  
25-127-50S (99.99% @ .01 micron)  
25-127-50DPC (99.99% @ .01 micron)  
25-127-60C (99.5% @ .01 micron)  
25-127-60CS-UF (99.5% @ .01 micron)  
25-127-60C (99.5% @ .01 micron)  
25-127-60DPC (99.5% @ .01 micron)  
25-127-70C (95% @ .01 micron)  
25-127-70C (95% @ .01 micron)  
25-127-70CS-UF (95% @ .01 micron)  
25-127-70C (95% @ .01 micron)  
25-127-70K (95% @ .01 micron)  
25-127-70S (95% @ .01 micron)  
25-127-70DPC (95% @ .01 micron)

---

**Finite® Part Number**  
**(Element Size: 1.00" x 7.00")**

---

---

**UFS/Headline Part Number**  
**(Element Size 1.00" x 7.00")**

---

4C10-070 X 4  
4CU10-070 X 4  
4QU10-070 X 4  
4F10-070 X 10  
4G10-070 X 10  
6C10-070 X 4  
6CU10-070 X 4  
6QU10-070 X 4  
6H10-070 X 4  
6F10-070 X 10  
6G10-070 X 10  
6T10-070 X 10  
6QU10-070 X 4  
8H10-070 X 4  
8G10-070 X 10  
8QU10-070 X 4  
8T10-070 X 10  
10C10-070 X 4  
10CU10-070 X 4  
10H10-070 X 4  
10G10-070 X 10  
10T10-070 X 10  
10QU10-070 X 10  
12G10-070 X 10

25-178-40C (99.9999% @ .01 micron)  
25-178-40CS-UF (99.9999% @ .01 micron)  
25-178-40DPC (99.9999% @ .01 micron)  
25-178-40K (99.9999% @ .01 micron)  
25-178-40K (99.9999% @ .01 micron)  
25-178-50C (99.99% @ .01 micron)  
25-178-50CS-UF (99.99% @ .01 micron)  
25-178-50DPC (99.99% @ .01 micron)  
25-178-50C (99.99% @ .01 micron)  
25-178-50K (99.99% @ .01 micron)  
25-178-50K (99.99% @ .01 micron)  
25-178-50S (99.99% @ .01 micron)  
25-178-50DPC (99.99% @ .01 micron)  
25-178-60C (99.5% @ .01 micron)  
25-178-60K (99.5% @ .01 micron)  
25-178-60DPC (99.5% @ .01 micron)  
25-178-60S (99.5% @ .01 micron)  
25-178-70C (95% @ .01 micron)  
25-178-70CS-UF (95% @ .01 micron)  
25-178-70C (95% @ .01 micron)  
25-178-70K (95% @ .01 micron)  
25-178-70S (95% @ .01 micron)  
25-178-70DPC (95% @ .01 micron)  
25-178-80K (75%+ @ .01 micron)

---

**Finite® Part Number**  
**(Element Size: 1.50" x 6.00")**

---

---

**UFS/Headline Part Number**  
**(Element Size 1.50" x 6.00")**

---

4C15-060 X 4  
4CU15-060 X 4  
4G15-060 X 10  
4QU15-060 X 4  
6C15-060 X 4  
6CU15-060 X 4  
6H15-060 X 4  
6G15-060 X 10  
6T15-060 X 10  
6QU15-060 X 4  
8C15-060 X 4  
8CU15-060 X 4  
8H15-060 X 4  
8QU15-060 X 4  
10C15-060 X 4  
10CM15-060 X 4  
10CU15-060 X 4  
10H15-060 X 4  
10G15-060 X 10  
10T15-060 X 10  
10QU15-060 X 4

38-152-40CS-DOE (99.9999% @ .01 micron)  
38-152-40CS-UF (99.9999% @ .01 micron)  
38-152-40K (99.9999% @ .01 micron)  
38-152-40DPC (99.9999% @ .01 micron)  
38-152-50CS-DOE (99.99% @ .01 micron)  
38-152-50CS-UF (99.99% @ .01 micron)  
38-152-50CS-DOE (99.99% @ .01 micron)  
38-152-50K (99.99% @ .01 micron)  
38-152-50S (99.99% @ .01 micron)  
38-152-50DPC (99.99% @ .01 micron)  
38-152-60CS-DOE (99.5% @ .01 micron)  
38-152-60CS-UF (99.5% @ .01 micron)  
38-152-60CS-DOE (99.5% @ .01 micron)  
38-152-60DPC (99.5% @ .01 micron)  
38-152-70C-DOE (95% @ .01 micron)  
38-152-70C-DOE (95% @ .01 micron)  
38-152-70CS-UF (95% @ .01 micron)  
38-152-70CS-DOE (95% @ .01 micron)  
38-152-70K (95% @ .01 micron)  
38-152-70S (95% @ .01 micron)  
38-152-70DPC (95% @ .01 micron)

---

**Finite® Part Number**  
**(Element Size: 2.00" x 3.50")**

---

---

**UFS/Headline Part Number**  
**(Element Size 2.00" x 3.50")**

---

6H20-035 X 4  
8H20-035 X 4

51-89-50CS (99.99% @ .01 micron)  
51-89-60CS (99.5% @ .01 micron)

---

**Finite® Part Number**  
**(Element Size: 2.00" x 9.00")**

---

---

**UFS/Headline Part Number**  
**(Element Size 2.00" x 9.00")**

---

4G20-090 X 10  
4T20-090 X 10  
4C20-090 X 2  
4Q20-090 X 2  
6C20-090 X 2  
6H20-090 X 2  
6Q20-090 X 2  
6G20-090 X 10  
6T20-090 X 10  
8C20-090 X 2  
8H20-090 X 10  
8Q20-090 X 10  
8G20-090 X 10

51-230-40K (99.9999% @ .01 micron)  
51-230-40S (99.9999% @ .01 micron)  
51-230-40CS (99.9999% @ .01 micron)  
51-230-40DPC (99.9999% @ .01 micron)  
51-230-50CS (99.99% @ .01 micron)  
51-230-50CS (99.99% @ .01 micron)  
51-230-50DPC (99.99% @ .01 micron)  
51-230-50K (99.99% @ .01 micron)  
51-230-50S (99.99% @ .01 micron)  
51-230-60CS (99.5% @ .01 micron)  
51-230-60CS (99.5% @ .01 micron)  
51-230-60DPC (99.5% @ .01 micron)  
51-230-60K (99.5% @ .01 micron)

---

**Finite® Part Number**  
(Element Size: 2.00" x 9.00")

---

**UFS/Headline Part Number**  
(Element Size 2.00" x 9.00")

---

10C20-090 X 2  
10H20-090 X 2  
10Q20-090 X2  
10G20-090 X 10  
10T20-090 X 10

51-230-70CS (95% @ .01 micron)  
51-230-70CS (95% @ .01 micron)  
51-230-70DPC (95% @ .01 micron)  
51-230-70K (95% @ .01 micron)  
51-230-70S (95% @ .01 micron)

---

**Finite® Part Number**  
(Element Size: 2.00" x 18.75")

---

**UFS/Headline Part Number**  
(Element Size 2.00" x 18.75")

---

4C20-187 X 1  
4CU20-187 X 1  
4CU25-187 X 1  
4G20-187 X 10  
4T20-187 X 10  
4QU25-187 X 1  
6C20-187 X 1  
6CU20-187 X 1  
6CU25-187 X 1  
6H20-187 X 1  
6G20-187 X 10  
6T20-187 X 10  
6QU20-187 X 1  
6QU25-187 X 1  
8CU20-187 X 1  
8CU25-187 X 1  
8H20-187 X 1  
8G20-187 X 10  
8QU25-187 X 1  
10CU20-187 X 1  
10CU25-187 X 1  
10H20-187 X 1  
10G20-187 X 10  
10T20-187 X 10  
10QU25-187 X 1  
12T20-187 X 10

51-476-40CS (99.9999% @ .01 micron)  
51-476-40CS-UF (99.9999% @ .01 micron)  
51-476-40CS-UF (99.9999% @ .01 micron)  
51-476-40K (99.9999% @ .01 micron)  
51-476-40S (99.9999% @ .01 micron)  
51-476-40DPC (99.9999% @ .01 micron)  
51-476-50CS (99.99% @ .01 micron)  
51-476-50CS-UF (99.99% @ .01 micron)  
51-476-50CS-UF (99.99% @ .01 micron)  
51-476-50CS (99.99% @ .01 micron)  
51-476-50K (99.99% @ .01 micron)  
51-476-50S (99.99% @ .01 micron)  
51-476-50DPC (99.99% @ .01 micron)  
51-476-50DPC (99.99% @ .01 micron)  
51-476-60CS (99.5% @ .01 micron)  
51-476-60CS-UF (99.5% @ .01 micron)  
51-476-60CS (99.5% @ .01 micron)  
51-476-60K (99.5% @ .01 micron)  
51-476-60DPC (99.5% @ .01 micron)  
51-476-70CS-UF (95% @ .01 micron)  
51-476-70CS-UF (95% @ .01 micron)  
51-476-70CS (95% @ .01 micron)  
51-476-70K (95% @ .01 micron)  
51-476-70S (95% @ .01 micron)  
51-476-70DPC (95% @ .01 micron)  
51-476-80S (75%+ @ .01 micron)

## NGV Filter Element Kits

---

**Finite® Part Number**  
(NGV Filter Element Kit)

---

**UFS/Headline Part Number**  
(NGV Filter Element Kit)

---

CLS112-10K  
CLS112-4K  
CLS112-6K

NGV-FFC112  
NGV-FFC112  
NGV-FFC112

# Stainless Steel Elements

---

**Finite® Part Number**  
**(Stainless steel Retainers with**  
**Mesh Screen in Between)**

---

100WS04-023 X 1

100WS10-020 X 1

100WS10-050 X 1

100WS25-187 X 1

With Urethane End Seal

100WSU10-025 X 1

100WSU15-060 X 1

**UFS/Headline Part Number**  
**(Five Layer Stainless Steel**  
**with Teflon Seals)**

---

SS-12-57-100T

SS-25-51-100T

SS-25-127-100T

SS-51-476-100T

With Teflon Seals

SS-25-64-100T

SS-38-152-100T

# Pleated Elements

---

**Finite® Part Number**  
**(Pleated Cellulose Element)**

---

With Silicone End Seal

3PS10-025 X 8

3PS10-050 X 4

3PS15-060 X 4

3PS20-187 X 1

3PS25-187 X 1

With Urethane End Seal

3PU10-025 X 8

3PU10-050 X 4

3PU10-070 X 4

3PU15-060 X 4

3PU20-187 X 1

3PU25-187 X 1

High Temperature Element

3PUS20-187 X 1

3PSS25-187 X 1

**UFS/Headline Part Number**  
**(Pleated Glass Microfiber Element)**

---

PVC End Cap with Viton O-Rings

25-64-03PLMG

25-127-03PLMG

38-152-03PLMG

51-476-03PLMG

51-476-03PLMG

PVC End Cap with Viton O-Rings

25-64-03PLMG

25-127-03PLMG

25-178-03PLMG

38-152-03PLMG

51-476-03PLMG

51-476-03PLMG

51-476-03PLMG

51-476-03PLMG

# Disposable In-Line Filters

Finite® and UFS/Headline part numbers are 100% compatible and interchangeable.

---

**Finite® Part Number**  
**(Nylon Body w/ Microfiber Element)**

---

**1/4" Tube Inlet / Outlet****IDN-4F X 10****IDN-4G X 10****IDS-4G X 10****IDN-6F X 10****IDN-6G X 10****IDS-6G X 10****IDN-8G X 10****IDN-10F X 10****IDN-10G X 10****IDS-10G X 10****IDN-12G X 10****1/8" Tube (Straight Barb) Inlet / Outlet****IDS-4G-4S X 10****IDN-6G-4S X 10****IDS-6G-4S X 10****IDN-10G-4S X 10****IDS-10G-4S X 10****1/8" Tube (90°Elbow Barb) Inlet / Outlet****IDN-6G-4A X 10****IDS-6G-4A X 10****IDN-10G-4A X 10****With Oil Indicating Dye****1/4" Tube Inlet / Outlet****SDN-O X 10****SDS-O X 10****1/8" Tube (Straight Barb) Inlet / Outlet****SDN-O-4S X 10****1/8" Tube (90°Elbow Barb) Inlet / Outlet****SDN-O-4A X 10****SDS-O-4A X 10**

---

**UFS/Headline Part Number**  
**(Nylon Body w/ Microfiber Element)**

---

**1/4" Tube Inlet / Outlet****DIF-BN40** (99.9999% @ .01 micron)**DIF-BN40** (99.9999% @ .01 micron)**DIF-BN40SP (Short Spigot)** (99.9999% @ .01 micron)**DIF-BN50** (99.99% @ .01 micron)**DIF-BN50** (99.99% @ .01 micron)**DIF-BN50SP (Short Spigot)** (99.99% @ .01 micron)**DIF-BN60** (99.5% @ .01 micron)**DIF-BN70** (95% @ .01 micron)**DIF-BN70** (95% @ .01 micron)**DIF-BN70SP (Short Spigot)** (95% @ .01 micron)**DIF-BN80** (75%+ @ .01 micron)**1/8" Tube (Straight Barb) Inlet / Outlet****DIF-BN40SP-1/8" (Short Spigot)** (99.9999% @ .01 micron)**DIF-BN50-1/8"** (99.99% @ .01 micron)**DIF-BN50SP-1/8" (Short Spigot)** (99.99% @ .01 micron)**DIF-BN70-1/8"** (95% @ .01 micron)**DIF-BN70SP-1/8" (Short Spigot)** (95% @ .01 micron)**1/8" Tube (90°Elbow Barb) Inlet / Outlet****DIF-BN50-1/8"-90** (99.99% @ .01 micron)**DIF-BN50SP-1/8"-90 (Short Spigot)** (99.99% @ .01 micron)**DIF-BN70-1/8"-90** (95% @ .01 micron)**With Oil Indicating Dye****1/4" Tube Inlet / Outlet****DIF-BN50I** (99.99% @ .01 micron)**DIF-BN50I-SP (Short Spigot)** (99.99% @ .01 micron)**1/8" Tube (Straight Barb) Inlet / Outlet****DIF-BN50I-1/8** (99.99% @ .01 micron)**1/8" Tube (90°Elbow Barb) Inlet / Outlet****DIF-BN50I-1/8"-90** (99.99% @ .01 micron)**DIF-BN50ISP-1/8"-90 (Short Spigot)** (99.99% @ .01 micron)

---

**Finite® Part Number**  
**(Nylon Body w/ Stainless Steel Mesh)**

---

**1/4" Tube Inlet / Outlet****IDN-44P X 10****IDS-44P X 10****1/8" Tube (Straight Barb) Inlet / Outlet****IDN-44P-4S X 10**

---

**UFS/Headline Part Number**  
**(Nylon Body w/ Stainless Steel Screen)**

---

**1/4" Tube Inlet / Outlet****DIF-BN44SS****DIF-BN44SS-SP (Short Spigot)****1/8" Tube (Straight Barb) Inlet / Outlet****DIF-BN44SS-1/8"**

# Disposable In-Line Adsorbers

## Finite® Part Number (Nylon Body)

1/4" Tube Inlet / Outlet

**SDN-A X 10**

**SDN-J X 10**

**SDN-M X 10**

**SDS-A X 10**

**SDS-J X 10**

1/8" Tube (Straight Barb) Inlet / Outlet

**SDN-A-4S X 10**

**SDN-J-4S X 10**

**SDS-A-4S X 10**

**SDS-J-4S X 10**

**SDS-M-4S X 10**

## UFS/Headline Part Number (Nylon Body)

1/4" Tube Inlet / Outlet

**DIA-BNCC** (Activated Carbon)

**DIA-BNSG** (Silica Gel)

**DIA-BNCC-SP (Short Spigot)** (Activated Carbon)

**DIA-BNSG-SP (Short Spigot)** (Silica Gel)

**DIA-BN13X-SP (Short Spigot)** (Molecule Sieve 13X)

1/8" Tube (Straight Barb) Inlet / Outlet

**DIA-BNCC-1/8"** (Activated Carbon)

**DIA-BNSG-1/8"** (Silica Gel)

**DIA-BNCC-SP-1/8" (Short Spigot)** (Activated Carbon)

**DIA-BNSG-SP-1/8" (Short Spigot)** (Silica Gel)

**DIA-BN13X-SP-1/8" (Short Spigot)** (Molecule Sieve 13X)

# Plastic Filter Housings

Cross Comparisons are based on functionality but not interchangeable.

## Finite® Part Number (Nylon)

1/8" NPT, Buna-N O-Rings, 150 PSIG Max. Pressure

Element Size: xx06-016

**KN5S-6C06-016**

**KN5S-6G06-016**

**KN5S-10C06-016**

**KN5S-10G06-016**

Element Size: xx06-016

**KN5S-75P06-016**

## UFS/Headline Part Number (Nylon)

1/8" NPT, Viton O-Rings, 100 PSIG Max. Pressure

Element Size: 12-57-xx

**721N-50C**

**721N-50K**

**721N-70C**

**721N-70K**

Element Size: PEL-12-57-xx

**721N-PEL75**

## Finite® Part Number (Nylon)

1/4" NPT, Buna-N O-Rings, 150 PSIG Max. Pressure

No Element Installed

**KN1S X 1**

Element Size: xx06-016

**KN1S-4C06-016**

**KN1S-6C06-016**

**KN1S-6G06-016**

**KN1S-6H06-016**

**KN1S-6T06-016**

**KN1S-8C06-016**

**KN1S-8H06-016**

**KN1S-10C06-016**

## UFS/Headline Part Number (Nylon)

1/4" NPT, Viton O-Rings, 100 PSIG Max. Pressure

No Element Installed

**730N**

Element Size: 12-57-xx

**730N-40C**

**730N-50C**

**730N-50K**

**730N-50CS**

**730N-50S**

**730N-60C**

**730N-60CS**

**730N-70C**

---

**Finite® Part Number  
(Nylon)**

---

---

**UFS/Headline Part Number  
(Nylon)**

---

**1/4" NPT, Buna-N O-Rings, 150 PSIG Max. Pressure**

Element Size: xx06-016

**KN1S-10G06-016****KN1S-10H06-016**

Element Size: xx06-016

**KN1S-75P06-016****1/4" NPT, Viton O-Rings, 100 PSIG Max. Pressure**

Element Size: 12-57-xx

**730N-70K****730N-70CS**

Element Size: PEL-12-57-xx

**730N-PEL75**

---

**Finite® Part Number  
(Nylon)**

---

---

**UFS/Headline Part Number  
(Nylon)**

---

**1/4" NPT, Buna-N O-Rings, 150 PSIG Max. Pressure**

No Element Installed

**P1N X 1**

Element Size: xx10-025

**P1N-4C10-025****P1N-4G10-025****P1N-6C10-025****P1N-6F10-025****P1N-6H10-025****P1N-6QU10-025****P1N-8G10-025****P1N-10C10-025****P1N-10G10-025****P1N-10QU10-025****P1N-3PU10-025**

Adsorption Element: AU10-025

**P1N-AU10-025****1/4" NPT, Viton O-Rings, 100 PSIG Max. Pressure**

No Element Installed

**751N**

Element Size: 25-64-xx

**751N-40C****751N-40K****751N-50C****751N-50K****751N-50CS****751N-50DPC****751N-60K****751N-70C****751N-70K****751N-70DPC****751N-03PLMG**

Adsorption Element: TRE25-64-CC

**751N-CC-TP**

## Aluminum Filter Assemblies

Filter housings provide an alternative solution, but elements are not interchangeable. Additional O-ring materials, including perfluoroelastomer, are available.

---

**Finite® Part Number  
(Aluminum Head with Polycarbonate Bowl)**

---

---

**UFS/Headline Part  
(Anodized Aluminum Head w/ Polycarbonate Bowl)**

---

**1/8" NPT, Buna-N O-Rings, 150 PSIG Max.**

1/8" Barbed Drain

Element Size: xx06-013

**FQ5S-4HM06-013****FQ5S-6HM06-013****FQ5S-8HM06-013****FQ5S-10HM06-013****1/8" NPT, Buna-N O-Rings, 150 PSIG Max.**

1/8" Barbed Drain

Element Size: 12-32-xx

**310-1/8"-1/8"BD-40C****310-1/8"-1/8"BD-50C****310-1/8"-1/8"BD-60C****310-1/8"-1/8"BD-70C**

---

**Finite® Part Number**  
**(Aluminum Head with Polycarbonate Bowl)**

---

**UFS/Headline Part**  
**(Anodized Aluminum Head w/ Polycarbonate Bowl)**

1/4" NPT, Buna-N O-Rings, 150 PSIG Max.  
1/8" Barbed Drain

Element Size: xx06-013

**FQ1S-4HM06-013**

**FQ1S-6HM06-013**

**FQ1S-8HM06-013**

**FQ1S-10HM06-013**

Adsorption Element: AU06-013

**FQ5S-AM06-013**

**FQ1S-AM06-013**

1/4" NPT, Buna-N O-Rings, 150 PSIG Max.  
1/8" Barbed Drain

Element Size: 12-32-xx

**315-1/4"-1/8"BD-40C**

**315-1/4"-1/8"BD-50C**

**315-1/4"-1/8"BD-60C**

**315-1/4"1/8"BD-70C**

Adsorption Element Size: TRE12-32-CC

**310-1/8"-1/8"BD-TRECC**

**315-1/4"1/8"BD-TRECC**

---

**Finite® Part Number**  
**(Aluminum Head with Zinc Bowl)**

---

**UFS/Headline Part**  
**(Anodized Aluminum Head and Bowl)**

1/8" NPT, Buna-N O-Rings, 250 PSIG Max.  
1/8" Barbed Drain

Element Size: xx06-013

**FH5S-4HM03-016**

**FH5S-6HM03-016**

**FH5S-8HM03-016**

**FH5S-10HM03-016**

**FH1S-4HM03-016**

**FH1S-6HM03-016**

**FH1S-8HM03-016**

**FH1S-10HM03-016**

Adsorption Element: AU06-013

**FH5S-AM03-016**

**FH1S-AM03-016**

1/8" NPT, Buna-N O-Rings, 500 PSIG Max.  
1/8" Barbed Drain

Element Size: 12-32-xx

**310A-1/8"-1/8"BD-40C**

**310A-1/8"-1/8"BD-50C**

**310A-1/8"-1/8"BD-60C**

**310A-1/8"-1/8"BD-70C**

**315A-1/4"-1/8"BD-40C**

**315A-1/4"-1/8"BD-50C**

**315A-1/4"-1/8"BD-60C**

**315A-1/4"-1/8"BD-70C**

Adsorption Element Size: TRE12-32-CC

**310A-1/8"-1/8"BD-TRECC**

**315A-1/4"-1/8"BD-TRECC**

---

**Finite® Part Number**  
**(Aluminum Head with Polycarbonate Bowl)**

---

**UFS/Headline Part**  
**(Anodized Aluminum Head w/ Polycarbonate Bowl)**

1/8" NPT, Buna-N O-Rings, 150 PSIG Max.  
No Element Installed

**Q5SX1(No Element)**

**Q1SX1 (No Element)**

1/8" NPT, Buna-N O-Rings, 150 PSIG Max.

Element Size: xx06-013

**Q5S-4HM06-013**

**Q5S-6HM06-013**

**Q5S-8HM06-013**

**Q5S-10HM06-013**

**Q1S-4HM06-013**

**Q1S-6HM06-013**

**Q1S-8HM06-013**

**Q1S-10HM06-013**

Adsorption Element: AU06-013

**Q5S-AM06-013**

**Q1S-AM06-013**

1/8" NPT, Buna-N O-Rings, 150 PSIG Max.  
No Element Installed

**310-1/8"**

**315-1/4"**

1/8" NPT, Buna-N O-Rings, 150 PSIG Max.

Element Size: 12-32-xx

**310-1/8"-40C**

**310-1/8"-50C**

**310-1/8"-60C**

**310-1/8"-70C**

**315-1/4"-40C**

**315-1/4"-50C**

**315-1/4"-60C**

**315-1/4"-70C**

Adsorption Element Size: TRE12-32-CC

**310-1/8"-TRECC**

**315-1/4"-TRECC**

---

**Finite® Part Number**  
**(Aluminum Head with Zinc Bowl)**

---

---

**UFS/Headline Part**  
**(Anodized Aluminum Head and Bowl)**

---

1/8" NPT, Buna-N O-Rings, 150 PSIG Max.  
1/8" Barbed Drain  
No Element Installed

**H5SX1 (No Element)**

**H1SX1 (No Element)**

1/8" NPT, Buna-N O-Rings, 250 PSIG Max.  
Element Size: xx06-013

**H5S-4HM06-013**

**H5S-6HM06-013**

**H5S-8HM06-013**

**H5S-10HM06-013**

**H1S4HM06-013**

**H1S-6HM06-013**

**H1S-8HM06-013**

**H1S-10HM06-013**

Adsorption Element: AU06-013

**H5S-AM06-013**

**H1S-AM06-013**

1/8" NPT, Buna-N O-Rings, 150 PSIG Max.  
1/8" Barbed Drain  
No Element Installed

**310A-1/8"**

**315A-1/4"**

1/8" NPT, Buna-N O-Rings, 500 PSIG Max.  
Element Size: 12-32-xx

**310A-1/8"-40C**

**310A-1/8"-50C**

**310A-1/8"-60C**

**310A-1/8"-70C**

**315A-1/4"-40C**

**315A-1/4"-50C**

**315A-1/4"-60C**

**315A-1/4"-70C**

Adsorption Element Size: TRE12-32-CC

**310A-1/8"-TRECC**

**315A-1/4"-TRECC**

## Aluminum Filter Assemblies

Filter housings provide an alternative with fully interchangeable elements, and are available with O-rings in multiple materials, including perfluoroelastomer.

---

### HN1S Series

---

### 360A Series

---

**Finite® Part Number**  
**(Cast Aluminum Head, Drawn Aluminum Body, Powder-Painted Exterior)**

---

---

**UFS/Headline Part**  
**(Anodized Aluminum w/ Nylon Internals)**

---

1/4" NPT, Buna-N O-Rings, 500 PSIG Max.,  
Element Size: xx10-025

**HN1S-4C**

**HN1S-6C**

**HN1S-8C**

**HN1S-10C**

**HN1S-4CU**

**HN1S-6CU**

**HN1S-8CU**

**HN1S-10CU**

**HN1S-4QU**

**HN1S-6QU**

**HN1S-8QU**

**HN1S-10QU**

**HN1S-3PU**

**HN1S-10WSU**

Adsorption Cartridge Installed: AU10-025

**HN1S-AU**

1/4" NPT, Buna-N O-Rings, 500 PSIG Max.  
Element Size: 25-64-xx

**360A-1/4"-40C**

**360A-1/4"-50C**

**360A-1/4"-60C**

**360A-1/4"-70C**

**360A-1/4"-40CS**

**360A-1/4"-50CS**

**360A-1/4"-60CS**

**360A-1/4"-70CS**

**360A-AD-1/4"-40DPC**

**360A-AD-1/4"-50DPC**

**360A-AD-1/4"-60DPC**

**360A-AD-1/4"-70DPC**

**360A-AD-1/4"03PLMG**

**360A-1/4"-SS100**

Adsorption Cartridge Installed: 25-64-CC-TS

**360A-AD-1/4"-CC-TS**

**250 PSIG Max., Float Drain**

HN1S-4CA  
HN1S-6CA  
HN1S-8CA  
HN1S-10CA  
HN1S-4CUA  
HN1S-6CUA  
HN1S-8CUA  
HN1S-10CUA  
HN1S-4QUA  
HN1S-6QUA  
HN1S-8QUA  
HN1S-10QUA  
HN1S-100WSUA

**250 PSIG Max., Float Drain, and Indicator**

HN1S-4CW  
HN1S-6CW  
HN1S-6QUW  
HN1S-10CW  
HN1S-4CUW  
HN1S-6CUW  
HN1S-8CUW  
HN1S-10CUW  
HN1S-4QUW  
HN1S-6QUW  
HN1S-8QUW  
HN1S-10QUW  
HN1S-100WSUW

**250 PSIG Max., Float Drain**

360AF-1/4"-40C  
360AF-1/4"-50C  
360AF-1/4"-60C  
360AF-1/4"-70C  
360AF-1/4"-40CS  
360AF-1/4"-50CS  
360AF-1/4"-60CS  
360AF-1/4"-70CS  
360AF-AD-1/4"-40DPC  
360AF-AD-1/4"-50DPC  
360AF-AD-1/4"-60DPC  
360AF-AD-1/4"-70DPC  
360AF-1/4"-SS100

**250 PSIG Max., Float Drain, and Indicator**

360AFI-1/4"-40C  
360AFI-1/4"-50C  
360AFI-1/4"-60C  
360AFI-1/4"-70C  
360AFI-1/4"-40CS  
360AFI-1/4"-50CS  
360AFI-1/4"-60CS  
360AFI-1/4"-70CS  
360AFI-AD-1/4"-40DPC  
360AFI-AD-1/4"-50DPC  
360AFI-AD-1/4"-60DPC  
360AFI-AD-1/4"-70DPC  
360AFI-1/4"-SS100

**HN15S Series**

**360A-3/8" Series**

**Finite® Part Number**

**UFS/Headline Part**

**(Cast Aluminum Head, Drawn Aluminum Body, Powder-Painted Exterior)**

**(Anodized Aluminum w/ Nylon Internals)**

**3/8" NPT, Buna-N O-Rings, 500 PSIG Max.  
Element Size: xx10-025**

**3/8" NPT, Buna-N O-Rings, 500 PSIG Max.  
Element Size: 25-64-xx**

HN15S-4C  
HN15S-6C  
HN15S-8C  
HN15S-10C  
HN15S-4CU  
HN15S-6CU  
HN15S-8CU  
HN15S-10CU  
HN15S-4QU  
HN15S-6QU  
HN15S-8QU  
HN15S-10QU  
HN15S-3PU  
HN15S-100WSU

360A-3/8"-40C  
360A-3/8"-50C  
360A-3/8"-60C  
360A-3/8"-70C  
360A-3/8"-40CS  
360A-3/8"-50CS  
360A-3/8"-60CS  
360A-3/8"-70CS  
360A-AD-3/8"-40DPC  
360A-AD-3/8"-50DPC  
360A-AD-3/8"-60DPC  
360A-AD-3/8"-70DPC  
360A-AD-3/8"-03PLMG  
360A-3/8"-SS100

**Adsorption Cartridge Installed: AU10-025**

**HN15S-AU**

**250 PSIG Max., Float Drain**

**HN15S-4CA**

**HN15S-6CA**

**HN15S-8CA**

**HN15S-10CA**

**HN15S-4CUA**

**HN15S-6CUA**

**HN15S-8CUA**

**HN15S-10CUA**

**HN15S-4QUA**

**HN15S-6QUA**

**HN15S-8QUA**

**HN15S-10QUA**

**HN15S-100WSUA**

**250 PSIG Max., Float Drain, and Indicator**

**HN15S-4CW**

**HN15S-6CW**

**HN15S-8CW**

**HN15S-10CW**

**HN15S-4CUW**

**HN15S-6CUW**

**HN15S-8CUW**

**HN15S-10CUW**

**HN15S-4QUW**

**HN15S-6QUW**

**HN15S-8QUW**

**HN15S-10QUW**

**HN15S-100WSUW**

**Adsorption Cartridge Installed: 25-64-CC-TS**

**360A-AD-3/8"-CC-TS**

**250 PSIG Max., Float Drain**

**360AF-3/8"-40C**

**360AF-3/8"-50C**

**360AF-3/8"-60C**

**360AF-3/8"-70C**

**360AF-3/8"-40CS**

**360AF-3/8"-50CS**

**360AF-3/8"-60CS**

**360AF-3/8"-70CS**

**360AF-AD-3/8"-40DPC**

**360AF-AD-3/8"-50DPC**

**360AF-AD-3/8"-60DPC**

**360AF-AD-3/8"-70DPC**

**360AF-3/8"-SS100**

**250 PSIG Max., Float Drain, and Indicator**

**360AFI-3/8"-40C**

**360AFI-3/8"-50C**

**360AFI-3/8"-60C**

**360AFI-3/8"-70C**

**360AFI-3/8"-40CS**

**360AFI-3/8"-50CS**

**360AFI-3/8"-60CS**

**360AFI-3/8"-70CS**

**360AFI-AD-3/8"-40DPC**

**360AFI-AD-3/8"-50DPC**

**360AFI-AD-3/8"-60DPC**

**360AFI-AD-3/8"-70DPC**

**360AFI-3/8"-SS100**

**HN2S Series**

**365A Series**

**Finite® Part Number**

**(Cast Aluminum Head, Drawn Aluminum Body, Powder-Painted Exterior)**

**UFS/Headline Part**

**(Anodized Aluminum w/ Nylon Internals)**

**1/2" NPT, Buna-N O-Rings, 500 PSIG Max.**

**Element Size: xx10-025**

**HN2S-4C**

**HN2S-6C**

**HN2S-8C**

**HN2S-10C**

**HN2S-4CU**

**HN2S-6CU**

**HN2S-8CU**

**HN2S-10CU**

**HN2S-4QU**

**HN2S-6QU**

**HN2S-8QU**

**1/2" NPT, Buna-N O-Rings, 500 PSIG Max.**

**Element Size 25-64-xx**

**365A-1/2"-40C**

**365A-1/2"-50C**

**365A-1/2"-60C**

**365A-1/2"-70C**

**365A-1/2"-40CS**

**365A-1/2"-50CS**

**365A-1/2"-60CS**

**365A-1/2"-70CS**

**365A-AD-1/2"-40DPC**

**365A-AD-1/2"-50DPC**

**365A-AD-1/2"-60DPC**

## HN2S Series

**Finite® Part Number**  
**(Cast Aluminum Head, Drawn Aluminum Body, Powder-Painted Exterior)**

1/2" NPT, Buna-N O-Rings, 500 PSIG Max.

Element Size: xx10-025

**HN2S-10QU**

**HN2S-3PU**

**HN2S-100WSU**

Adsorption Cartridge Installed: AU10-025

**HN2S-AU**

250 PSIG Max., Float Drain

**HN2S-4CA**

**HN2S-6CA**

**HN2S-8CA**

**HN2S-10CA**

**HN2S-4CUA**

**HN2S-6CUA**

**HN2S-8CUA**

**HN2S-10CUA**

**HN2S-4QUA**

**HN2S-6QUA**

**HN2S-8QUA**

**HN2S-10QUA**

**HN2S-100WSUA**

250 PSIG Max., Float Drain, and Indicator

**HN2S-4CW**

**HN2S-6CW**

**HN2S-8CW**

**HN2S-10CW**

**HN2S-4CUW**

**HN2S-6CUW**

**HN2S-8CUW**

**HN2S-10CUW**

**HN2S-4QUW**

**HN2S-6QUW**

**HN2S-8QUW**

**HN2S-10QUW**

**HN2S-100WSUW**

## 365A Series

**UFS/Headline Part**  
**(Anodized Aluminum w/ Nylon Internals)**

1/2" NPT, Buna-N O-Rings, 500 PSIG Max.

Element Size 25-64-xx

**365A-AD-1/2"-70DPC**

**365A-1/2"-03PLMG**

**365A-1/2"-SS100**

Adsorption Cartridge Installed: 25-64-CC-TS

**365A-AD-1/2"-CC-TS**

250 PSIG Max., Float Drain

**365AF-1/2"-40C**

**365AF-1/2"-50C**

**365AF-1/2"-60C**

**365AF-1/2"-70C**

**365AF-1/2"-40CS**

**365AF-1/2"-50CS**

**365AF-1/2"-60CS**

**365AF-1/2"-70CS**

**365AF-AD-1/2"-40DPC**

**365AF-AD-1/2"-50DPC**

**365AF-AD-1/2"-60DPC**

**365AF-AD-1/2"-70DPC**

**365AF-1/2"-SS100**

250 PSIG Max., Float Drain, and Indicator

**365AFI-1/2"-40C**

**365AFI-1/2"-50C**

**365AFI-1/2"-60C**

**365AFI-1/2"-70C**

**365AFI-1/2"-40CS**

**365AFI-1/2"-50CS**

**365AFI-1/2"-60CS**

**365AFI-1/2"-70CS**

**365AFI-AD-1/2"-40DPC**

**365AFI-AD-1/2"-50DPC**

**365AFI-AD-1/2"-60DPC**

**365AFI-AD-1/2"-70DPC**

**365AFI-1/2"-SS100**

## HN1L Series

Finite® Part Number

(Cast Aluminum Head, Drawn Aluminum Body, Powder-Painted Exterior)

## 370A Series

UFS/Headline Part

(Anodized Aluminum w/ Nylon Internals)

1/4" NPT, Buna-N O-Rings, 500 PSIG Max.  
Manual Drain

Element Size: xx10-050

HN1L-4C

HN1L-6C

HN1L-8C

HN1L-10C

HN1L-4CU

HN1L-6CU

HN1L-8CU

HN1L-10CU

HN1L-4QU

HN1L-6QU

HN1L-8QU

HN1L-10QU

HN1L-3PU

HN1L-100WSU

Adsorption Cartridge Installed: AU10-050

HN1L-AU

250 PSIG Max., Float Drain

HN1L-4CA

HN1L-6CA

HN1L-8CA

HN1L-10CA

HN1L-4CUA

HN1L-6CUA

HN1L-8CUA

HN1L-10CUA

HN1L-4QUA

HN1L-6QUA

HN1L-8QUA

HN1L-10QUA

HN1L-100WSUA

250 PSIG Max., Float Drain, and Indicator

HN1L-4CW

HN1L-6CW

HN1L-8CW

HN1L-10CW

HN1L-4CUW

HN1L-6CUW

HN1L-8CUW

HN1L-10CUW

HN1L-6QUW

HN1L-8QUW

HN1L-10QUW

HN1L-100WSUW

1/4" NPT, Buna-N O-Rings, 500 PSIG Max.  
Manual Drain

Element Size: 25-127-xx

370A-1/4"-127-40C

370A-1/4"-127-50C

370A-1/4"-127-60C

370A-1/4"-127-70C

370A-1/4"-127-40CS

370A-1/4"-127-50CS

370A-1/4"-127-60CS

370A-1/4"-127-70CS

370A-AD-1/4"-127-40DPC

370A-AD-1/4"-127-50DPC

370A-AD-1/4"-127-60DPC

370A-AD-1/4"-127-70DPC

370A-1/4"-127-03PLMG

370A-1/4"-127-SS100

Adsorption Cartridge Installed: 25-127-CC-TS

370A-1/4"-AD-127-CC-TS

250 PSIG Max., Float Drain

370AF-1/4"-127-40C

370AF-1/4"-127-50C

370AF-1/4"-127-60C

370AF-1/4"-127-70C

370AF-1/4"-127-40CS

370AF-1/4"-127-50CS

370AF-1/4"-127-60CS

370AF-1/4"-127-70CS

370AF-AD-1/4"-127-40DPC

370AF-AD-1/4"-127-50DPC

370AF-AD-1/4"-127-60DPC

370AF-AD-1/4"-127-70DPC

370AF-1/4"-127-SS100

250 PSIG Max., Float Drain, and Indicator

370AFI-1/4"-127-40C

370AFI-1/4"-127-50C

370AFI-1/4"-127-60C

370AFI-1/4"-127-60C

370AFI-1/4"-127-40CS

370AFI-1/4"-127-50CS

370AFI-1/4"-127-60CS

370AFI-1/4"-127-70CS

370AFI-AD-1/4"-127-50DPC

370AFI-AD-1/4"-127-60DPC

370AFI-AD-1/4"-127-70DPC

370AFI-1/4"-127-SS100

## HN15L Series

Finite® Part Number

(Cast Aluminum Head, Drawn Aluminum Body, Powder-Painted Exterior)

3/8" NPT, Buna-N O-Rings, 500 PSIG Max., Manual Drain

Element Size: xx10-050

HN15L-4C

HN15L-6C

HN15L-8C

HN15L-10C

HN15L-4CU

HN15L-6CU

HN15L-8CU

HN15L-10CU

HN15L-4QU

HN15L-6QU

HN15L-8QU

HN15L-10QU

HN15L-3PU

HN15L-100WSU

Adsorption Cartridge Installed: AU10-050

HN15L-AU

250 PSIG Max., Float Drain

HN15L-4CA

HN15L-6CA

HN15L-8CA

HN15L-10CA

HN15L-4CUA

HN15L-6CUA

HN15L-8CUA

HN15L-10CUA

HN15L-4QUA

HN15L-6QUA

HN15L-8QUA

HN15L-10QUA

HN15L-100WSUA

250 PSIG Max., Float Drain, and Indicator

HN15L-4CW

HN15L-6CW

HN15L-8CW

HN15L-10CW

HN15L-4CUW

HN15L-6CUW

HN15L-8CUW

HN15L-10CUW

HN15L-6QUW

HN15L-8QUW

HN15L-10QUW

HN15L-100WSUW

## 370A-3/8" Series

UFS/Headline Part

(Anodized Aluminum w/ Nylon Internals)

3/8" NPT, Buna-N O-Rings, 500 PSIG Max., Manual Drain

Element Size: 25-127-xx

370A-3/8"-127-40C

370A-3/8"-127-50C

370A-3/8"-127-60C

370A-3/8"-127-70C

370A-3/8"-127-40CS

370A-3/8"-127-50CS

370A-3/8"-127-60CS

370A-3/8"-127-70CS

370A-AD-3/8"-127-40DPC

370A-AD-3/8"-127-50DPC

370A-AD-3/8"-127-60DPC

370A-AD-3/8"-127-70DPC

370A-3/8"-127-03PLMG

370A-3/8"-127-SS100

Adsorption Cartridge Installed: 25-127-CC-TS

370A-AD-3/8"-127-CC-TS

250 PSIG Max., Float Drain

370AF-3/8"-127-40C

370AF-3/8"-127-50C

370AF-3/8"-127-60C

370AF-3/8"-128-70C

370AF-3/8"-127-40CS

370AF-3/8"-127-50CS

370AF-3/8"-127-60CS

370AF-3/8"-127-70CS

370AF-AD-3/8"-127-40DPC

370AF-AD-3/8"-127-50DPC

370AF-AD-3/8"-127-60DPC

370AF-AD-3/8"-127-70DPC

370AF-3/8"-127-SS100

250 PSIG Max., Float Drain, and Indicator

370AFI-3/8"-127-40C

370AFI-3/8"-127-50C

370AFI-3/8"-127-60C

370AFI-3/8"-127-60C

370AFI-3/8"-127-40CS

370AFI-3/8"-127-50CS

370AFI-3/8"-127-60CS

370AFI-3/8"-127-70CS

370AFI-AD-3/8"-127-50DPC

370AFI-AD-3/8"-127-60DPC

370AFI-AD-3/8"-127-70DPC

370AFI-3/8"-127-SS100

## HN2L Series

Finite® Part Number

(Cast Aluminum Head, Drawn Aluminum Body, Powder-Painted Exterior)

## 375A Series

UFS/Headline Part

(Anodized Aluminum w/ Nylon Internals)

1/2" NPT, Buna-N O-Rings, 500 PSIG Max., Manual Drain

Element Size: xx10-050

HN2L-4C

HN2L-6C

HN2L-8C

HN2L-10C

HN2L-4CU

HN2L-6CU

HN2L-8CU

HN2L-10CU

HN2L-4QU

HN2L-6QU

HN2L-8QU

HN2L-10QU

HN2L-3PU

HN2L-100WSU

Adsorption Cartridge Installed: AU10-050

HN2L-AU

250 PSIG Max., Float Drain

HN2L-4CA

HN2L-6CA

HN2L-8CA

HN2L-10CA

HN2L-4CUA

HN2L-6CUA

HN2L-8CUA

HN2L-10CUA

HN2L-4QUA

HN2L-6QUA

HN2L-8QUA

HN2L-10QUA

HN2L-100WSUA

250 PSIG Max., Float Drain, and Indicator

HN2L-4CW

HN2L-6CW

HN2L-8CW

HN2L-10CW

HN2L-4CUW

HN2L-6CUW

HN2L-8CUW

HN2L-10CUW

HN2L-4QUW

HN2L-6QUW

HN2L-8QUW

HN2L-10QUW

HN2L-100WSUW

1/2" NPT, Buna-N O-Rings, 500 PSIG Max., Manual Drain

Element Size: 25-127-xx

375A-1/2"-127-40C

375A-1/2"-127-50C

375A-1/2"-127-60C

375A-1/2"-127-70C

375A-1/2"-127-40CS

375A-1/2"-127-50CS

375A-1/2"-127-60CS

375A-1/2"-127-70CS

375A-AD-1/2"-127-40DPC

375A-AD-1/2"-127-50DPC

375A-AD-1/2"-127-60DPC

375A-AD-1/2"-127-70DPC

375A-1/2"-127-03PL

375A-1/2"-127-SS100

Adsorption Cartridge Installed: 25-127-CC-TS

375A-AD-1/2"-127-CC-TS

250 PSIG Max., Float Drain

375AF-1/2"-127-40C

375AF-1/2"-127-50C

375AF-1/2"-127-60C

375AF-1/2"-128-70C

375AF-1/2"-127-40CS

375AF-1/2"-127-50CS

375AF-1/2"-127-60CS

375AF-1/2"-127-70CS

375AF-AD-1/2"-127-40DPC

375AF-AD-1/2"-127-50DPC

375AF-AD-1/2"-127-60DPC

375AF-AD-1/2"-127-70DPC

375AF-1/2"-127-SS100

250 PSIG Max., Float Drain, and Indicator

375AFI-1/2"-127-40C

375AFI-1/2"-127-50C

375AFI-1/2"-127-60C

375AFI-1/2"-127-60C

375AFI-1/2"-127-40CS

375AFI-1/2"-127-50CS

375AFI-1/2"-127-60CS

375AFI-1/2"-127-70CS

375AFI-AD-1/2"-127-40DPC

375AFI-AD-1/2"-127-50DPC

375AFI-AD-1/2"-127-60DPC

375AFI-AD-1/2"-127-70DPC

375AFI-1/2"-127-SS100

## HN3S Series

Finite® Part Number

(Cast Aluminum Head, Drawn Aluminum Body, Powder-Painted Exterior)

3/4" NPT, Buna-N O-Rings, 500 PSIG Max.

Element Size: xx15-060

HN3S-4C

HN3S-6C

HN3S-8C

HN3S-10C

HN3S-4CU

HN3S-6CU

HN3S-8CU

HN3S-10CU

HN3S-4QU

HN3S-6QU

HN3S-8QU

HN3S-10QU

HN3S-3PU

HN3S-100WSU

Adsorption Cartridge Installed: AU15-060

HN3S-AU

250 PSIG Max., Float Drain

HN3S-4CA

HN3S-6CA

HN3S-8CA

HN3S-10CA

HN3S-4CUA

HN3S-6CUA

HN3S-8CUA

HN3S-10CUA

HN3S-4QUA

HN3S-6QUA

HN3S-8QUA

HN3S-10QUA

HN3S-100WSUA

250 PSIG Max., Float Drain, and Indicator

HN3S-4CY

HN3S-6CY

HN3S-8CY

HN3S-10CY

HN3S-4CUY

HN3S-6CUY

HN3S-8CUY

HN3S-10CUY

HN3S-6QUY

HN3S-8QUY

HN3S-10QUY

HN3S-100WSUY

## 380AHP Series

UFS/Headline Part

(Anodized Aluminum w/ Nylon Internals)

3/4" NPT, Buna-N O-Rings, 1500 PSIG Max.

Element Size: 38-152-xx-DOE

380AHP-3/4"-40C-DOE

380AHP-3/4"-50C-DOE

380AHP-3/4"-60C-DOE

380AHP-3/4"-70C-DOE

380AHP-3/4"-40CS-DOE

380AHP-3/4"-50CS-DOE

380AHP-3/4"-60CS-DOE

380AHP-3/4"-70CS-DOE

380AHP-AD-3/4"-40DPC

380AHP-AD-3/4"-50DPC

380AHP-AD-3/4"-60DPC

380AHP-AD-3/4"-70DPC

380AHP-3/4"-03PLMG

380AHP-3/4"-SS100

Adsorption Cartridge Installed: 38-152-CC-TS

380AHP-AD-3/4"-CC-TS

250 PSIG Max., Float Drain

380AHPF-3/4"-40C-DOE

380AHPF-3/4"-50C-DOE

380AHPF-3/4"-60C-DOE

380AHPF-3/4"-70C-DOE

380AHPF-3/4"-40CS-DOE

380AHPF-3/4"-50CS-DOE

380AHPF-3/4"-60CS-DOE

380AHPF-3/4"-70CS-DOE

380AHPF-AD-3/4"-40DPC

380AHPF-AD-3/4"-50DPC

380AHPF-AD-3/4"-60DPC

380AHPF-AD-3/4"-70DPC

380AHPF-3/4"-SS100

250 PSIG Max., Float Drain, and Indicator

380AHPFVDI-3/4"-40C-DOE

380AHPFVDI-3/4"-50C-DOE

380AHPFVDI-3/4"-60C-DOE

380AHPFVDI-3/4"-70C-DOE

380AHPFVDI-3/4"-40CS-DOE

380AHPFVDI-3/4"-50CS-DOE

380AHPFVDI-3/4"-60CS-DOE

380AHPFVDI-3/4"-70CS-DOE

380AHPFVDI-AD-3/4"-50DPC

380AHPFVDI-AD-3/4"-60DPC

380AHPFVDI-AD-3/4"-70DPC

380AHPFVDI-3/4"-SS100

## HN4S Series

Finite® Part Number

(Cast Aluminum Head, Drawn Aluminum Body, Powder-Painted Exterior)

1" NPT, Buna-N O-Rings, 500 PSIG Max.

Element Size: xx15-060

HN4S-4C

HN4S-6C

HN4S-8C

HN4S-10C

HN4S-4CU

HN4S-6CU

HN4S-8CU

HN4S-10CU

HN4S-4QU

HN4S-6QU

HN4S-8QU

HN4S-10QU

HN4S-3PU

HN4S-100WSU

Adsorption Cartridge Installed: AU15-060

HN4S-AU

250 PSIG Max., Float Drain

HN4S-4CA

HN4S-6CA

HN4S-8CA

HN4S-10CA

HN4S-4CUA

HN4S-6CUA

HN4S-8CUA

HN4S-10CUA

HN4S-4QUA

HN4S-6QUA

HN4S-8QUA

HN4S-10QUA

HN4S-100WSU

250 PSIG Max., Float Drain, and Indicator

HN4S-4CY

HN4S-6CY

HN4S-8CY

HN4S-10CY

HN4S-4CUY

HN4S-6CUY

HN4S-8CUY

HN4S-10CUY

HN4S-6QUY

HN4S-8QUY

HN4S-10QUY

HN4S-100WSUY

## 383AHP Series

UFS/Headline Part

(Anodized Aluminum w/ Nylon Internals)

1" NPT, Buna-N O-Rings, 1500 PSIG Max.

Element Size: 38-152-xx-DOE

383AHP-1"-40C-DOE

383AHP-1"-50C-DOE

383AHP-1"-60C-DOE

383AHP-1"-70C-DOE

383AHP-1"-40CS-DOE

383AHP-1"-50CS-DOE

383AHP-1"-60CS-DOE

383AHP-1"-70CS-DOE

383AHP-AD-1"-40PDC

383AHP-AD-1"-50DPC

383AHP-AD-1"-60DPC

383AHP-AD-1"-70DPC

383AHP-1"-03PLMG

383AHP-1"-SS100

Adsorption Cartridge Installed: 38-152-CC-TS

383AHP-AD-1"-CC-TS

250 PSIG Max., Float Drain

383AHPF-1"-40C-DOE

383AHPF-1"-50C-DOE

383AHPF-1"-60C-DOE

383AHPF-1"-70C-DOE

383AHPF-1"-40CS-DOE

383AHPF-1"-50CS-DOE

383AHPF-1"-60CS-DOE

383AHPF-1"-70CS-DOE

383AHPF-AD-1"-40DPC

383AHPF-AD-1"-50DPC

383AHPF-AD-1"-60DPC

383AHPF-AD-1"-70DPC

383AHPF-1"-SS100

250 PSIG Max., Float Drain, and Indicator

383AHPFVDI-1"-40C-DOE

383AHPFVDI-1"-50C-DOE

383AHPFVDI-1"-60C-DOE

383AHPFVDI-1"-70C-DOE

383AHPFVDI-1"-40CS-DOE

383AHPFVDI-1"-50CS-DOE

383AHPFVDI-1"-60CS-DOE

383AHPFVDI-1"-70CS-DOE

383AHPFVDI-AD-1"-50DPC

383AHPFVDI-AD-1"-60DPC

383AHPFVDI-AD-1"-70DPC

383AHPFVDI-1"-SS100

## HN4L Series

Finite® Part Number

(Cast Aluminum Head, Drawn Aluminum Body, Powder-Painted Exterior)

## 383AHP-241 Series

UFS/Headline Part

(Anodized Aluminum w/ Nylon Internals)

1" NPT, Buna-N O-Rings, 500 PSIG Max.

Element Size: xx15-095

HN4L-4C

HN4L-6C

HN4L-8C

HN4L-10C

HN4L-4CU

HN4L-6CU

HN4L-8CU

HN4L-10CU

HN4L-4QU

HN4L-6QU

HN4L-8QU

HN4L-10QU

HN4L-3PU

HN4L-100WSU

Adsorption Cartridge Installed: AU15-095

HN4L-AU

250 PSIG Max., Float Drain

HN4L-4CA

HN4L-6CA

HN4L-8CA

HN4L-10CA

HN4L-4CUA

HN4L-6CUA

HN4L-8CUA

HN4L-10CUA

HN4L-4QUA

HN4L-6QUA

HN4L-8QUA

HN4L-10QUA

HN4L-100WSUA

250 PSIG Max., Float Drain, and Indicator

HN4L-4CY

HN4L-6CY

HN4L-8CY

HN4L-10CY

HN4L-4CUY

HN4L-6CUY

HN4L-8CUY

HN4L-10CUY

HN4L-6QUY

HN4L-8QUY

HN4L-10QUY

HN4L-100WSUY

1" NPT, Buna-N O-Rings, 1500 PSIG Max.

Element Size: 38-241-xx

383AHP-241-1"-40C

383AHP-241-1"-50C

383AHP-241-1"-60C

383AHP-241-1"-70C

383AHP-241-1"-40CS

383AHP-241-1"-50CS

383AHP-241-1"-60CS

383AHP-241-1"-70CS

383AHP-241-1"-40DPC

383AHP-241-1"-50DPC

383AHP-241-1"-60DPC

383AHP-241-1"-70DPC

383AHP-241-1"-03PLMG

383AHP-241-1"-SS100

Adsorption Cartridge Installed: 38-241-CC-TS

383AHP-241-AD-1"-CC-TS

250 PSIG Max., Float Drain

383AHPF-241-1"-40C-DOE

383AHPF-241-1"-50C-DOE

383AHPF-241-1"-60C-DOE

383AHPF-241-1"-70C-DOE

383AHPF-241-1"-40CS-DOE

383AHPF-241-1"-50CS-DOE

383AHPF-241-1"-60CS-DOE

383AHPF-241-1"-70CS-DOE

383AHPF-241-1"-40DPC

383AHPF-241-1"-50DPC

383AHPF-241-1"-60DPC

383AHPF-241-1"-70DPC

383AHPF-241-1"-SS100

250 PSIG Max., Float Drain, and Indicator

383AHPFVDI-241-1"-40C-DOE

383AHPFVDI-241-1"-50C-DOE

383AHPFVDI-241-1"-60C-DOE

383AHPFVDI-241-1"-70C-DOE

383AHPFVDI-241-1"-40CS-DOE

383AHPFVDI-241-1"-50CS-DOE

383AHPFVDI-241-1"-60CS-DOE

383AHPFVDI-241-1"-70CS-DOE

383AHPFVDI-241-1"-50DCP

383AHPFVDI-241-1"-60DCP

383AHPFVDI-241-1"-70DCP

383AHPFVDI-241-1"-SS100

## HN5S Series

Finite® Part Number

(Cast Aluminum Head, Drawn Aluminum Body, Powder-Painted Exterior)

## 385AHP-1 1/4" Series

UFS/Headline Part

(Anodized Aluminum w/ Nylon Internals)

1 1/4" NPT, Buna-N O-Rings, 500 PSIG Max.

Element Size: xx25-130

Elements Are Not Interchangeable

HN5S-4C

HN5S-6C

HN5S-8C

HN5S-10C

HN5S-4CU

HN5S-6CU

HN5S-8CU

HN5S-10CU

HN5S-4QU

HN5S-6QU

HN5S-8QU

HN5S-10QU

HN5S-3PU

HN5S-100WSU

250 PSIG Max., Float Drain

Elements Are Not Interchangeable

HN5S-4CA

HN5S-6CA

HN5S-8CA

HN5S-10CA

HN5S-4CUA

HN5S-6CUA

HN5S-8CUA

HN5S-10CUA

HN5S-6QUA

HN5S-8QUA

HN5S-10QUA

HN5S-100WSUA

250 PSIG Max., Float Drain, and Indicator

Elements Are Not Interchangeable

HN5S-4CY

HN5S-6CY

HN5S-8CY

HN5S-10CY

HN5S-4CUY

HN5S-6CUY

HN5S-8CUY

HN5S-10CUY

HN5S-6QUY

HN5S-8QUY

HN5S-10QUY

HN5S-100WSUY

1 1/4" NPT, Buna-N O-Rings, 1000 PSIG Max.

Element Size: 51-230-xx

Elements Are Not Interchangeable

385AHP-1-1/4"-40C

385AHP-1-1/4"-50C

385AHP-1-1/4"-60C

385AHP-1-1/4"-70C

385AHP-1-1/4"-40CS

385AHP-1-1/4"-50CS

385AHP-1-1/4"-60CS

385AHP-1-1/4"-70CS

385AHP-AD-1-1/4"-40DPC

385AHP-AD-1-1/4"-50DPC

385AHP-AD-1-1/4"-60DPC

385AHP-AD-1-1/4"-70DPC

385AHP-AD-1-1/4"-03PLMG

385AHP-1-1/4"-SS100

250 PSIG Max., Float Drain

Elements Are Not Interchangeable

385AHPF-1-1/4"-40C-DOE

385AHPF-1-1/4"-50C-DOE

385AHPF-1-1/4"-60C-DOE

385AHPF-1-1/4"-70C-DOE

385AHPF-1-1/4"-40CS-DOE

385AHPF-1-1/4"-50CS-DOE

385AHPF-1-1/4"-60CS-DOE

385AHPF-1-1/4"-70CS-DOE

385AHPF-AD-1-1/4"-50DPC

385AHPF-AD-1-1/4"-60DPC

385AHPF-AD-1-1/4"-70DPC

385AHPF-1-1/4"-SS100

250 PSIG Max., Float Drain, and Indicator

Elements Are Not Interchangeable

385AHPFVDI-1-1/4"-40C-DOE

385AHPFVDI-1-1/4"-50C-DOE

385AHPFVDI-1-1/4"-60C-DOE

385AHPFVDI-1-1/4"-70C-DOE

385AHPFVDI-1-1/4"-40CS-DOE

385AHPFVDI-1-1/4"-50CS-DOE

385AHPFVDI-1-1/4"-60CS-DOE

385AHPFDVI-1-1/4"-70CS-DOE

385AHPFVDI-AD-1-1/4"-50DPC

385AHPFVDI-AD-1-1/4"-60DPC

385AHPFVDI-AD-1-1/4"-70DPC

385AHPFVDI-1-1/4"-SS100

## HN6S Series

Finite® Part Number

(Cast Aluminum Head, Drawn Aluminum Body, Powder-Painted Exterior)

## 385AHP-1 1/2" Series

UFS/Headline Part

(Anodized Aluminum w/ Nylon Internals)

1 1/2" NPT, Buna-N O-Rings, 500 PSIG Max.

Element Size: xx25-130

Elements Are Not Interchangeable

HN6S-4C  
HN6S-6C  
HN6S-8C  
HN6S-10C  
HN6S-4CU  
HN6S-6CU  
HN6S-8CU  
HN6S-10CU  
HN6S-4QU  
HN6S-6QU  
HN6S-8QU  
HN6S-10QU  
HN6S-3PU

HN6S-100WSU

250 PSIG Max., Float Drain

Elements Are Not Interchangeable

HN6S-4CA  
HN6S-6CA  
HN6S-8CA  
HN6S-10CA  
HN6S-4CUA  
HN6S-6CUA  
HN6S-8CUA  
HN6S-10CUA  
HN6S-4QUA  
HN6S-6QUA  
HN6S-8QUA  
HN6S-10QUA

HN6S-100WSUA

250 PSIG Max., Float Drain, and Indicator

Elements Are Not Interchangeable

HN6S-4CY  
HN6S-6CY  
HN6S-8CY  
HN6S-10CY  
HN6S-4CUY  
HN6S-6CUY  
HN6S-8CUY  
HN6S-10CUY  
HN6S-6QUY  
HN6S-8QUY  
HN6S-10QUY  
HN6S-100WSUY

1 1/2" NPT, Buna-N O-Rings, 1000 PSIG Max.

Element Size: 51-230-xx

Elements Are Not Interchangeable

385AHP-1-1/2"-40C  
385AHP-1-1/2"-50C  
385AHP-1-1/2"-60C  
385AHP-1-1/2"-70C  
385AHP-1-1/2"-40CS  
385AHP-1-1/2"-50CS  
385AHP-1-1/2"-60CS  
385AHP-1-1/2"-70CS  
385AHP-AD-1-1/2"-40DPC  
385AHP-AD-1-1/2"-50DPC  
385AHP-AD-1-1/2"-60DPC  
385AHP-AD-1-1/2"-70DPC  
385AHP-AD-1-1/2"-03PLMG  
385AHP-1-1/2"-SS100

250 PSIG Max., Float Drain

Elements Are Not Interchangeable

385AHPF-1-1/2"-40C  
385AHPF-1-1/2"-50C  
385AHPF-1-1/2"-60C  
385AHPF-1-1/2"-70C  
385AHPF-1-1/2"-40CS  
385AHPF-1-1/2"-50CS  
385AHPF-1-1/2"-60CS  
385AHPF-1-1/2"-70CS  
385AHPF-AD-1-1/2"-40DPC  
385AHPF-AD-1-1/2"-50DPC  
385AHPF-AD-1-1/2"-60DPC  
385AHPF-AD-1-1/2"-70DPC  
385AHPF-1-1/2"-SS100

250 PSIG Max., Float Drain, and Indicator

Elements Are Not Interchangeable

385AHPFVDI-1-1/2"-40C  
385AHPFVDI-1-1/2"-50C  
385AHPFVDI-1-1/2"-60C  
385AHPFVDI-1-1/2"-70C  
385AHPFVDI-1-1/2"-40CS  
385AHPFVDI-1-1/2"-50CS  
385AHPFVDI-1-1/2"-60CS  
385AHPFVDI-1-1/2"-70CS  
385AHPFVDI-AD-1-1/2"-50DPC  
385AHPFVDI-AD-1-1/2"-60DPC  
385AHPFVDI-AD-1-1/2"-70DPC  
385AHPFVDI-1-1/2"-SS100

## HN8E Series

Finite® Part Number

(Cast Aluminum Head, Drawn Aluminum Body, Powder-Painted Exterior)

## 385AHP-2" Series

UFS/Headline Part

(Anodized Aluminum w/ Nylon Internals)

2" NPT, Buna-N O-Rings, 500 PSIG Max.

Element Size: xx25-130

Elements Are Not Interchangeable

HN8E-4C

HN8E-6C

HN8E-8C

HN8E-10C

HN8E-4CU

HN8E-6CU

HN8E-8CU

HN8E-10CU

HN8E-4QU

HN8E-6QU

HN8E-8QU

HN8E-10QU

HN8E-3PU

HN8E-100WSU

250 PSIG Max., Float Drain

Elements Are Not Interchangeable

HN8E-4CA

HN8E-6CA

HN8E-8CA

HN8E-10CA

HN8E-4CUA

HN8E-6CUA

HN8E-8CUA

HN8E-10CUA

HN8E-6QUA

HN8E-8QUA

HN8E-10QUA

HN8E-100WSUA

250 PSIG Max., Float Drain, and Indicator

Elements Are Not Interchangeable

HN8E-4CY

HN8E-6CY

HN8E-8CY

HN8E-10CY

HN8E-4CUY

HN8E-6CUY

HN8E-8CUY

HN8E-10CUY

HN8E-6QUY

HN8E-8QUY

HN8E-10QUY

HN8E-100WSUY

2" NPT, Buna-N O-Rings, 1000 PSIG Max.

Element Size: 51-230-xx

Elements Are Not Interchangeable

385AHP-2"-40C

385AHP-2"-50C

385AHP-2"-60C

385AHP-2"-70C

385AHP-2"-40CS

385AHP-2"-50CS

385AHP-2"-60CS

385AHP-2"-70CS

385AHP-AD-2"-40DPC

385AHP-AD-2"-50DPC

385AHP-AD-2"-60DPC

385AHP-AD-2"-70DPC

385AHP-AD-2"-03PLMG

385AHP-2"-SS100

250 PSIG Max., Float Drain

Elements Are Not Interchangeable

385AHPF-2"-40C

385AHPF-2"-50C

385AHPF-2"-60C

385AHPF-2"-70C

385AHPF-2"-40CS

385AHPF-2"-50CS

385AHPF-2"-60CS

385AHPF-2"-70CS

385AHPF-AD-2"-50DPC

385AHPF-AD-2"-60DPC

385AHPF-AD-2"-70DPC

385AHPF-2"-SS100

250 PSIG Max., Float Drain, and Indicator

Elements Are Not Interchangeable

385AHPFVDI-2"-40C

385AHPFVDI-2"-50C

385AHPFVDI-2"-60C

385AHPFVDI-2"-70C

385AHPFVDI-2"-40CS

385AHPFVDI-2"-50CS

385AHPFVDI-2"-60CS

385AHPFVDI-2"-70CS

385AHPFVDI-AD-2"-50DPC

385AHPFVDI-AD-2"-60DPC

385AHPFVDI-AD-2"-70CS-03PLMG

385AHPFVDI-2"-SS100

## HN8S Series

2" NPT, Buna-N O-Rings, 500 PSIG Max.

Element Size: xx25-187

Elements Are Not Interchangeable

HN8S-4C  
HN8S-6C  
HN8S-8C  
HN8S-10C  
HN8S-4CU  
HN8S-6CU  
HN8S-8CU  
HN8S-10CU  
HN8S-4QU  
HN8S-6QU  
HN8S-8QU  
HN8S-10QU  
HN8S-3PU  
HN8S-100WSU

250 PSIG Max., Float Drain

Elements Are Not Interchangeable

HN8S-4CA  
HN8S-6CA  
HN8S-8CA  
HN8S-10CA  
HN8S-4CUA  
HN8S-6CUA  
HN8S-8CUA  
HN8S-10CUA  
HN8S-4QUA  
HN8S-6QUA  
HN8S-8QUA  
HN8S-10QUA  
HN8S-100WSUA

250 PSIG Max., Float Drain, and Indicator

Elements Are Not Interchangeable

HN8S-4CY  
HN8S-6CY  
HN8S-8CY  
HN8S-10CY  
HN8S-4CUY  
HN8S-6CUY  
HN8S-8CUY  
HN8S-10CUY  
HN8S-4QUY  
HN8S-6QUY  
HN8S-8QUY  
HN8S-10QUY  
HN8S-100WSUY

## 385AHP-2" Series

2" NPT, Buna-N O-Rings, 1000 PSIG Max.

Element Size: 51-230-xx

Elements Are Not Interchangeable

385AHP-2"-40C  
385AHP-2"-50C  
385AHP-2"-60C  
385AHP-2"-70C  
385AHP-2"-40CS  
385AHP-2"-50CS  
385AHP-2"-60CS  
385AHP-2"-70CS  
385AHP-AD-2"-40DPC  
385AHP-AD-2"-50DPC  
385AHP-AD-2"-60DPC  
385AHP-AD-2"-70DPC  
385AHP-AD-2"-03PLMG  
385AHP-2"-SS100

250 PSIG Max., Float Drain

Elements Are Not Interchangeable

385AHPF-2"-40C  
385AHPF-2"-50C  
385AHPF-2"-60C  
385AHPF-2"-70C  
385AHPF-2"-40CS  
385AHPF-2"-50CS  
385AHPF-2"-60CS  
385AHPF-2"-70CS  
385AHPF-AD-2"-40DPC  
385AHPF-AD-2"-50DPC  
385AHPF-AD-2"-60DPC  
385AHPF-2"-70CS-03PLMG  
385AHPF-2"-SS100

250 PSIG Max., Float Drain, and Indicator

Elements Are Not Interchangeable

385AHPFVDI-2"-40C  
385AHPFVDI-2"-50C  
385AHPFVDI-2"-60C  
385AHPFVDI-2"-70C  
385AHPFVDI-2"-40CS  
385AHPFVDI-2"-50CS  
385AHPFVDI-2"-60CS  
385AHPFVDI-2"-70CS  
385AHPFVDI-AD-2"-40DPC  
385AHPFVDI-AD-2"-50DPC  
385AHPFVDI-AD-2"-60DPC  
385AHPFVDI-AD-2"-70DPC  
385AHPFVDI-2"-SS100

## HN8L Series

Finite® Part Number  
(Cast Aluminum Head, Drawn Aluminum Body, Powder-  
Painted Exterior)

2" NPT, Buna-N O-Rings, 500 PSIG Max.

Element Size: xx25-235

Elements Are Not Interchangeable

HN8L-4C

HN8L-6C

HN8L-8C

HN8L-10C

HN8L-4CU

HN8L-6CU

HN8L-8CU

HN8L-10CU

HN8L-4QU

HN8L-6QU

HN8L-8QU

HN8L-10QU

HN8L-3PU

HN8L-100WSU

250 PSIG Max., Float Drain

Elements Are Not Interchangeable

HN8L-4CA

HN8L-6CA

HN8L-8CA

HN8L-10CA

HN8L-4CUA

HN8L-6CUA

HN8L-8CUA

HN8L-10CUA

HN8L-6QUA

HN8L-8QUA

HN8L-10QUA

HN8L-100WSUA

250 PSIG Max., Float Drain, and Indicator

Elements Are Not Interchangeable

HN8L-4CY

HN8L-6CY

HN8L-8CY

HN8L-10CY

HN8L-4CUY

HN8L-6CUY

HN8L-8CUY

HN8L-10CUY

HN8L-6QUY

HN8L-8QUY

HN8L-10QUY

HN8L-100WSUY

## 390AHP-2" Series

390AHP Series  
UFS/Headline Part  
(Anodized Aluminum w/ Nylon Internals)

2" NPT, Buna-N O-Rings, 1000 PSIG Max.

Element Size: 51-476-xx

Elements Are Not Interchangeable

390AHP-40C

390AHP-50C

390AHP-60C

390AHP-70C

390AHP-40CS

390AHP-50CS

390AHP-60CS

390AHP-70CS

390AHP-AD-40DPC

390AHP-AD-50DPC

390AHP-AD-60DPC

390AHP-AD-70DPC

390AHP-03PLMG-B

390AHP-SS100

250 PSIG Max., Float Drain

Elements Are Not Interchangeable

390AHPF-40C

390AHPF-50C

390AHPF-60C

390AHPF-70C

390AHPF-40CS

390AHPF-50CS

390AHPF-60CS

390AHPF-70CS

390AHPF-AD-50DPC

390AHPF-AD-60DPC

390AHPF-AD-70DPC

390AHPF-SS100

250 PSIG Max., Float Drain, and Indicator

Elements Are Not Interchangeable

390AHPFVDI-40C

390AHPFVDI-50C

390AHPFVDI-60C

390AHPFVDI-70C

390AHPFVDI-40CS

390AHPFVDI-50CS

390AHPFVDI-60CS

390AHPFVDI-70CS

390AHPFVDI-AD-50DPC

390AHPFVDI-AD-60DPC

390AHPFVDI-AD-70DPC

390AHPFVDI-SS100

# Dual Stage Aluminum Filter Assemblies

Filter housings provide an alternative solution, but elements are not interchangeable. Additional O-ring materials, including perfluoroelastomer, are available.

## BAN1L Series

Finite® Part Number  
(Cast Aluminum Head & Bowl, Powder-Painted Exterior)

1/4" NPT, Buna-N O-Rings, 500 PSIG Max.

**BAN1L-4CUN**

**BAN1L-4QUN**

**BAN1L-6CUN**

**BAN1L-6QUN**

250 PSIG Max., Float Drain

**BAN1L-4CUA**

**BAN1L-4QUA**

**BAN1L-6CUA**

**BAN1L-6QUA**

250 PSIG Max., Indicator

**BAN1L-4CUD**

**BAN1L-4QUD**

**BAN1L-6CUD**

**BAN1L-6QUD**

250 PSIG Max., Float Drain, and Indicator

**BAN1L-4CUW**

**BAN1L-4QUW**

**BAN1L-6CUW**

**BAN1L-6QUW**

## 360A Series

UFS/Headline Part  
(Anodized Aluminum w/ Nylon Internals)

1/4" NPT, Buna-N O-Rings, 500 PSIG Max.

**360A-1/4"-40CS/CC**

**360A-1/4"-40DPC/CC**

**360A-1/4"-50CS/CC**

**360A-1/4"-50DPC/CC**

250 PSIG Max., Float Drain

**360AF-1/4"-40CS/CC**

**360AF-1/4"-40DCP/CC**

**360AF-1/4"-50CS/CC**

**360AF-1/4"-50DCP/CC**

500 PSIG Max., Indicator

**360AI-1/4"-40CS/CC**

**360AI-1/4"-40DCP/CC**

**360AI-1/4"-50CS/CC**

**360AI-1/4"-50DCP/CC**

250 PSIG Max., Float Drain, and Indicator

**360AFI-1/4"-40CS/CC**

**360AFI-1/4"-40DCP/CC**

**360AFI-1/4"-50CS/CC**

**360AFI-1/4"-50DCP/CC**

## BAN15L Series

Finite® Part Number  
(Cast Aluminum Head & Bowl, Powder-Painted Exterior)

3/8" NPT, Buna-N O-Rings, 500 PSIG Max.

**BAN15L-4CUN**

**BAN15L-4QUN**

**BAN15L-6CUN**

**BAN15L-6QUN**

250 PSIG Max., Float Drain

**BAN15L-4CUA**

**BAN15L-4QUA**

**BAN15L-6CUA**

**BAN15L-6QUA**

250 PSIG Max., Indicator

**BAN15L-4CUD**

**BAN15L-4QUD**

**BAN15L-6CUD**

**BAN15L-6QUD**

## 360A-3/8" Series

UFS/Headline Part  
(Anodized Aluminum w/ Nylon Internals)

3/8" NPT, Buna-N O-Rings, 500 PSIG Max.

**360A-3/8"-40CS/CC**

**360A-3/8"-40DCP/CC**

**360A-3/8"-50CS/CC**

**360A-3/8"-50DCP/CC**

250 PSIG Max., Float Drain

**360AF-3/8"-40CS/CC**

**360AF-3/8"-40DPC/CC**

**360AF-3/8"-50CS/CC**

**360AF-3/8"-50DPC/CC**

500 PSIG Max., Indicator

**360AI-3/8"-40CS/CC**

**360AI-3/8"-40DPC/CC**

**360AI-3/8"-50CS/CC**

**360AI-3/8"-50DPC/CC**

250 PSIG Max., Float Drain, and Indicator

**BAN15L-4CUW**  
**BAN15L-4QUW**  
**BAN15L-6CUW**  
**BAN15L-6QUW**

250 PSIG Max., Float Drain, and Indicator

**360AFI-3/8"-40CS/CC**  
**360AFI-3/8"-40DPC/CC**  
**360AFI-3/8"-50CS/CC**  
**360AFI-3/8"-50DPC/CC**

### **BAN2L Series**

### **365A Series**

**Finite® Part Number**  
**(Cast Aluminum Head & Bowl, Powder-Painted Exterior)**

**UFS/Headline Part**  
**(Anodized Aluminum w/ Nylon Internals)**

1/2" NPT, Buna-N O-Rings, 500 PSIG Max.

**BAN2L-4CUN**  
**BAN2L-4QUN**  
**BAN2L-6CUN**  
**BAN2L-6QUN**

1/2" NPT, Buna-N O-Rings, 500 PSIG Max.

**365A-1/2"-40CS/CC**  
**365A-1/2"-40DCP/CC**  
**365A-1/2"-50CS/CC**  
**365A-1/2"-50DCP/CC**

250 PSIG Max., Float Drain

**BAN2L-4CUA**  
**BAN2L-4QUA**  
**BAN2L-6CUA**  
**BAN2L-6QUA**

250 PSIG Max., Float Drain

**365AF-1/2"-40CS/CC**  
**365AF-1/2"-40DPC/CC**  
**365AF-1/2"-50CS/CC**  
**365AF-1/2"-50DPC/CC**

250 PSIG Max., Indicator

**BAN2L-4CUD**  
**BAN2L-4QUD**  
**BAN2L-6CUD**  
**BAN2L-6QUD**

500 PSIG Max., Indicator

**365AI-1/2"-40CS/CC**  
**365AI-1/2"-40DPC/CC**  
**365AI-1/2"-50CS/CC**  
**365AI-1/2"-50DPC/CC**

250 PSIG Max., Float Drain, and Indicator

**BAN2L-4CUW**  
**BAN2L-4QUW**  
**BAN2L-6CUW**  
**BAN2L-6QUW**

250 PSIG Max., Float Drain, and Indicator

**365AFI-1/2"-40CS/CC**  
**365AFI-1/2"-40DPC/CC**  
**365AFI-1/2"-50CS/CC**  
**365AFI-1/2"-50DPC/CC**

### **BAN3S Series**

### **380AHP Series**

**Finite® Part Number**  
**(Cast Aluminum Head & Bowl, Powder-Painted Exterior)**

**UFS/Headline Part**  
**(Anodized Aluminum w/ Nylon Internals)**

3/4" NPT, Buna-N O-Rings, 1500 PSIG Max.

**BAN3S-4CUN**  
**BAN3S-4QUN**  
**BAN3S-6CUN**  
**BAN3S-6QUN**

3/4" NPT, Buna-N O-Rings, 1500 PSIG Max.

**380AHP-3/4"-40CS/CC**  
**380AHP-3/4"-40DPC/CC**  
**380AHP-3/4"-50CS/CC**  
**380AHP-3/4"-50DPC/CC**

250 PSIG Max., Float Drain

**BAN3S-4CUA**  
**BAN3S-4QUA**  
**BAN3S-6CUA**  
**BAN3S-6QUA**

250 PSIG Max., Float Drain

**380AHPF-3/4"-40CS/CC**  
**380AHPF-3/4"-40DPC/CC**  
**380AHPF-3/4"-50CS/CC**  
**380AHPF-3/4"-50DPC/CC**

250 PSIG Max., Indicator

- BAN3S-4CUG
- BAN3S-4QUG
- BAN3S-6CUG
- BAN3S-6QUG

250 PSIG Max., Float Drain, and Indicator

- BAN3S-4CUY
- BAN3S-4QUY
- BAN3S-6CUY
- BAN3S-6QUY

500 PSIG Max., Indicator

- 380AHPVDI-3/4"-40CS/CC
- 380AHPVDI-3/4"-40DPC/CC
- 380AHPVDI-3/4"-50CS/CC
- 380AHPVDI-3/4"-50DPC/CC

250 PSIG Max., Float Drain, and Indicator

- 380AHPFVDI-3/4"-40CS/CC
- 380AHPFVDI-3/4"-40DPC/CC
- 380AHPFVDI-3/4"-50CS/CC
- 380AHPFVDI-3/4"-50DPC/CC

### BAN3L Series

Finite® Part Number  
(Cast Aluminum Head & Bowl, Powder-Painted Exterior)

3/4" NPT, Buna-N O-Rings, 1500 PSIG Max.

- BAN3L-4CUN
- BAN3L-4QUN
- BAN3L-6CUN
- BAN3L-6QUN

250 PSIG Max., Float Drain

- BAN3L-4CUA
- BAN3L-4QUA
- BAN3L-6CUA
- BAN3L-6QUA

250 PSIG Max., Indicator

- BAN3L-4CUG
- BAN3L-4QUG
- BAN3L-6CUG
- BAN3L-6QUG

250 PSIG Max., Float Drain, and Indicator

- BAN3L-4CUY
- BAN3L-4QUY
- BAN3L-6CUY
- BAN3L-6QUY

### 380AHP-241 Series

UFS/Headline Part  
(Anodized Aluminum w/ Nylon Internals)

3/4" NPT, Buna-N O-Rings, 1500 PSIG Max.

- 380AHP-241-3/4"-40CS/CC
- 380AHP-241-3/4"-40DPC/CC
- 380AHP-241-3/4"-50CS/CC
- 380AHP-241-3/4"-50DPC/CC

250 PSIG Max., Float Drain

- 380AHPF-241-3/4"-40CS/CC
- 380AHPF-241-3/4"-40DPC/CC
- 380AHPF-241-3/4"-50CS/CC
- 380AHPF-241-3/4"-50DPC/CC

500 PSIG Max., Indicator

- 380AHPVDI-241-3/4"-40CS/CC
- 380AHPVDI-241-3/4"-40DPC/CC
- 380AHPVDI-241-3/4"-50CS/CC
- 380AHPVDI-241-3/4"-50DPC/CC

250 PSIG Max., Float Drain, and Indicator

- 380AHPFVDI-241-3/4"-40CS/CC
- 380AHPFVDI-241-3/4"-40DPC/CC
- 380AHPFVDI-241-3/4"-50CS/CC
- 380AHPFVDI-241-3/4"-50DPC/CC

### BAN4S Series

Finite® Part Number  
(Cast Aluminum Head & Bowl, Powder-Painted Exterior)

1" NPT, Buna-N O-Rings, 1500 PSIG Max.

- BAN4S-4CUN
- BAN4S-4QUN
- BAN4S-6CUN
- BAN4S-6QUN

### 383AHP Series

UFS/Headline Part  
(Anodized Aluminum w/ Nylon Internals)

1" NPT, Buna-N O-Rings, 1500 PSIG Max.

- 383AHP-1"-40CS/CC
- 383AHP-1"-40DPC/CC
- 383AHP-1"-50CS/CC
- 383AHP-1"-50DPC/CC

**250 PSIG Max., Float Drain**

**BAN4S-4CUA**  
**BAN4S-4QUA**  
**BAN4S-6CUA**  
**BAN4S-6QUA**

**250 PSIG Max., Indicator**

**BAN4S-4CUG**  
**BAN4S-4QUG**  
**BAN4S-6CUG**  
**BAN4S-6QUG**

**250 PSIG Max., Float Drain, and Indicator**

**BAN4S-4CUY**  
**BAN4S-4QUY**  
**BAN4S-6CUY**  
**BAN4S-6QUY**

**250 PSIG Max., Float Drain**

**383AHPF-1"-40CS/CC**  
**383AHPF-1"-40DPC/CC**  
**383AHPF-1"-50CS/CC**  
**383AHPF-1"-50DPC/CC**

**500 PSIG Max., Indicator**

**383AHPVDI-1"-40CS/CC**  
**383AHPVDI-1"-40DPC/CC**  
**383AHPVDI-1"-50CS/CC**  
**383AHPVDI-1"-50DPC/CC**

**250 PSIG Max., Float Drain, and Indicator**

**383AHPFVDI-1"-40CS/CC**  
**383AHPFVDI-1"-40DPC/CC**  
**383AHPFVDI-1"-50CS/CC**  
**383AHPFVDI-1"-50DPC/CC**

---

## **BAN4L Series**

**Finite® Part Number**  
**(Cast Aluminum Head & Bowl, Powder-Painted Exterior)**

**1" NPT, Buna-N O-Rings, 1500 PSIG Max.**

**BAN4L-4CUN**  
**BAN4L-4QUN**  
**BAN4L-6CUN**  
**BAN4L-6QUN**

**250 PSIG Max., Float Drain**

**BAN4L-4CUA**  
**BAN4L-4QUA**  
**BAN4L-6CUA**  
**BAN4L-6QUA**

**250 PSIG Max., Indicator**

**BAN4L-4CUG**  
**BAN4L-4QUG**  
**BAN4L-6CUG**  
**BAN4L-6QUG**

**250 PSIG Max., Float Drain, and Indicator**

**BAN4L-4CUY**  
**BAN4L-4QUY**  
**BAN4L-6CUY**  
**BAN4L-6QUY**

---

## **383AHP-241 Series**

**UFS/Headline Part**  
**(Anodized Aluminum w/ Nylon Internals)**

**1" NPT, Buna-N O-Rings, 1500 PSIG Max.**

**383AHP-241-1"-40CS/CC**  
**383AHP-241-1"-40DPC/CC**  
**383AHP-241-1"-50CS/CC**  
**383AHP-241-1"-50DPC/CC**

**250 PSIG Max., Float Drain**

**383AHPF-241-1"-40CS/CC**  
**383AHPF-241-1"-40DPC/CC**  
**383AHPF-241-1"-50CS/CC**  
**383AHPF-241-1"-50DPC/CC**

**500 PSIG Max., Indicator**

**383AHPVDI-241-1"-40CS/CC**  
**383AHPVDI-241-1"-40DPC/CC**  
**383AHPVDI-241-1"-50CS/CC**  
**383AHPVDI-241-1"-50DPC/CC**

**250 PSIG Max., Float Drain, and Indicator**

**383AHPFVDI-241-1"-40CS/CC**  
**383AHPFVDI-241-1"-40DPC/CC**  
**383AHPFVDI-241-1"-50CS/CC**  
**383AHPFVDI-241-1"-50DPC/CC**

# FFC Series - NGV / CNG Filter Assemblies

Cross Comparisons are based on functionality but not interchangeable.

<b>Finite® Part Number (Aluminum Filter w/ SS Internals)</b>	<b>UFS/Headline Part Number (Anodized Aluminum Filter w/ Metal Internals)</b>
1/4" NPT, Viton O-Rings, 500 PSIG Max. <b>FFC-110-10</b> <b>FFC-110-4</b> <b>FFC-110-6</b>	1/4" NPT, Buna-N O-Rings, 500 PSIG Max. <b>230A-1/4"-70CS</b> <b>230A-1/4"-40CS</b> <b>230A-1/4"-50CS</b>
1/2" NPT, Viton O-Rings, 500 PSIG Max. <b>FFC-110L-10</b> <b>FFC-110L-4</b> <b>FFC-110L-6</b>	1/2" NPT, Buna-N O-Rings, 500 PSIG Max. <b>253A-1/2"-70CS</b> <b>253A-1/2"-40CS</b> <b>253A-1/2"-50CS</b>
1/4" NPT, Viton O-Rings, 3600 PSIG Max. <b>FFC-112-10</b> <b>FFC-112-6</b>	1/4" NPT, Buna-N O-Rings, 3600 PSIG Max. <b>315ALHP-1/4"-01NGV</b> <b>315ALHP-1/4"-01NGV</b>
9/16 SAE, Viton O-Rings, 3600 PSIG Max. <b>FFC-112 SAE-10</b> <b>FFC-112 SAE-6</b>	9/16 SAE, Buna-N O-Rings, 3600 PSIG Max. <b>315ALHP-SAE6-01NGV</b> <b>315ALHP-SAE6-01NGV</b>
1/4" NPT, Viton O-Rings, 3600 PSIG Max. Long Bowl with Drain <b>FFC-112E-10</b> <b>FFC-112E-6</b>	1/4" NPT, Buna-N O-Rings, 3600 PSIG Max. Long Bowl with Drain <b>896-315ALHP-01NGV</b> <b>896-315ALHP-01NGV</b>
SAE6, Viton O-Rings, 3600 PSIG Max. Long Bowl with Drain <b>FFC-112E SAE-10</b> <b>FFC-112E SAE-6</b>	SAE6, Buna-N O-Rings, 3600 PSIG Max. Long Bowl with Drain <b>315ALHP-4396-SAE-01NGV</b> <b>315ALHP-4396-SAE-01NGV</b>
1/4" NPT, Viton O-Rings, 3600 PSIG Max. Long Bowl w/o Drain <b>FFC-112L-10</b> <b>FFC-112L-6</b>	1/4" NPT, Buna-N O-Rings, 3600 PSIG Max. Long Bowl w/o Drain <b>897-315ALHP-01NGV</b> <b>897-315ALHP-01NGV</b>
SAE6, Viton O-Rings, 3600 PSIG Max. Long Bowl w/o Drain <b>FFC-112L SAE-10</b> <b>FFC-112L SAE-6</b>	SAE6, Buna-N O-Rings, 3600 PSIG Max. Long Bowl w/o Drain <b>897-315ALHP-SAE-01NGV</b> <b>897-315ALHP-SAE-01NGV</b>
1/2" NPT, Viton O-Rings, 3600 PSIG Max. <b>FFC-213-10</b> <b>FFC-213-6</b>	1/2" NPT, Buna-N O-Rings, 3600 PSIG Max. <b>375AHP-4340-1/2"-70CSX1</b> <b>375AHP-4340-1/2"-50CSX1</b>
SAE8, Viton O-Rings, 3600 PSIG Max. <b>FFC-213-SAE-10</b> <b>FFC-213-SAE-6</b>	SAE8, Buna-N O-Rings, 3600 PSIG Max. <b>370AHP-4340-SAE8-70CSX1</b> <b>370AHP-4340-SAE8-50CSX1</b>

---

**Finite® Part Number**  
**(303 Stainless Steel w/ SS Internals)**

---

---

**UFS/Headline Part Number**  
**(Anodized Aluminum Filter w/ Metal Internals)**

---

1/2" NPT, Viton O-Rings, 3600 PSIG Max.

**FFC-113-10**

**FFC-113-4**

**FFC-113-6**

SAE6, Viton O-Rings, 3600 PSIG Max.

**FFC-113-SAE-6**

SAE8, Viton O-Rings, 3600 PSIG Max.

**FFC-113-SAE-8**

1/4" NPT, Viton O-Rings, 5000 PSIG Max.

**FFC-116-10**

**FFC-116-6**

1/2" NPT, Buna-N O-Rings, 3600 PSIG Max.

**375AHP-4340-1/2"-70CSX1**

**375AHP-4340-1/2"-40CSX1**

**375AHP-4340-1/2"-50CSX1**

SAE6, Buna-N O-Rings, 3600 PSIG Max.

**370AHP-4340-SAE6-70CSX1**

SAE8, Buna-N O-Rings, 3600 PSIG Max.

**370AHP-4340-SAE8-70CSX1**

1/4" NPT, Viton O-Rings, 5000 PSIG Max.

**122-70CS**

**122-50CS**

## **A5R/A1R Series - CNG/Bypass Gas Filter Assemblies**

Cross comparisons are provided for functional reference only and do not indicate interchangeability. Additional O-ring materials, including perfluoroelastomer, are available.

---

**Finite® Part Number**  
**(Aluminum Filter)**

---

---

**UFS/Headline Part Number**  
**(Anodized Aluminum Filter)**

---

1/8" NPT, Buna-N O-Rings, 1/8" Drain, 1000 PSIG Max.

**A5R-4G04-023**

**A5R-4T04-023**

**A5R-4F04-023**

**A5R-4H04-023**

**A5R-4C04-023**

**A5R-6G04-023**

**A5R-6T04-023**

**A5R-6F04-023**

**A5R-6H04-023**

**A5R-6C04-023**

**A5R-8G04-023**

**A5R-8T04-023**

**A5R-8F04-023**

**A5R-8H04-023**

**A5R-8C04-023**

1/8" NPT, Buna-N O-Rings, 1/4" Drain, 3600 PSIG Max.

**310ALHP-1/8"-40K**

**310ALHP-1/8"-40S**

**310ALHP-1/8"-40K**

**310ALHP-1/8"-40CS**

**310ALHP-1/8"-40C**

**310ALHP-1/8"-50K**

**310ALHP-1/8"-50S**

**310ALHP-1/8"-50K**

**310ALHP-1/8"-50CS**

**310ALHP-1/8"-50C**

**310ALHP-1/8"-60K**

**310ALHP-1/8"-60S**

**310ALHP-1/8"-50K**

**310ALHP-1/8"-60CS**

**310ALHP-1/8"-60C**

---

**Finite® Part Number  
(Aluminum Filter)**

---

---

**UFS/Headline Part Number  
(Anodized Aluminum Filter)**

---

1/4" NPT, Buna-N O-Rings, 1/4" Drain, 1000 PSIG Max.

**A1R-10G04-023**  
**A1R-10T04-023**  
**A1R-10F04-023**  
**A1R-10H04-023**  
**A1R-10C04-023**  
**A1R-4G04-023**  
**A1R-4T04-023**  
**A1R-4F04-023**  
**A1R-4H04-023**  
**A1R-4C04-023**  
**A1R-6G04-023**  
**A1R-6T04-023**  
**A1R-6F04-023**  
**A1R-6H04-023**  
**A1R-6C04-023**  
**A1R-8GG04-023**  
**A1R-8TG04-023**  
**A1R-8FG04-023**  
**A1R-8HG04-023**  
**A1R-8CG04-023**  
**A1R-10GG04-023**  
**A1R-10TG04-023**  
**A1R-10FG04-023**  
**A1R-10HG04-023**  
**A1R-10CG04-023**

1/8" NPT, Buna-N O-Rings, 1/8" Drain, 1000 PSIG Max.

**A5R (Housing Only)**

1/4" NPT, Buna-N O-Rings, 1/4" Drain, 1000 PSIG Max.

**A1R (Housing Only)**

1/4" NPT, Buna-N O-Rings, 1/4" Drain, 3600 PSIG Max.

**315ALHP-1/4"-70K**  
**315ALHP-1/4"-70S**  
**315ALHP-1/4"-70K**  
**315ALHP-1/4"-70CS**  
**315ALHP-1/4"-70C**  
**315ALHP-1/4"-40K**  
**315ALHP-1/4"-40S**  
**315ALHP-1/4"-40K**  
**315ALHP-1/4"-40CS**  
**315ALHP-1/4"-40C**  
**315ALHP-1/4"-50K**  
**315ALHP-1/4"-50S**  
**315ALHP-1/4"-50K**  
**315ALHP-1/4"-50CS**  
**315ALHP-1/4"-50C**  
**315ALHP-1/4"-60K**  
**315ALHP-1/4"-60S**  
**315ALHP-1/4"-60K**  
**315ALHP-1/4"-60CS**  
**315ALHP-1/4"-60C**  
**315ALHP-1/4"-70K**  
**315ALHP-1/4"-70S**  
**315ALHP-1/4"-70K**  
**315ALHP-1/4"-70CS**  
**315ALHP-1/4"-70C**

1/8" NPT, Buna-N O-Rings, 1/4" Drain, 3600 PSIG Max.

**310ALHP-1/8" (Housing Only)**

1/4" NPT, Buna-N O-Rings, 1/4" Drain, 3600 PSIG Max.

**315ALHP-1/4" (Housing Only)**

## M Series of Filter Assemblies

Filter Housings are an alternative with 100% Interchangeable Elements

---

**Finite® Part Number  
(Aluminum Housings w/ Stainless Steel Internals)**

---

---

**UFS/Headline Part  
(316L Stainless Steel w/ Stainless Steel Internals)**

---

1/4" NPT, Buna-N O-Rings, 800 PSIG Max.

Element Size: xx10-025

**MN1S-4C**  
**MN1S-6C**  
**MN1S-8C**  
**MN1S-10C**  
**MN1S-4CU**  
**MN1S-6CU**

1/4" NPT, Viton O-Rings, 1500 PSIG Max.

Element Size: 25-64-xx

**130-40C**  
**130-50C**  
**130-60C**  
**130-70C**  
**130-40CS**  
**130-50CS**

**Finite® Part Number**  
**(Aluminum Housings w/ Stainless Steel Internals)**

**UFS/Headline Part**  
**(316L Stainless Steel w/ Stainless Steel Internals)**

1/4" NPT, Buna-N O-Rings, 800 PSIG Max.

Element Size: xx10-025

MN1S-8CU  
MN1S-10CU  
MN1S-4QU  
MN1S-6QU  
MN1S-8QU  
MN1S-10QU  
MN1S-3PU  
MN1S-100WSU  
MN1S-AU

1/4" NPT, Buna-N O-Rings, 800 PSIG Max.

Element Size: xx10-050

MN1L-4C  
MN1L-6C  
MN1L-8C  
MN1L-10C  
MN1L-4U  
MN1L-6CU  
MN1L-8CU  
MN1L-10CU  
MN1L-4QU  
MN1L-6QU  
MN1L-8QU  
MN1L-10QU  
MN1L-3PU  
MN1L-100WSU  
MN1L-AU

3/8" NPT, Buna-N O-Rings, 800 PSIG Max.

Element Size: xx10-025

MN15S-4C  
MN15S-6C  
MN15S-8C  
MN15S-10C  
MN15S-4CU  
MN15S-6CU  
MN15S-8CU  
MN15S-10CU  
MN15S-4QU  
MN15S-6QU  
MN15S-8QU  
MN15S-10QU  
MN15S-3PU  
MN15S-100WSU  
MN15S-AU

1/4" NPT, Viton O-Rings, 1500 PSIG Max.

Element Size: 25-64-xx

130-60CS  
130-70CS  
130-40DCP  
130-50DCP  
130-60DCP  
130-70DCP  
130-03PLMG  
130-SS100  
130-CC-TS

1/4" NPT, Viton O-Rings, 1500 PSIG Max.

Element Size: 25-178-xx

140-40C  
140-50C  
140-60C  
140-70C  
140-40CS  
140-50CS  
140-60CS  
140-70CS  
140-40DPC  
140-50DPC  
140-60DPC  
140-70DPC  
140-03PLMG  
140-SS100  
140-CC-TS

3/8" NPT, Viton O-Rings, 1500 PSIG Max.

Element Size: 25-64-xx

130-3/8"-40C  
130-3/8"-50C  
130-3/8"-60C  
130-3/8"-70C  
130-3/8"-40CS  
130-3/8"-50CS  
130-3/8"-60CS  
130-3/8"-70CS  
130-3/8"-40DPC  
130-3/8"-50DPC  
130-3/8"-60DPC  
130-3/8"-70C-03PLMG  
130-3/8"-03PLMG  
130-3/8"-SS100  
130-3/8"-CC-TS

**3/8" NPT, Buna-N O-Rings, 800 PSIG Max.**

**Element Size: xx10-050**

**MN15L-4C**  
**MN15L-6C**  
**MN15L-8C**  
**MN15L-10C**  
**MN15L-4CU**  
**MN15L-6CU**  
**MN15L-8CU**  
**MN15L-10CU**  
**MN15L-6QU**  
**MN15L-8QU**  
**MN15L-10QU**  
**MN15L-3PU**  
**MN15L-100WSU**  
**MN15L-AU**

**1/2" NPT, Buna-N O-Rings, 800 PSIG Max.**

**Element Size: xx10-025**

**MN2S-4C**  
**MN2S-6C**  
**MN2S-8C**  
**MN2S-10C**  
**MN2S-4CU**  
**MN2S-6CU**  
**MN2S-8CU**  
**MN2S-10CU**

**1/2" NPT, Buna-N O-Rings, 800 PSIG Max.**

**Element Size: xx10-025**

**MN2S-6QU**  
**MN2S-8QU**  
**MN2S-10QU**  
**MN2S-3PU**  
**MN2S-100WSU**  
**MN2S-AU**

**1/2" NPT, Buna-N O-Rings, 800 PSIG Max.**

**Element Size: xx10-050**

**MN2L-4C**  
**MN2L-6C**  
**MN2L-8C**  
**MN2L-10C**  
**MN2L-4CU**  
**MN2L-6CU**  
**MN2L-8CU**  
**MN2L-10CU**  
**MN2L-6QU**  
**MN2L-8QU**  
**MN2L-10QU**  
**MN2L-3PU**  
**MN2L-100WSU**  
**MN2L-AU**

**3/8" NPT, Viton O-Rings, 1500 PSIG Max.**

**Element Size: 25-178-xx**

**140-3/8"-40C**  
**140-3/8"-50C**  
**140-3/8"-60C**  
**140-3/8"-70C**  
**140-3/8"-40CS**  
**140-3/8"-50CS**  
**140-3/8"-60CS**  
**140-3/8"-70CS**  
**140-3/8"-50DPC**  
**140-3/8"-60DPC**  
**140-3/8"-70DPC**  
**140-3/8"-03PLMG**  
**140-3/8"-SS100**  
**140-3/8"-CC-TS**

**1/2" NPT, Viton O-Rings, 1500 PSIG Max.**

**Element Size: 25-64-xx**

**132-40C**  
**132-50C**  
**132-60C**  
**132-70C**  
**132-40CS**  
**132-50CS**  
**132-60CS**  
**132-70CS**

**1/2" NPT, Viton O-Rings, 1500 PSIG Max.**

**Element Size: 25-64-xx**

**132-50DPC**  
**132-60DPC**  
**132-70DPC**  
**132-03PLMG**  
**132-SS100**  
**132-CC-TS**

**1/2" NPT, Viton O-Rings, 1500 PSIG Max.**

**Element Size: 25-178-xx**

**142-40C**  
**142-50C**  
**142-60C**  
**142-70C**  
**142-40CS**  
**142-50CS**  
**142-60CS**  
**142-70CS**  
**142-50DPC**  
**142-60DPC**  
**142-70C-03PLMG**  
**142-03PLMG**  
**142-SS100**  
**142-CC-TS**

**Finite® Part Number**  
**(Aluminum Housings w/ Stainless Steel Internals)**

**UFS/Headline Part**  
**(Anodized Aluminum w/ Nylon Internals)**

**3/4" NPT, Buna-N O-Rings, 800 PSIG Max.**

**Element Size: xx15-060**

**MN3S-4C**  
**MN3S-6C**  
**MN3S-8C**  
**MN3S-10C**  
**MN3S-4CU**  
**MN3S-6CU**  
**MN3S-8CU**  
**MN3S-10CU**  
**MN3S-6QU**  
**MN3S-8QU**  
**MN3S-10QU**  
**MN3S-3PU**  
**MN3S-100WSU**  
**MN3S-AU**

**1" NPT, Buna-N O-Rings, 800 PSIG Max.**

**Element Size: xx15-060**

**MN4S-6C**  
**MN4S-8C**  
**MN4S-10C**  
**MN4S-4CU**  
**MN4S-6CU**  
**MN4S-8CU**  
**MN4S-10CU**  
**MN4S-6QU**  
**MN4S-8QU**  
**MN4S-10QU**  
**MN4S-3PU**  
**MN4S-100WSU**  
**MN4S-AU**

**1" NPT, Buna-N O-Rings, 800 PSIG Max.**

**Element Size: xx15-095**

**MN4L-4C**  
**MN4L-6C**  
**MN4L-8C**  
**MN4L-10C**  
**MN4L-4CU**  
**MN4L-6CU**  
**MN4L-8CU**  
**MN4L-10CU**  
**MN4L-6QU**  
**MN4L-8QU**  
**MN4L-10QU**  
**MN4L-3PU**  
**MN4L-100WSU**  
**MN4L-AU**

**3/4" NPT, Buna-N O-Rings, 1500 PSIG Max.**

**Element Size: TRE38-152-xx**

**380AHP-3/4"-40C**  
**380AHP-3/4"-50C**  
**380AHP-3/4"-60C**  
**380AHP-3/4"-70C**  
**380AHP-3/4"-40CS**  
**380AHP-3/4"-50CS**  
**380AHP-3/4"-60CS**  
**380AHP-3/4"-70CS**  
**380AHP-AD-3/4"-50DPC**  
**380AHP-AD-3/4"-60DPC**  
**380AHP-AD-3/4"-70DPC**  
**380AHP-3/4"-03PLMG**  
**380AHP-3/4"-100SS**  
**380AHP-3/4"-TRECC**

**1" NPT, Buna-N O-Rings, 1500 PSIG Max.**

**Element Size: TRE38-152-xx**

**383AHP-1"-50C**  
**383AHP-1"-60C**  
**383AHP-1"-70C**  
**383AHP-1"-40CS**  
**383AHP-1"-50CS**  
**383AHP-1"-60CS**  
**383AHP-1"-70CS**  
**383AHP-AD-1"-50DPC**  
**383AHP-AD-1"-60DPC**  
**383AHP-AD-1"-70DPC**  
**383AHP-1"-03PLMG**  
**383AHP-1"-100SS**  
**383AHP-1"-TRECC**

**1" NPT, Buna-N O-Rings, 1500 PSIG Max.**

**Element Size: 38-241-xx**

**383AHP-241-1"-40C**  
**383AHP-241-1"-50C**  
**383AHP-241-1"-60C**  
**383AHP-241-1"-70C**  
**383AHP-241-1"-40CS**  
**383AHP-241-1"-50CS**  
**383AHP-241-1"-60CS**  
**383AHP-241-1"-70CS**  
**383AHP-241-1"-50DPC**  
**383AHP-241-1"-60DPC**  
**383AHP-241-1"-70DPC**  
**383AHP-241-1"-03PLMG**  
**383AHP-241-1"-100SS**  
**383AHP-241-1"-TRECC**

2" NPT, Buna-N O-Rings, 800 PSIG Max.

Element Size: xx25-130

- MN8S-4CV
- MN8S-6CV
- MN8S-8CV
- MN8S-10CV
- MN8S-6QU
- MN8S-8QU
- MN8S-10QU
- MN8S-7CVP
- MN8S-3PV
- MN8S-100WS
- MN8S-AU

2" NPT, Buna-N O-Rings, 1000 PSIG Max.

Element Size: 51-230-xx

- 385AHP-2"-40C
- 385AHP-2"-50C
- 385AHP-2"-60C
- 385AHP-2"-70C
- 385AHP-2"-50CS
- 385AHP-2"-60CS
- 385AHP-2"-70CS
- 385AHP-2"-07PLMG
- 385AHP-2"-03PLMG
- 385AHP-2"-100SS
- 385AHP-2"-TRECC

## Stainless Steel Filter Housings & Assemblies

Filter housings provide an alternative with fully interchangeable elements, and are available with O-rings in multiple materials, including perfluoroelastomer.

---

**Finite® Part Number**  
(Max. Pressure: 1200 PSI, Viton O-Rings)

---

**UFS/Headline Part Number**  
(Max. Pressure: 1500 PSI, Viton O-Rings)

---

1/4" NPT, Element Size: xx10-025

**SMN1S X 1**

1/4" NPT, Element Included, Element Size: xx10-025

- SMN1S-10CN
- SMN1S-10HN
- SMN1S-10TN
- SMN1S-3PUN
- SMN1S-4CN
- SMN1S-4HN
- SMN1S-6CUN
- SMN1S-6TN
- SMN1S-8CN
- SMN1S-AUN

1/2" NPT, Element Size: xx10-025

**SMN2S X 1**

1/2" NPT, Element Included, Element Size: xx10-025

- SMN2S-10CN
- SMN2S-10CUN
- SMN2S-10HN
- SMN2S-10TN
- SMN2S-3PUN
- SMN2S-4CUN
- SMN2S-4HN
- SMN2S-6CN
- SMN2S-6CUN
- SMN2S-6HN
- SMN2S-AUN

1/4" NPT, Element Size: 25-64-xx

**130**

1/4" NPT, Element Included, Element Size: 25-64-xx

- 130-70C
- 130-70C
- 130-70S
- 130-03PLMG
- 130-40C
- 130-40C
- 130-50CS
- 130-50S
- 130-60C
- 130-CC-TS

1/2" NPT, Element Size: 25-64-xx

**132**

1/2" NPT, Element Included, Element Size: 25-64-xx

- 132-70C
- 132-70CS
- 132-70C
- 132-70S
- 132-40C
- 132-40CS
- 132-40C
- 132-50C
- 132-50S
- 132-50C
- 132-CC-TS

1/4" NPT, Element Size: xx10-050

**SMN1M X 1**

1/4" NPT, Element Included, Element Size: xx10-050

**SMN1M-10CN**

**SMN1M-10HN**

**SMN1M-4HN**

**SMN1M-6CN**

**SMN1M-6HN**

1/4" NPT, Element Size: 25-127-xx

**140-127**

1/4" NPT, Element Included, Element Size: 25-127-xx

**140-127-70C**

**140-127-70C**

**140-127-40C**

**140-127-50C**

**140-127-50C**

---

**Finite® Part Number**

**(Max. Pressure: 1200 PSI, Viton O-Rings)**

**UFS/Headline Part Number**

**(Max. Pressure: 1500 PSI, Viton O-Rings)**

---

1/2" NPT, Element Included, Element Size: xx10-050

**SMN2M-10WSUN**

**SMN2M-10CN**

**SMN2M-10CUN**

**SMN2M-10HN**

**SMN2M-3PUN**

**SMN2M-4CN**

**SMN2M-4CUN**

**SMN2M-4HN**

**SMN2M-4QUN**

**SMN2M-6CN**

**SMN2M-6CUN**

**SMN2M-6GN**

**SMN2M-6HN**

**SMN2M-8HN**

**SMN2M-AUN**

1/4" NPT, Element Size: xx10-070

**SMN1L X 1**

1/4" NPT, Element Included, Element Size: xx10-070

**SMN1L-10HN**

**SMN1L-4HN**

**SMN1L-6HN**

1/2" NPT, Element Size: xx10-070

**SMN2L X 1**

1/2" NPT, Element Included, Element Size: xx10-070

**SMN2L-10CUN**

**SMN2L-10TN**

**SMN2L-3PUN**

**SMN2L-4CN**

**SMN2L-4CUN**

**SMN2L-4GN**

**SMN2L-6CN**

**SMN2L-6HN**

**SMN2L-6QUN**

1/2" NPT, Element Included, Element Size: 25-127-xx

**142-127-100SS**

**142-127-70C**

**142-127-70CS**

**142-127-70C**

**142-127-03PLMG**

**142-127-40C**

**142-127-40CS**

**142-127-40C**

**142-127-50DPC**

**142-127-50C**

**142-127-50CS**

**142-127-50K**

**142-127-50C**

**142-127-60C**

**142-127-CC-TS**

1/4" NPT, Element Size: 25-178-xx

**140**

1/4" NPT, Element Included, Element Size: 25-178-xx

**140-70C**

**140-40C**

**140-50C**

1/2" NPT, Element Size: 25-178-xx

**142**

1/2" NPT, Element Included, Element Size: 25-178-xx

**142-70CS**

**142-70S**

**142-03PLMG**

**142-40C**

**142-40CS**

**142-40K**

**142-50C**

**142-50C**

**142-50DPC**

# High Pressure Stainless Steel Filter Housings

Filter housings provide an alternative solution, but elements are not interchangeable. Additional O-ring materials, including perfluoroelastomer, are available.

<b>Finite® Part Number (Max. Pressure: 6000 PSI, Viton O-Rings)</b>	<b>UFS/Headline Part Number (Max. Pressure: 6000 PSI, Viton O-Rings)</b>
<b>1/2" NPT, Element Included, Element Size: xx11-036</b>	<b>1/2" NPT, Element Included, Element Size: 25-64-xx</b>
<b>SJN2S-10WSN</b>	<b>132VP-100SS</b>
<b>SJN2S-10CWCN</b>	<b>132VP-70CX3</b>
<b>SJN2S-3PWCN</b>	<b>132VP-03PLMGX1</b>
<b>SJN2S-4CWCN</b>	<b>132VP-40CX3</b>
<b>SJN2S-AWCN</b>	<b>132VP-CCX1-TS</b>
<b>3/4" NPT, Element Included, Element Size: xx11-036</b>	<b>3/4" NPT, Element Included, Element Size: 25-64-xx</b>
<b>SJN3S-10CWCN</b>	<b>132VP-3/4"-70CX3</b>
<b>SJN3S-3PWCN</b>	<b>132VP-3/4"-100SS</b>
<b>SJN3S-4CWCN</b>	<b>132VP-3/4"-40CX3</b>
<b>1" NPT, Element Included, Element Size: xx11-036</b>	<b>1" NPT, Element Included, Element Size: 25-64-xx</b>
<b>SJN4S-10CWCN</b>	<b>132VP-1"-70CX3</b>
<b>SJN4S-3PWCN</b>	<b>132VP-1"-03PLMGX1</b>
<b>SJN4S-4CWCN</b>	<b>132VP-1"-40CX3</b>
<b>SJN4S-AWCN</b>	<b>132VP-1"-CCX1-TS</b>
<b>SAE8, Element Included, Element Size: xx11-036</b>	<b>SAE8, Element Included, Element Size: 25-64-xx</b>
<b>SJS2S-4CWCN</b>	<b>132VP-SAE8-40CX3</b>
<b>SJS2S-AWCN</b>	<b>132VP-SAE8-CCX1-TS</b>
<b>SAE12, Element Included, Element Size: xx11-036</b>	<b>SAE12, Element Included, Element Size: 25-64-xx</b>
<b>SJS3S-4CWCN</b>	<b>132VP-SAE12-40CX3</b>
<b>SAE16, Element Included, Element Size: xx11-036</b>	<b>SAE16, Element Included, Element Size: 25-64-xx</b>
<b>SJS4S-10CWCN</b>	<b>132VP-SAE16-70CX3</b>
<b>SJS4S-4CWCN</b>	<b>132VP-SAE16-40CX3</b>
<b>1/2" NPT, Element Included, Element Size: xx11-036</b>	<b>1/2" NPT, Element Included, Element Size: 25-127-xx</b>
<b>SJN2L-4CWCN</b>	<b>142VP-127-40CX3</b>
<b>3/4" NPT, Element Included, Element Size: xx11-036</b>	<b>3/4" NPT, Element Included, Element Size: 25-127-xx</b>
<b>SJN3L-10CWCN</b>	<b>142VP-3/4"-127-70CX3</b>
<b>SJN3L-4CWCN</b>	<b>142VP-3/4"-127-40CX3</b>
<b>1" NPT, Element Included, Element Size: xx11-036</b>	<b>1" NPT, Element Included, Element Size: 25-127-xx</b>
<b>SJN4L-10CWCN</b>	<b>142VP-1"-127-70CX3</b>
<b>SJN4L-4CWCN</b>	<b>142VP-1"-127-40CX3</b>
<b>SAE8, Element Included, Element Size: xx11-036</b>	<b>SAE8, Element Included, Element Size: 25-127-xx</b>
<b>SJS2L-4CWCN</b>	<b>142VP-SAE8-127-40CX3</b>
<b>SAE12, Element Included, Element Size: xx11-036</b>	<b>SAE12, Element Included, Element Size: 25-127-xx</b>
<b>SJS3L-10CWCN</b>	<b>142VP-SAE12-127-70CX3</b>
<b>SJS3L-4CWCN</b>	<b>142VP-SAE12-127-40CX3</b>
<b>SAE16, Element Included, Element Size: xx11-036</b>	<b>SAE16, Element Included, Element Size: 25-127-xx</b>
<b>SJS4L-4CWCN</b>	<b>142VP-SAE16-127-40CX3</b>

1/2" NPT, Element Included, Element Size: xx11-072

**SJN2H-10WSN**

**SJN2H-4CWCN**

3/4" NPT, Element Included, Element Size: xx11-072

**SJN3H-10CWCN**

**SJN3H-4CWCN**

**SJN3H-AWCN**

1" NPT, Element Included, Element Size: xx11-072

**SJN4H-10CWCN**

**SJN4H-3PWCN**

**SJN4H-4CWCN**

**SJN4H-AWCN**

SAE12, Element Included, Element Size: xx11-072

**SJS3H-10CWCN**

**SJS3H-4CWCN**

SAE16, Element Included, Element Size: xx11-072

**SJS4H-10WSN**

**SJS4H-AWCN**

1/2" NPT, Element Included, Element Size: 25-178-xx

**142VP-100SS**

**142VP-40CX3**

3/4" NPT, Element Included, Element Size: 25-178-xx

**142VP-3/4"-70CX3**

**142VP-3/4"-40CX3**

**142VP-3/4"-CC-TS**

1" NPT, Element Included, Element Size: 25-178-xx

**142VP-1"-70CX3**

**142VP-1"-03PLMGX1**

**142VP-1"-40CX3**

**142VP-1"-CCX1-TS**

SAE12, Element Included, Element Size: 25-178-xx

**142VP-SAE12-70CX3**

**142VP-SAE12-70CX3**

SAE16, Element Included, Element Size: 25-178-xx

**142VP-SAE16-100SS**

**142VP-SAE16-CCX1-TS**

## High Pressure Filter Housings

Filter housings provide an alternative solution, but elements are not interchangeable. Additional O-ring materials, including perfluoroelastomer, are available.

### J Series

### 130 Series

**Finite® Part Number  
(Cast Iron Head, Carbon Steel Bowl & Internals)**

**UFS/Headline Part Number  
(316L Stainless Steel w/ SS Internals)**

1/4" NPT, Viton O-Rings, 5000 PSIG Max.

Element Size: xJAK

**JN1A-4CN**

**JN1A-10CN**

**JN1A-3PN**

**JN1A-7CPN**

**JN1A-WSN**

Adsorption Cartridge Installed: AJAK

**JN1A-AN**

SAE4, Viton O-Rings, 5000 PSIG Max.

Element Size: xJAK

**JS1A-4CN**

**JS1A-10CN**

**JS1A-3PN**

**JS1A-7CPN**

**JS1A-WSN**

Adsorption Cartridge Installed: AJAK

**JS1A-AN**

1/4" NPT, Viton O-Rings, 6000 PSIG Max.

Element Size: 25-64-xx

**130VP-40CSX1**

**130VP-70CSX1**

**130VP-03PLMGX1**

**130VP-70DPCX1**

**130VP-SS100**

Adsorption Cartridge Installed: 25-64-CC-TSX1

**130VP-CC-TSX1**

SAE4, Viton O-Rings, 6000 PSIG Max.

Element Size: 25-64-xx

**130VP-SAE4-40CSX1**

**130VP-SAE4-70CSX1**

**130VP-SAE4-03PLMGX1**

**130VP-SAE4-70DPCX1**

**130VP-SAE4-SS100**

Adsorption Cartridge Installed: 25-64-CC-TSX1

**130VP-SAE4-CC-TSX1**

1/2" NPT, Viton O-Rings, 5000 PSIG Max.

Element Size: xJAK

- JN2A-4CN
- JN2A-10CN
- JN2A-3PN
- JN2A-7CPN
- JN2A-WSN

Adsorption Cartridge Installed: AJAK

JN2A-AN

SAE8, Viton O-Rings, 5000 PSIG Max.

Element Size: xJAK

- JS2A-4CN
- JS2A-10CN
- JS2A-3PN
- JS2A-7CPN
- JS2A-WSN

Adsorption Cartridge Installed: AJAK

JS2A-AN

## J Series

1/2" NPT, Viton O-Rings, 6000 PSIG Max.

Element Size: 25-64-xx

- 132VP-40CSX1
- 132VP-70CSX1
- 132VP-03PLMGX1
- 132VP-70DPCX1
- 132VP-SS100

Adsorption Cartridge Installed: 25-64-CC-TSX1

132VP-CC-TSX1

SAE8, Viton O-Rings, 6000 PSIG Max.

Element Size: 25-64-xx

- 132VP-SAE8-40CSX1
- 132VP-SAE8-70CSX1
- 132VP-SAE8-03PLMGX1
- 132VP-SAE8-70DPCX1
- 132VP-SAE8-SS100

Adsorption Cartridge Installed: 25-64-CC-TSX1

132VP-SAE8-CC-TSX1

## 140 Series

---

**Finite® Part Number**  
(Cast Iron Head, Carbon Steel Bowl & Internals)

---

**UFS/Headline Part Number**  
(316L Stainless Steel w/ SS Internals)

---

1/2" NPT, Viton O-Rings, 5000 PSIG Max.

Element Size: xJBK

- JN2B-4CN
- JN2B-10CN
- JN2B-3PN
- JN2B-7CPN
- JN2B-WSN

Adsorption Cartridge Installed: AJBK

JN2B-AN

SAE8, Viton O-Rings, 5000 PSIG Max.

Element Size: xJBK

- JS2B-4CN
- JS2B-10CN
- JS2B-3PN
- JS2B-7CPN
- JS2B-WSN

Adsorption Cartridge Installed: AJBK

JS2B-AN

1/2" NPT, Viton O-Rings, 6000 PSIG Max.

Element Size: 25-178-xx

- 142VP-40CSX1
- 142VP-70CSX1
- 142VP-03PLMGX1
- 142VP-70DPCX1
- 142VP-SS100

Adsorption Cartridge Installed: 25-178-CC-TSX1

142VP-CC-TSX1

SAE8, Viton O-Rings, 6000 PSIG Max.

Element Size: 25-178-xx

- 142VP-SAE8-40CSX1
- 142VP-SAE8-70CSX1
- 142VP-SAE8-03PLMGX1
- 142VP-SAE8-70DPCX1
- 142VP-SAE8-SS100

Adsorption Cartridge Installed: 25-178-CC-TSX1

142VP-SAE8-CC-TSX1

## J Series

**Finite® Part Number**  
**(Cast Iron Head, Carbon Steel Bowl & Internals)**

**1 1/2" NPT, Buna-N O-Rings, 5000 PSIG Max.**

**Element Size: xJDK**

**JN6D-4CN**

**JN6D-10CN**

**JN6D-3PN**

**JN6D-7CPN**

**JN6D-WSN**

**Adsorption Cartridge Installed: AJDK**

**JN6D-AN**

**SAE24, Buna-N O-Rings, 5000 PSIG Max.**

**Element Size: xJDK**

**JS6D-4CN**

**JS6D-10CN**

**JS6D-3PN**

**JS6D-7CPN**

**JS6D-WSN**

**Adsorption Cartridge Installed: AJDK**

**JS6D-AN**

**2" NPT, Buna-N O-Rings, 5000 PSIG Max.**

**Element Size: xJDK**

**JN8E-4CN**

**JN8E-10CN**

**JN8E-3PN**

**JN8E-7CPN**

**JN8E-WSN**

**Adsorption Cartridge Installed: AJEK**

**JN8E-AN**

**SAE32, Buna-N O-Rings, 5000 PSIG Max.**

**Element Size: xJEK**

**JS8E-4CN**

**JS8E-10CN**

**JS8E-3PN**

**JS8E-7CPN**

**JS8E-WSN**

**Adsorption Cartridge Installed: AJEK**

**JS8E-AN**

## 150 Series

**UFS/Headline Part Number**  
**(316L Stainless Steel w/ SS Internals)**

**1 1/2" NPT, Viton O-Rings, 6000 PSIG Max.**

**Element Size: 51-230-xx**

**151VP-4401-40CSX3**

**151VP-4401-70CSX3**

**151VP-4401-03PLMGX1**

**151VP-4401-70DPX3**

**151VP-4401-SS100**

**Adsorption Cartridge Installed: 51-230-CCX3**

**151VP-4401-CCX3**

**SAE24, Viton O-Rings, 6000 PSIG Max.**

**Element Size: 51-230-xx**

**151VP-4401-SAE24-40CSX3**

**151VP-4401-SAE24-70CSX3**

**151VP-4401-SAE24-03PLMGX3**

**151VP-4401-SAE24-70DPCX3**

**151VP-4401-SAE24-SS100**

**Adsorption Cartridge Installed: 51-230-CCX3**

**151VP-4401-SAE24-CCX3**

**2" NPT, Viton O-Rings, 6000 PSIG Max.**

**Element Size: 51-230-xx**

**152VP-4401-40CSX3**

**152VP-4401-70CSX3**

**152VP-4401-03PLMGX3**

**152VP-4401-70DPCX3**

**152VP-4401-SS100**

**Adsorption Cartridge Installed: 51-230-CCX3**

**152VP-4401-CCX3**

**SAE32, Viton O-Rings, 6000 PSIG Max.**

**Element Size: 51-230-xx**

**152VP-4401-SAE32-40CSX3**

**152VP-4401-SAE32-70CSX3**

**152VP-4401-SAE32-03PLMGX1**

**152VP-4401-SAE32-70DPCX3**

**152VP-4401-SAE32-SS100**

**Adsorption Cartridge Installed: 51-230-CCX3**

**152VP-4401-SAE32-CCX3**

## J Series

**Finite® Part Number**  
**(Cast Iron Head, Carbon Steel Bowl & Internals)**

3/4" NPT, Buna-N O-Rings, 5000 PSIG Max.

Element Size: xJBK

**JN3B-4CN**  
**JN3B-10CN**  
**JN3B-3PN**  
**JN3B-7CPN**  
**JN3B-WSN**

Adsorption Cartridge Installed: AJBK

**JN3B-AN**

1" NPT, Buna-N O-Rings, 5000 PSIG Max.

Element Size: xJCK

**JN4C-4CN**  
**JN4C-10CN**  
**JN4C-3PN**  
**JN4C-7CPN**  
**JN4C-WSN**

Adsorption Cartridge Installed: AJCK

**JN4C-AN**

SAE12, Buna-N O-Rings, 5000 PSIG Max.

Element Size: xJBK

**JS3B-4CN**  
**JS3B-10CN**  
**JS3B-3PN**  
**JS3B-7CPN**  
**JS3B-WSN**

Adsorption Cartridge Installed: AJBK

**JS3B-AN**

SAE16, Buna-N O-Rings, 5000 PSIG Max.

Element Size: xJCK

**JS4C-4CN**  
**JS4C-10CN**  
**JS4C-3PN**  
**JS4C-7CPN**  
**JS4C-WSN**

Adsorption Cartridge Installed: AJCK

**JS4C-AN**

## UHPC Series

**UFS/Headline Part Number**  
**(Carbon Steel Body & Internals, w/ Nickel Coating)**

3/4" NPT, Viton O-Rings, 6000 PSIG Max.

Element Size: SL38-172-xx

**UHPC4SL-40CSX3**  
**UHPC4SL-70CSX3**  
**UHPC4SL-03PLX3**  
**UHPC4SL-70DPCX3**  
**UHPC4SL-SS100**

Adsorption Cartridge Installed: SL38-172-CCX3

**UHPC4SL-CCX3**

1" NPT, Viton O-Rings, 6000 PSIG Max.

Element Size: SL38-172-xx

**UHPC5SL-40CSX3**  
**UHPC5SL-70CSX3**  
**UHPC5SL-03PLX3**  
**UHPC5SL-70DPCX3**  
**UHPC5SL-SS100**

Adsorption Cartridge Installed: SL38-172-CCX3

**UHPC5SL-CCX3**

SAE12, Viton O-Rings, 6000 PSIG Max.

Element Size: SL38-172-xx

**UHPCSAE12-SL-40CSX3**  
**UHPCSAE12-SL-70CSX3**  
**UHPCSAE12-SL-03PLMGX1**  
**UHPCSAE12-SL-70DPCX3**  
**UHPCSAE12-SL-SS100**

Adsorption Cartridge Installed: SL38-172-CCX3

**UHPCSAE12-SL-CCX3**

SAE16, Viton O-Rings, 6000 PSIG Max.

Element Size: SL38-172-xx

**UHPCSAE16-SL-40CSX3**  
**UHPCSAE16-SL-70CSX3**  
**UHPCSAE16-SL-03PLMGX3**  
**UHPCSAE16-SL-70DPCX3**  
**UHPCSAE16-SL-70CSX3**

Adsorption Cartridge Installed: SL38-172-CCX3

**UHPCSAE16-SL-CCX3**

# Stainless Steel Bypass Filters & Filter Housings

Filter housings provide an alternative with fully interchangeable elements, and are available with O-rings in multiple materials, including perfluoroelastomer.

## S1R / S5R Series

**Finite® Part Number  
(Stainless Steel Body & Internals)**

1/8" NPT, 1/8" Drain, Viton O-Rings, 5000 PSIG Max.

**S5R**

1/4" NPT, 1/4" Drain, Viton O-Rings, 5000 PSIG Max.

**S1R**

1/8" NPT, 1/8" Drain, Viton O-Rings, 5000 PSIG Max.

Element Size: xx04-023

**S5R-4G04-023**

**S5R-4T04-023**

**S5R-4F04-023**

**S5R-4H04-023**

**S5R-4C04-023**

**S5R-6G04-023**

**S5R-6T04-023**

**S5R-6F04-023**

**S5R-6H04-023**

**S5R-6C04-023**

**S5R-8G04-023**

**S5R-8T04-023**

**S5R-8F04-023**

**S5R-8H04-023**

**S5R-8C04-023**

**S5R-10G04-023**

**S5R-10T04-023**

**S5R-10F04-023**

**S5R-10H04-023**

**S5R-10C04-023**

1/4" NPT, 1/4" Drain, Viton O-Rings, 5000 PSIG Max.

Element Size: xx04-023

**S1R-4G04-023**

**S1R-4T04-023**

**S1R-4F04-023**

**S1R-4H04-023**

**S1R-4C04-023**

**S1R-6G04-023**

**S1R-6T04-023**

**S1R-6F04-023**

**S1R-6H04-023**

**S1R-6C04-023**

## 120 Series

**UFS/Headline Part Number  
(Stainless Steel Body & Internals)**

1/8" NPT, 1/8" Drain, Viton O-Rings, 5000 PSIG Max.

**120B (Housing Only)**

1/4" NPT, 1/4" Drain, Viton O-Rings, 5000 PSIG Max.

**122B (Housing Only)**

1/8" NPT, 1/8" Drain, Viton O-Rings, 5000 PSIG Max.

Element Size: 12-57-xx

**120B-40K**

**120B-40RPT**

**120B-40K**

**120B-40CS**

**120B-40C**

**120B-50K**

**120B-50RPT**

**120B-50K**

**120B-50CS**

**120B-50C**

**120B-60K**

**120B-60RPT**

**120B-60K**

**120B-60CS**

**120B-60C**

**120B-70K**

**120B-70RPT**

**120B-70K**

**120B-70CS**

**120B-70C**

1/4" NPT, 1/4" Drain, Viton O-Rings, 5000 PSIG Max.

Element Size: 12-57-xx

**122B-40K**

**122B-40RPT**

**122B-40K**

**122B-40CS**

**122B-40C**

**122B-50K**

**122B-50RPT**

**122B-50K**

**122B-50CS**

**122B-50C**

1/4" NPT, 1/4" Drain, Viton O-Rings, 5000 PSIG Max.

Element Size: xx04-023

- S1R-8G04-023
- S1R-8T04-023
- S1R-8F04-023
- S1R-8H04-023
- S1R-8C04-023
- S1R-10G04-023
- S1R-10T04-023
- S1R-10F04-023
- S1R-10H04-023
- S1R-10C04-023

1/4" NPT, 1/4" Drain, Viton O-Rings, 5000 PSIG Max.

Element Size: 12-57-xx

- 122B-60K
- 122B-60RPT
- 122B-60K
- 122B-60CS
- 122B-60C
- 122B-70K
- 122B-70RPT
- 122B-70K
- 122B-70CS
- 122B-70C

### S1IL Series

### 116IL Series

---

**Finite® Part Number**  
**(Stainless Steel Body & Internals)**

---



---

**UFS/Headline Part Number**  
**(Stainless Steel Body & Internals)**

---

1/4" NPT, Viton O-Rings, 5000 PSIG Max.

Element Size: xx04-013

- S1IL-4G04-013
- S1IL-4T04-013
- S1IL-4F04-013
- S1IL-6G04-013
- S1IL-6T04-013
- S1IL-6F04-013
- S1IL-8G04-013
- S1IL-8T04-013
- S1IL-8F04-013
- S1IL-10G04-013
- S1IL-10T04-013
- S1IL-10F04-013

1/4" NPT, Viton O-Rings, 5000 PSIG Max.

Element Size: 12-32-xx

- 116IL-40K
- 116IL-40RPT
- 116IL-40K
- 116IL-50K
- 116IL-50RPT
- 116IL-50K
- 116IL-60K
- 116IL-60RPT
- 116IL-60K
- 116IL-70K
- 116IL-70RPT
- 116IL-70K

1/4" NPT, Viton O-Rings, 5000 PSIG Max.

S1IL

1/4" NPT, Viton O-Rings, 5000 PSIG Max.

116IL (Housing Only)

## Small Internal Volume Stainless Steel Housings

Filter housings provide an alternative with fully interchangeable elements, and are available with O-rings in multiple materials, including perfluoroelastomer.

### S1PS Series

### 137G/138G Series

---

**Finite® Part Number**  
**(Stainless Steel Head & Internals, Pyrex Glass Bowl)**

---



---

**UFS/Headline Part Number**  
**(SS Plates & Internals, w/ Pyrex Glass Bowl)**

---

1/4" NPT, Viton O-Rings, 100 PSIG Max.

No Element Installed

S1PS X1

1/4" NPT, Viton O-Rings, 100 PSIG Max.

No Element Installed

137G

1/4" NPT, Viton O-Rings, 100 PSIG Max.

Element Size: xx10-025

- S1PS-4G10-025
- S1PS-4T10-025
- S1PS-4F10-025
- S1PS-4H10-025
- S1PS-6G10-025
- S1PS-6T10-025
- S1PS-6F10-025
- S1PS-6H10-025
- S1PS-8G10-025
- S1PS-8T10-025
- S1PS-8F10-025
- S1PS-8H10-025
- S1PS-10G10-025
- S1PS-10T10-025
- S1PS-10F10-025
- S1PS-10H10-025

1/2" NPT, Viton O-Rings, 100 PSIG Max.

No Element Installed

S2PS X1

1/2" NPT, Viton O-Rings, 100 PSIG Max.

Element Size: xx10-025

- S2PS-4G10-025
- S2PS-4T10-025
- S2PS-4F10-025
- S2PS-4H10-025
- S2PS-6G10-025
- S2PS-6T10-025
- S2PS-6F10-025
- S2PS-6H10-025
- S2PS-8G10-025
- S2PS-8T10-025
- S2PS-8F10-025
- S2PS-8H10-025
- S2PS-10G10-025
- S2PS-10T10-025
- S2PS-10F10-025
- S2PS-10H10-025

### S1SS Series

Finite® Part Number  
(Stainless Steel Body & Internals)

1/4" NPT, Viton O-Rings, 425 PSIG Max.

No Element Installed

S1SS X1

1/4" NPT, Viton O-Rings, 100 PSIG Max.

Element Size: 25-64-xx

- 137G-40K
- 137G-40S
- 137G-40K
- 137G-40CS
- 137G-50K
- 137G-50S
- 137G-50K
- 137G-50CS
- 137G-60K
- 137G-640S
- 137G-60K
- 137G-60CS
- 137G-70K
- 137G-70S
- 137G-70K
- 137G-70CS

1/2" NPT, Viton O-Rings, 100 PSIG Max.

No Element Installed

138G

1/2" NPT, Viton O-Rings, 100 PSIG Max.

Element Size: 25-64-xx

- 138G-40K
- 138G-40S
- 138G-40K
- 138G-40CS
- 138G-50K
- 138G-50S
- 138G-50K
- 138G-50CS
- 138G-60K
- 138G-640S
- 138G-60K
- 138G-60CS
- 138G-70K
- 138G-70S
- 138G-70K
- 138G-70CS

### 137/138 Series

UFS/Headline Part Number  
(Stainless Steel Body & Internals)

1/4" NPT, Viton O-Rings, 150 PSIG Max.

No Element Installed

137

1/4" NPT, Viton O-Rings, 425 PSIG Max.

Element Size: xx10-025

- S1SS-4G10-025
- S1SS-4T10-025
- S1SS-4F10-025
- S1SS-4H10-025
- S1SS-6G10-025
- S1SS-6T10-025
- S1SS-6F10-025
- S1SS-6H10-025
- S1SS-8G10-025
- S1SS-8T10-025
- S1SS-8F10-025
- S1SS-8H10-025
- S1SS-10G10-025
- S1SS-10T10-025
- S1SS-10F10-025
- S1SS-10H10-025

1/2" NPT, Viton O-Rings, 425 PSIG Max

No Element Installed

S2SS X1

1/2" NPT, Viton O-Rings, 425 PSIG Max.

Element Size: xx10-025

- S2SS-4G10-025
- S2SS-4T10-25
- S2SS-4F10-025
- S2SS-4H10-025
- S2SS-6G10-025
- S2SS-6T10-025
- S2SS-6F10-025
- S2SS-6H10-025
- S2SS-8G10-025
- S2SS-8T10-25
- S2SS-8F10-025
- S2SS-8H10-025
- S2SS-10G10-025
- S2SS-10T10-025
- S2SS-10F10-025
- S2SS-10H10-025

### S1PL Series

Finite® Part Number  
(Stainless Steel Head & Internals, Pyrex Glass Bowl)

1/4" NPT, Viton O-Rings, 100 PSIG Max.

No Element Installed

S1PL X1

1/4" NPT, Viton O-Rings, 150 PSIG Max.

Element Size: 25-64-xx

- 137-40K
- 137-40S
- 137-40K
- 137-40CS
- 137-50K
- 137-50S
- 137-50K
- 137-50CS
- 137-60K
- 137-60S
- 137-60K
- 137-60CS
- 137-70K
- 137-70S
- 137-70K
- 137-70CS

1/2" NPT, Viton O-Rings, 150 PSIG Max.

No Element Installed

138

1/2" NPT, Viton O-Rings, 150 PSIG Max.

Element Size: 25-64-xx

- 138-40K
- 138-40S
- 138-40K
- 138-40CS
- 138-50K
- 138-50S
- 138-50K
- 138-50CS
- 138-60K
- 138-60S
- 138-60K
- 138-60CS
- 138-70K
- 138-70S
- 138-70K
- 138-70CS

### 147G/148G Series

UFS/Headline Part Number  
(SS Plates & Internals, w/ Pyrex Glass Bowl)

1/4" NPT, Viton O-Rings, 100 PSIG Max.

No Element Installed

147G

1/4" NPT, Viton O-Rings, 100 PSIG Max.

Element Size: xx10-070

- S1PL-4G10-070
- S1PL-4T10-070
- S1PL-4F10-070
- S1PL-4H10-070
- S1PL-6G10-070
- S1PL-6T10-070
- S1PL-6F10-070
- S1PL-6H10-070
- S1PL-8G10-070
- S1PL-8T10-070
- S1PL-8F10-070
- S1PL-8H10-070
- S1PL-10G10-070
- S1PL-10T10-070
- S1PL-10F10-070
- S1PL-10H10-070

1/2" NPT, Viton O-Rings, 100 PSIG Max.

No Element Installed

S2PL X1

1/2" NPT, Viton O-Rings, 100 PSIG Max.

Element Size: xx10-070

- S2PL-4G10-070
- S2PL-4T10-070
- S2PL-4F10-070
- S2PL-4H10-070
- S2PL-6G10-070
- S2PL-6T10-070
- S2PL-6F10-070
- S2PL-6H10-070
- S2PL-8G10-070
- S2PL-8T10-070
- S2PL-8F10-070
- S2PL-8H10-070
- S2PL-10G10-070
- S2PL-10T10-070
- S2PL-10F10-070
- S2PL-10H10-070

### S1SL Series

Finite® Part Number  
(Stainless Steel Body & Internals)

1/4" NPT, Viton O-Rings, 250 PSIG Max.

No Element Installed

S1SL X1

1/4" NPT, Viton O-Rings, 100 PSIG Max.

Element Size: 25-178-xx

- 147G-40K
- 147G-40S
- 147G-40K
- 147G-40CS
- 147G-50K
- 147G-50S
- 147G-50K
- 147G-50CS
- 147G-60K
- 147G-60S
- 147G-60K
- 147G-60CS
- 147G-70K
- 147G-70S
- 147G-70K
- 147G-70CS

1/2" NPT, Viton O-Rings, 100 PSIG Max.

No Element Installed

148G

1/2" NPT, Viton O-Rings, 100 PSIG Max.

Element Size: 25-178-xx

- 148G-40K
- 148G-40S
- 148G-40K
- 148G-40CS
- 148G-50K
- 148G-50S
- 148G-50K
- 148G-50CS
- 148G-60K
- 148G-60S
- 148G-60K
- 148G-60CS
- 148G-70K
- 148G-70S
- 148G-70K
- 148G-70CS

### 147/148 Series

UFS/Headline Part Number  
(Stainless Steel Body & Internals)

1/4" NPT, Viton O-Rings, 150 PSIG Max.

No Element Installed

147

**1/4" NPT, Viton O-Rings, 250 PSIG Max.**

**Element Size: xx10-070**

**S1SL-4G10-070**  
**S1SL-4T10-070**  
**S1SL-4F10-070**  
**S1SL-4H10-070**  
**S1SL-6G10-070**  
**S1SL-6T10-070**  
**S1SL-6F10-070**  
**S1SL-6H10-070**  
**S1SL-8G10-070**  
**S1SL-8T10-070**  
**S1SL-8F10-070**  
**S1SL-8H10-070**  
**S1SL-10G10-070**  
**S1SL-10T10-070**  
**S1SL-10F10-070**  
**S1SL-10H10-070**

**1/2" NPT, Viton O-Rings, 250 PSIG Max.**

**No Element Installed**

**S2SL X1**

**1/2" NPT, Viton O-Rings, 250 PSIG Max.**

**Element Size: xx10-070**

**S2SL-4G10-070**  
**S2SL-4T10-070**  
**S2SL-4F10-070**  
**S2SL-4H10-070**  
**S2SL-6G10-070**  
**S2SL-6T10-070**  
**S2SL-6F10-070**  
**S2SL-6H10-070**  
**S2SL-8G10-070**  
**S2SL-8T10-070**  
**S2SL-8F10-070**  
**S2SL-8H10-070**  
**S2SL-10G10-070**  
**S2SL-10T10-070**  
**S2SL-10F10-070**  
**S2SL-10H10-070**

**1/4" NPT, Viton O-Rings, 150 PSIG Max.**

**Element Size: 25-178-xx**

**147-40K**  
**147-40S**  
**147-40K**  
**147-40CS**  
**147-50K**  
**147-50S**  
**147-50K**  
**147-50CS**  
**147-60K**  
**147-60S**  
**147-60K**  
**147-60CS**  
**147-70K**  
**147-70S**  
**147-70K**  
**147-70CS**

**1/2" NPT, Viton O-Rings, 150 PSIG Max.**

**No Element Installed**

**148**

**1/2" NPT, Viton O-Rings, 150 PSIG Max.**

**Element Size: 25-178-xx**

**148-40K**  
**148-40S**  
**148-40K**  
**148-40CS**  
**148-50K**  
**148-50S**  
**148-50K**  
**148-50CS**  
**148-60K**  
**148-60S**  
**148-60K**  
**148-60CS**  
**148-70K**  
**148-70S**  
**148-70K**  
**148-70CS**

# High Flow Stainless Steel Filter Housings

Filter housings provide an alternative with fully interchangeable elements, and are available with O-rings in multiple materials, including perfluoroelastomer.

## S3C / S4C Series

**Finite® Part Number**  
**(Economical Stainless Steel Assemblies)**

**3/4" NPT, Viton O-Rings, 1/4" Drain, 150 PSIG Max.**

**Element Size: xx13-087**

**S3C-4CU-13-087**

**S3C-6CU-13-087**

**S3C-8CU-13-087**

**S3C-10CU-13-087**

**S3C-3PU-13-087**

**S3C-AU-130-087**

**1" NPT, Viton O-Rings, 1/4" Drain, 150 PSIG Max.**

**Element Size: xx13-087**

**S4C-4CU-13-087**

**S4C-6CU-13-087**

**S4C-8CU-13-087**

**S4C-10CU-13-087**

**S4C-3PU-13-087**

**S4C-AU-13-087**

## SLH Series

**UFS/Headline Part Number**  
**(304 Stainless Steel Assemblies)**

**3/4" NPT, Viton O-Rings, 1/8" Drain, 250 PSIG Max.**

**Element Size: LE-820-xx**

**SLH820-3/4"-40CS**

**SLH820-3/4"-50CS**

**SLH820-3/4"-60CS**

**SLH820-3/4"-70CS**

**SLH820-3/4"-03PLMG**

**SLH820-3/4"-CC**

**1" NPT, Viton O-Rings, 1/8" Drain, 250 PSIG Max.**

**Element Size: LE-820-xx**

**SLH820-1"-40CS**

**SLH820-1"-50CS**

**SLH820-1"-60CS**

**SLH820-1"-70CS**

**SLH820-1"-03PLMG**

**SLH820-1"-CC**

## SN8S Series

**Finite® Part Number**  
**(High Flow Stainless Steel Housing)**

**2" NPT, Viton O-Rings, 500 PSIG Max.**

**Element Size: xx24-187, Element Sold Separately**

**SN8S x 1 (Housing Only)**

**SN8S-4CU**

**SN8S-6CU**

**SN8S-8CU**

**SN8S-10CU**

**SN8S-3PU**

**SN8S-AU**

**SN8S-7CVP**

**SN8S-100WS**

## 162 Series

**UFS/Headline Part Number**  
**(316L Stainless Steel Housing)**

**2" NPT, Viton O-Rings, 1,500 PSIG Max.**

**Element Size: 51-476-xx, Element Sold Separately**

**162 (Housing Only)**

**162-40CS**

**162-50CS**

**162-60CS**

**162-70CS**

**162-03PLMG**

**162-CC-TS**

**162-70CS/03PLMGX1**

**162-SS-100**