



14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772

www.tssa.org

April 11, 2016

HENRYK FISHER
UNITED FILTRATION SYSTEMS, INC.
6558 DIPLOMAT DRIVE
STERLING HEIGHTS, MI 48314
USA

Service Request Type.: BPV-National ACI Central
Service Request No.: 1800188
Your Reference No.:
Registered to.: HEADLINE FILTERS LTD

Dear HENRYK FISHER,

Please find enclosed the original response from PEI,NS,NB,NFLD,YK,NWT,NU, registered under the CRN No.:
0E18082.59870YTN.

Should you have any questions or require further assistance, I will be happy to assist you.
For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail
customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request
number provided above.

Yours truly,

Tanya Francis
Administrative Assistant_ BPV Engineering
Tel. : 416-734-3423
Fax : 416-231-6183
Email : tfrancis@tssa.org


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

☒ NEW BRUNSWICK
☒ NUNAVUT

☒ NOVA SCOTIA
☒ YUKON



☒ PRINCE EDWARD ISLAND
☒ NORTHWEST TERRITORIES

☒ NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd.</u>	
MANUFACTURERS ADDRESS: <u>Headline House, Units 1-2 Mill Hall Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ</u>	
PLANT LOCATIONS: <u>Headline House, Units 1-2 Mill Hall Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ</u>	
CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types <input checked="" type="checkbox"/> E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME B31.3
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT <div align="center">  </div>	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: Machined (316L)
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Technical Drawings, Brochure, Previous CE Certificate, Material Certificates, Pressure Test, ISO Certificate of Registration. Item to be registered is Headline Filter 130VP-HHP to 146VP-HHP	

DECLARATION:

I, (see note 3) employed by _____ and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by _____ as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath

Signature of Declarer: 
 Declared before me at 16 Mill Street, Maidstone, Kent
 This 3rd day of JULY AD 2015
 Commissioner of Oaths
 or Notary Public: (sign) 

Alexander Gwiliam Astley
 16 Mill Street
 Maidstone, Kent ME15 8XT
 Tel: 01622 678341
 Notary Public

This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>0E18082.5</u> FID#: <u>2895</u>	<p align="center">ACCEPTED</p> <p align="center">PROVINCE OF PRINCE EDWARD ISLAND COMMUNITIES, LAND & ENVIRONMENT</p> <p align="center">CRN. <u>0E18082.59</u> DATE: <u>Feb 26/16</u></p> <p align="center">INSPECTION SERVICES SECTION BOILER/PRESSURE VESSEL BRANCH</p>
Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	



119 (15)


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

☒ NEW BRUNSWICK
NUNAVUT

☒ NOVA SCOTIA
YUKON

☒ PRINCE EDWARD ISLAND
☒ NORTHWEST TERRITORIES

☒ NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd.</u>	
MANUFACTURERS ADDRESS: <u>Headline House, Units 1-2 Mill Hill Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ</u>	
PLANT LOCATIONS: <u>Headline House, Units 1-2 Mill Hill Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types <input checked="" type="radio"/> E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION <u>ASME B31.3</u>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT <div align="center">  </div>	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: <u>Machined (316L)</u>
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: <u>Technical Drawings, Brochure, Previous CE Certificate, Material Certificates, Pressure Test, ISO Certificate of Registration.</u> <u>Item to be registered is Headline Filter 130VP-HHP to 146VP-HHP</u>	

DECLARATION:

I, (see note 3) employed by _____ and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by _____ as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath

Signature of Declarer: Alexander Gwiliam Astley

Declared before me at 16 Mill Street, Maidstone, Kent

This 3rd day of JULY AD 2015


Commissioner of Oaths
or Notary Public: (sign) [Signature]

Alexander Gwiliam Astley

16 Mill Street, Maidstone, Kent ME15 6XT

Tel: 01822 678341

Notary Public

This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>OE18082.5</u>	<div align="center">  </div>
FID#: <u>2895</u>	
Notes	
1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	
Sect. 1.0 - Fittings Rev. 1 05/2003	

119/115


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

☒ NEW BRUNSWICK
☒ NUNAVUT

☒ NOVA SCOTIA
☒ YUKON

☒ PRINCE EDWARD ISLAND
☒ NORTHWEST TERRITORIES

☒ NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME Headline Filters Ltd	
MANUFACTURERS ADDRESS Headline House, Units 1-2 Mill Hall Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ	
PLANT LOCATIONS: Headline House, Units 1-2 Mill Hall Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges all flanges C Valves all line valves D Expansion joints, flexible connections, and hose assemblies all types <input checked="" type="radio"/> E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	
TITLE OF THE STANDARD OF CONSTRUCTION ASME B31.3	
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: Machined (316L)	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Technical Drawings, Brochure, Previous CE Certificate, Material Certificates, Pressure Test, ISO Certificate of Registration. Item to be registered is Headline Filter 130VP-HHP to 146VP-HHP	

DECLARATION:

I, (see note 3), employed by _____ and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by _____ as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath

Signature of Declarer: Alexander Gwilum Astley

Declared before me at 16 MILL STREET, MAIDSTONE, KENT

This 3rd day of JULY AD 2015

Commissioner of Oaths

or Notary Public: (sign) [Signature]

Alexander Gwilum Astley

16 Mill Street

Maidstone, Kent ME15 6XT

Tel: 01622 678241

Notary Public

New Brunswick
Nouveau Brunswick

This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of issuance

BOILER & PRESSURE VESSEL ACT

CRN: 0E18082.5

FID#: 2895

Notes

- All fittings shall be registered in the name of the Manufacturer
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years

REGISTRATION ONLY

CRN 0E18082.57

EXAMINER

for

CHIEF BOILER INSPECTOR

DATE: 2/26/2016

Section 10 - Fittings Rev. 1 06/2003



BLRS




PVS

119/15

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

☒ NEW BRUNSWICK
 ☒ NOVA SCOTIA
 ☒ PRINCE EDWARD ISLAND
 ☒ NEWFOUNDLAND AND LABRADOR
☒ NUNAVUT
 ☒ YUKON
 ☒ NORTHWEST TERRITORIES

MANUFACTURERS NAME: Headline Filters Ltd.	
MANUFACTURERS ADDRESS: Headline House, Units 1-2 Mill Hall Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ	
PLANT LOCATIONS: Headline House, Units 1-2 Mill Hall Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies all types <input checked="" type="radio"/> E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME B31.3
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: Machined (316L)	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
Technical Drawings, Brochure, Previous CE Certificate, Material Certificates, Pressure Test, ISO Certificate of Registration. Item to be registered is Headline Filter 130VP-HHP to 146VP-HHP	

DECLARATION:

I, Alexander Gwiltum Astley (see note 3) employed by Headline Filters Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Headline Filters Ltd. as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Alexander Gwiltum Astley

Declared before me at 16 Mill Street, Maidstone, Kent

This 1st day of JULY AD 2015

Commissioner of Oaths

or Notary Public: (sign) [Signature]

Alexander Gwiltum Astley

16 Mill Street

Maidstone, Kent ME15 8XT

Tel: 01622 670341

Notary Public

This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>0E18082.5</u>	Newfoundland and Labrador Service NL Registered <u>0E18082.50</u> Date <u>16/02/2016</u> Engineering and Inspection Services Registered by <u>[Signature]</u> UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS
FID#: <u>2895</u>	
Notes	
1. All fittings shall be registered in the name of the Manufacturer 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years	

114115


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

☒ NEW BRUNSWICK
☒ NUNAVUT

☒ NOVA SCOTIA
☒ YUKON

☒ PRINCE EDWARD ISLAND
☒ NORTHWEST TERRITORIES

☒ NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Headline Filters Ltd.	
MANUFACTURERS ADDRESS: Headline House, Units 1-2 Mill Hall Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ	
PLANT LOCATIONS: Headline House, Units 1-2 Mill Hall Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input checked="" type="radio"/> E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME B31.3</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION	
<p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/></p> <p>DESCRIBE OTHER:</p> <p>Machined (316L)</p>	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
<p>Technical Drawings, Brochure, Previous CE Certificate, Material Certificates, Pressure Test, ISO Certificate of Registration.</p> <p>Item to be registered is Headline Filter 130VP-HHP to 146VP-HHP</p>	

DECLARATION:

I, (see note 3) employed by Headline Filters Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Headline Filters Ltd. as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath

Signature of Declarer: Alexander Gwiliam Astley

Declared before me at 16 Mill Street, Maidstone, Kent


This 3rd day of JULY AD 2015

Commissioner of Oaths
or Notary Public: (sign) [Signature]

Alexander Gwiliam Astley

16 Mill Street
Maidstone, Kent ME15 6XT
Tel: 01622 678341
Notary Public

This space for Regulatory Authority use	
This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>0E18082.5</u>	
FID#: <u>2895</u>	
Notes:	
1. All fittings shall be registered in the name of the Manufacturer.	
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.	
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.	
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	



UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

☒ NEW BRUNSWICK
☒ NUNAVUT

☒ NOVA SCOTIA
☒ YUKON

☒ PRINCE EDWARD ISLAND
☒ NORTHWEST TERRITORIES

☒ NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Headline Filters Ltd.

MANUFACTURERS ADDRESS: Headline House, Units 1-2 Mill Hall Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ

PLANT LOCATIONS: Headline House, Units 1-2 Mill Hall Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

TITLE OF THE STANDARD OF
ASME B31.3

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
B Flanges: all flanges
C Valves: all line valves
Expansion joints, flexible connections, and hose assemblies: all types
E Strainers, filters, separators, and steam traps
F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
H Pressure retaining components that do not fall into one of the above categories
N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



FORGED ☐ WELDED ☐ WROUGHT ☐
CAST ☐ OTHER ☒
DESCRIBE OTHER:
Machined (316L)

Technical Drawings, Brochure, Previous CE Certificate, Material Certificates, Pressure Test, ISO Certificate of Registration.

Item to be registered is Headline Filter 130VP-HHP to 146VP-HHP

DECLARATION:

I, (see note 3) employed by, and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath

Signature of Declarer:

Alexander Gwiliam Astley

Declared before me at 16 MILL STREET, MALDSHIRE, KENT

This 3rd day of JULY AD 2015

Commissioner of Oaths
or Notary Public: (sign)

[Signature]

Alexander Gwiliam Astley

16 Mill Street
Maldstone, Kent ME15 6XT
Tel: 01622 678341
Notary Public

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0E18082.5

FID#: 2895

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Northwest
Territories
REGISTERED
UNDER THE AUTHORITY OF
THE BOILER AND PRESSURE
VESSEL ACT.

C.R.N. 0E18082.5
SIGNED [Signature]
DATE March 21 2016


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

☒ NEW BRUNSWICK
☒ NUNAVUT

☒ NOVA SCOTIA
☒ YUKON

☒ PRINCE EDWARD ISLAND
☒ NORTHWEST TERRITORIES

☒ NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Headline Filters Ltd.	
MANUFACTURERS ADDRESS: Headline House, Units 1-2 Mill Hall Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ	
PLANT LOCATIONS: Headline House, Units 1-2 Mill Hall Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input checked="" type="radio"/> E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME B31.3</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/></p> <p>DESCRIBE OTHER: Machined (316L)</p>
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
Technical Drawings, Brochure, Previous CE Certificate, Material Certificates, Pressure Test, ISO Certificate of Registration.	
Item to be registered is Headline Filter 130VP-HHP to 146VP-HHP	

DECLARATION:

I (see note 3) employed by _____ and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by _____ as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Alexander Gwilum Astley

Declared before me at 16 MILL STREET, MAIDSTONE, KENT

This 3rd day of JULY AD 2015

Commissioner of Oaths
or Notary Public: (sign) [Signature]

Alexander Gwilum Astley

16 Mill Street
Maidstone, Kent ME15 6XT
Tel: 01622 678344

Notary Public

NUN

<p>This space for Regulatory Authority use</p> <p>This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>OE18082.5</u></p> <p>FID#: <u>2895</u></p> <p>Notes:</p> <ol style="list-style-type: none"> 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. 	<p align="center">REGISTERED</p> <p>CRN <u>OE18082.5N</u></p> <p>Date <u>Feb 26, 2016</u></p> <p>Signed <u>[Signature]</u> Chief Inspector</p> <p align="center">Territorial Registration Fee</p>
--	---

Section 10 - Fittings Rev. 1-06/2003