


# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Headline Filters Ltd	
Manufacturers Address: Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ England	
Plant Locations: As above	
<p><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><b>E Strainers, filters, separators, and steam traps</b></p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p><b>Title of the Standard of Construction</b></p> <p>ASME VIII-1</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <p></p>	
<p><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/></p> <p>Describe other: Machined from solid aluminium</p>	
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>Scope of registration, existing CRN documents (OE04447.25ADD2), drawings, calculations, reports For 380AHP Series of Filters</p>	

## Declaration:

I Scott Hardman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI ISO9001:2015 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Scott Hardman

Declared before me at 16 Mill Street, Maldstone, Kent, ME15 6XT UK

This 4th day of April AD 2022

Commissioner of Oaths

Or Notary Public: (sign) [Signature]

(Affix Official seal to the right)

Use this space for the



<p>This space for Regulatory Authority use.</p> <p>This registration must be revalidated after ten (10) years from the date of acceptance.</p>	
CRN: <u>OE23994.5</u>	<p>ACCEPTED</p> <p>PROVINCE OF PRINCE EDWARD ISLAND COMMUNITIES, LAND &amp; ENVIRONMENT</p> <p>C.R.N. <u>OE23994.59</u></p> <p>DATE: <u>July 19 2022</u></p> <p><u>[Signature]</u></p> <p>INSPECTION SERVICES SECTION Sect 1.0 - Fittings Rev.2 BOILER/PRESSURE VESSEL BRANCH</p>
FID#: <u>2895</u>	
Notes:	
<p>1. All Fittings shall be registered in the name of the Manufacturer.</p> <p>2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</p> <p>3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</p> <p>4. Quality Control programs shall be resubmitted for validation.</p>	
<p>1595psi @ ambient; 1332psi @ 248F; -325F MDMT 11/2015 3/4", 1"NPT; Mat'l: 6082-T6 equiv. to SB221 A906061-T6. CRN expires May 26th, 2032 (DGallant)</p>	




# **UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <u>Headline Filters Ltd</u>	
Manufacturers Address: <u>Mil Hall Business Estate, Aylesford, Kent. ME20 7JZ England</u>	
Plant Locations: <u>As above</u>	
<p><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges; all flanges</p> <p>C Valves; all line valves</p> <p><input checked="" type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input checked="" type="radio"/> E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p><b>Title of the Standard of Construction</b></p> <p>ASME VIII-1</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p align="center"></p>	<p><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/></p> <p>Describe other: <u>Machined from solid aluminium</u></p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>Scope of registration, existing CRN documents (OE04447.25ADD2), drawings, calculations, reports For 380AHP Series of Filters</p>	

## **Declaration:**

I Scott Hardman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI ISO9001:2015 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at 18 Mill Street, Malden, Kent, ME15 6XT UK

This 4th day of April AD 2022



Commissioner of Oaths

Or Notary Public: (sign) 

(Affix Official seal to the right)

Use this space for the



<p>CRN: <u>0E23994.5</u></p> <p>FID#: <u>2895</u></p> <p>Notes:</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.</li> </ol> <p>1595psi @ ambient; 1332psi @ 248F; -325F MDMT 11/2016 3/4", 1"NPT; Mat'l: 6082-T6 equiv. to SB221 A906061-T6. CRN expires May 26th, 2032 (DGallant)</p>	<p align="center">This space for Regulatory Authority use.</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p align="center"></p> <p align="center">Date <u>July 15/22</u></p> <p align="center">C.R.N. <u>0E23994.58</u></p> <p align="center">Dwg. <u>as described</u></p> <p align="center">Signed <u>Yvonne Perry</u></p> <p align="center"><u>1 of 1</u></p> <p align="center">Part</p> <p align="center"></p>
--	---

Sect 1.0 - Fittings Rev.2




# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick  
Nunavut

Nova Scotia  
Yukon



Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

<b>Manufacturers Name:</b> Headline Filters Ltd	
<b>Manufacturers Address:</b> Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ England	
<b>Plant Locations:</b> As above	
<b>Category of Fittings to be registered. Circle one Category only</b> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves <input checked="" type="radio"/> <b>E</b> Expansion joints, flexible connections, and hose assemblies: all types F Strainers, filters, separators, and steam traps G Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters H Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs I Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)	<b>Title of the Standard of Construction</b>  ASME VIII-1
<b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b>  <div style="text-align: center;">  </div>	
<b>Type of Construction</b> Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/> Describe other: Machined from solid aluminium	
<b>List of supporting documentation and identification of the actual items to be registered:</b>  Scope of registration, existing CRN documents (OE04447.25ADD2), drawings, calculations, reports For 380AHP Series of Filters	

## Declaration:

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI ISO9001:2015 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:   
 Declared before me at 16 Mill Street, Maidstone, Kent, ME15 6XT UK  
 This 4th day of April AD 2022  
 Commissioner of Oaths  
 Or Notary Public: (sign)   
 (Affix Official seal to the right)

This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance


CRN: OE23994.5

FID#: 2895

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.


1595psi @ ambient; 1332psi @ 248F; -325F MDMT  
 11/2016 3/4", 1"NPT; Mat'l: 6082-T6 equiv. to  
 SB221 A906061-T6. CRN expires May 26th, 2032  
 (DGallant)



Use this space for the  
**New Brunswick**  
 DEPT OF JUSTICE PUBLIC SAFETY  
 BOILER & PRESSURE VESSEL ACT

**REGISTRATION ONLY**

CRN OE23994.57

  
 CHIEF BOILER INSPECTOR  
 DATE 7/15/22

☐ BLRs      ☐ PVs      Sect 1.0 - Fittings Rev.2  
☒ FITTINGS      ☐ NUCLEAR COMPONENTS




# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Headline Filters Ltd	
Manufacturers Address: Mill Hall Business Estate, Aylsford, Kent. ME20 7JZ England	
Plant Locations: As above	
<p><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p><input checked="" type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p><b>Title of the Standard of Construction</b></p> <p>ASME VIII-1</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p></p>	<p><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/></p> <p>Describe other: Machined from solid aluminium</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>Scope of registration, existing CRN documents (OE04447.25ADD2), drawings, calculations, reports For 380AHP Series of Filters</p>	

## Declaration:

I, Scott Hardman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI ISO9001:2015 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at 16 Mill Street, Maidstone, Kent, ME15 6XT UK

This 4th day of April AD 2022

Commissioner of Oaths

Or Notary Public: (sign) 

(Affix Official seal to the right)

Use this space for the



<p>This space for Regulatory Authority use.</p> <p>This registration must be revalidated after ten (10) years from the date of acceptance.</p>	
<p>CRN: <u>OE23994.5</u></p> <p>FID#: <u>2895</u></p> <p>Notes:</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.</li> </ol> <p>1595psi @ ambient; 1332psi @ 248F; -325F MDMT 1 1/2" 3/4", 1"NPT; Mat'l: 6082-T6 equiv. to SB221 A906061-T6. CRN expires May 26th, 2032 (DGallant)</p>	<p>Digital Government and Service NL</p> <p>Registered <u>OE23994.50</u></p> <p>Date <u>19-Jul-2022</u></p> <p>Engineering and Inspection Services</p> <p>Registered by <u>David J. J. J.</u></p> <p>UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS</p> <p>Sect 1.0 - Fittings Rev.2</p>




# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

<b>Manufacturers Name:</b> Headline Filters Ltd	
<b>Manufacturers Address:</b> Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ England	
<b>Plant Locations:</b> As above	
<b>Category of Fittings to be registered. Circle one Category only</b> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types <input checked="" type="radio"/> <b>E</b> Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)	<b>Title of the Standard of Construction</b>  ASME VIII-1
<b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b>  <div style="text-align: center;">  </div>	
<b>Type of Construction</b> Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/> Describe other: Machined from solid aluminium	
<b>List of supporting documentation and identification of the actual items to be registered:</b>  Scope of registration, existing CRN documents (OE04447.25ADD2), drawings, calculations, reports For 380AHP Series of Filters	

## Declaration:


I, Scott Hardman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI ISO9001:2015 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at 16 Mill Street, Maidstone, Kent, ME15 6XT UK

This 4th day of April AD 2022


Commissioner of Oaths

Or Notary Public: (sign) 

(Affix Official seal to the right)

Use this space for the



This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>OE23994.5</u>  FID#: <u>2895</u>  Notes: 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation.	
1595psi @ ambient; 1332psi @ 248F; -325F MDMT 1 1/2" NPT; Mat'l: 6082-T6 equiv. to SB221 A906061-T6. CRN expires May 26th, 2032 (DGallant)	

Sect 1.0 - Fittings Rev.2




# **UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <u>Headline Filters Ltd</u>	
Manufacturers Address: <u>Mil Hall Business Estate, Aylesford, Kent, ME20 7JZ England</u>	
Plant Locations: <u>As above</u>	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p><input checked="" type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p align="center">ASME VIII-1</p>
<p align="center"><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p align="center"></p>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/></p> <p>Describe other: <u>Machined from solid aluminium</u></p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>Scope of registration, existing CRN documents (OE04447.25ADD2), drawings, calculations, reports For 380AHP Series of Filters</p>	

## **Declaration:**

I, Scott Hardman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASME B31.3-2015 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at 18 Mill Street, Maidstone, Kent, ME15 6XT UK

This 4th day of April AD 2022



Commissioner of Oaths

Or Notary Public: (sign) 

(Affix Official seal to the right)

Use this space for the



<p align="center">This space for Regulatory Authority use.</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>OE23994.5</u></p> <p>FID#: <u>2895</u></p> <p>Notes:</p> <ol style="list-style-type: none"> <li>1. All Fittings shall be registered in the name of the Manufacturer.</li> <li>2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>4. Quality Control programs shall be resubmitted for validation.</li> </ol> <p>1595psi @ ambient; 1332psi @ 248F; -325F MDMT 11/2016 3/4", 1"NPT; Mat'l: 6082-T6 equiv. to SB221 A906061-T6. CRN expires May 26th, 2032 (DGallant)</p>	<p align="center"></p> <p align="center">Northwest Territories</p> <p align="center">REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT.</p> <p align="center">C.R.N. <u>OE23994.5T</u></p> <p align="center">SIGNED <u></u></p> <p align="center">DATE <u>July 20/22</u></p> <p align="right">82.00</p>
---	--

Spec 1.0 - Fittings Rev.2




# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <u>Headline Filters Ltd</u>	
Manufacturers Address: <u>M11 Hall Business Estate, Aylesford, Kent, ME20 7JZ England</u>	
Plant Locations: <u>As above</u>	
<p><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p><input checked="" type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p><b>Title of the Standard of Construction</b></p> <p>ASME VIII-1</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p></p>	<p><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/></p> <p>Describe other: <u>Machined from solid aluminium</u></p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>Scope of registration, existing CRN documents (OE04447.25ADD2), drawings, calculations, reports For 380AHP Series of Filters</p>	

## Declaration:

I, Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI ISO9001:2015 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at 16 Mill Street, Maidstone, Kent, ME15 6XT UK

This 4th day of April AD 2022



Commissioner of Oaths

Or Notary Public: (sign) 

(Affix Official seal to the right)

Use this space for the



<p>CRN: <u>OE23994.5</u></p> <p>FID#: <u>2895</u></p> <p>Notes:</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.</li> </ol> <p>1595psi @ ambient; 1332psi @ 248F; -325F MDMT 1/2" 3/4", 1"NPT; Mat'l: 6082-T6 equiv. to SB221 A906061-T6. CRN expires May 26th, 2032 (DGallant)</p>	<p>This space for Regulatory Authority Use.</p> <p>This registration must be revalidated after ten (10) years from the date of acceptance. Boiler Pressure Vessel</p> <p></p> <p><b>REGISTERED</b></p> <p>CRN <u>OE 23994.5 N</u></p> <p>Date <u>July 15, 2022</u></p> <p>Signed <u></u></p> <p>Chief Inspector</p> <p>Set 18 - Fittings Rev.2</p> <p><b>Territorial Registration Fee</b></p>
---	---