


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Headline Filters Limited	
MANUFACTURERS ADDRESS: HEADLINE HOUSE, MILL HALL BUSINESS ESTATE, AYLESFORD, ME207JZ, UNITED KINGDOM	
PLANT LOCATIONS: HEADLINE HOUSE, MILL HALL BUSINESS ESTATE, AYLESFORD, ME207JZ, UNITED KINGDOM	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<input type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input type="radio"/> B Flanges: all flanges <input type="radio"/> C Valves: all line valves <input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types <input checked="" type="radio"/> E Strainers, filters, separators, and steam traps <input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="radio"/> H Pressure retaining components that do not fall into one of the above categories <input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME Sec VIII - Div 1 2019 ED
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
category E filters series 315A see scope document 16864s-2	

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Limited and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: SHardiman

Declared before me at 16 NEW KINGSTON RD, AYLESFORD, VENT

This 12th day of May AD 2021

Commissioner of Oaths
or Notary Public: (sign) as

USE THIS SPACE
OFFICIAL



This space for Regulatory Authority use	
This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>0E14570.5 Rev1</u>	PROVINCE OF PRINCE EDWARD ISLAND
FID#: <u>2895</u>	COMMUNITIES, LAND & ENVIRONMENT
CRN renewal. 203A, 200A, 315A, 310A series - 36mm filters. 500psig @ -325F to 248F. SB221 A96061 T6	CRN: <u>0E14570.59 Rev1</u>
Notes: CRN expires June 15th, 2031 - DG	DATE: <u>Dec 17 2021</u>
1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	<u>Jeff McCabe</u> INSPECTION SERVICES SECTION BOILER/PRESSURE VESSEL BRANCH
Sect. 1.0 - Fittings Rev. 1 06/2003	

Alexander Gwilum Astley


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR



MANUFACTURERS NAME: Headline Filters Limited	
MANUFACTURERS ADDRESS: HEADLINE HOUSE, MILL HALL BUSINESS ESTATE, AYLESFORD, ME207JZ, UNITED KINGDOM	
PLANT LOCATIONS: HEADLINE HOUSE, MILL HALL BUSINESS ESTATE, AYLESFORD, ME207JZ, UNITED KINGDOM	
CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGORY ONLY <input type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input type="radio"/> B Flanges: all flanges <input type="radio"/> C Valves: all line valves <input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types <input checked="" type="radio"/> E Strainers, filters, separators, and steam traps <input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="radio"/> H Pressure retaining components that do not fall into one of the above categories <input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME Sec VIII - Div 1 2019 ED
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT 	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: category E filters series 315A see scope document 16864s-2	

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Limited and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: St Hardiman
 Declared before me at 16 NEW BRUNSWICK, MARLBOROUGH, VANT
 This 12th day of May AD 2021
 Commissioner of Oaths
 or Notary Public: (sign) as

USE THIS SPACE
OFFICIAL

This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. CRN: <u>0E14570.5 Rev1</u> FID#: <u>2895</u> CRN renewal. 203A, 200A, 315A, 310A series - 36mm filters. 500psig @ -325F to 248F. SB221 A96061 T6 Notes: CRN expires June 15th 2031 - DG 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	 C.R.N. <u>0E14570.58REV1</u> Des. <u>as described</u> Signed <u>Yvonne Perry</u> <u>1 of 1</u> Part  Sect. 1.0 - Fittings Rev. 1 06/2003
--	--

Alexander Gwilum Astley


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Headline Filters Limited	
MANUFACTURERS ADDRESS: HEADLINE HOUSE, MILL HALL BUSINESS ESTATE, AYLESFORD, ME207JZ, UNITED KINGDOM	
PLANT LOCATIONS: HEADLINE HOUSE, MILL HALL BUSINESS ESTATE, AYLESFORD, ME207JZ, UNITED KINGDOM	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p><input type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="radio"/> B Flanges: all flanges</p> <p><input type="radio"/> C Valves: all line valves</p> <p><input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input checked="" type="radio"/> E Strainers, filters, separators, and steam traps</p> <p><input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="radio"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME Sec VIII - Div 1 2019 ED</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p></p>	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>category E filters series 315A</p> <p>see scope document 16864s-2</p>	

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Limited and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Scott Hardiman

Declared before me at 16 NEW STREET, MARLBOROUGH, ONT

This 12th day of May AD 2021

Commissioner of Oaths

or Notary Public: (sign) [Signature]

This space for Regulatory Approval

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0E14570.5 Rev1

FID#: 2895

CRN renewal. 203A, 200A, 315A, 310A series - 36mm filters. 500psig @ -325F to 248F. SB221 A96061 T6

Notes: CRN expires June 15th, 2031 - DG

- All fittings shall be registered in the name of the Manufacturer.
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

USE THIS SPACE

NOV 23 2021
New Brunswick
Brunswick

DEPT OF JUSTICE PUBLIC SAFETY
BOILERS & PRESSURE VESSEL ACT

REGISTRATION ONLY

CRN 0E14570.57 Rev1

[Signature]
CHIEF BOILER INSPECTOR

DATE 12/17/21

☐ BLRs

☐ PVs

Sect. 1.0 - Fittings Rev. 1 06/2003

☒ FITTINGS ☐ NUCLEAR COMPONENTS

Alexander Gwilum Astley


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Headline Filters Limited	
MANUFACTURERS ADDRESS: HEADLINE HOUSE, MILL HALL BUSINESS ESTATE, AYLESFORD, ME207JZ, UNITED KINGDOM	
PLANT LOCATIONS: HEADLINE HOUSE, MILL HALL BUSINESS ESTATE, AYLESFORD, ME207JZ, UNITED KINGDOM	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY <input type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input type="radio"/> B Flanges: all flanges <input type="radio"/> C Valves: all line valves <input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types <input checked="" type="radio"/> E Strainers, filters, separators, and steam traps <input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="radio"/> H Pressure retaining components that do not fall into one of the above categories <input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME Sec VIII - Div 1 2019 ED
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT 	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: category E filters series 315A see scope document 16864s-2	

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Limited and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: St Hardiman


Declared before me at 16 NEW STREET MARYBOROUGH, VENT

This 12th day of May AD 2021

Commissioner of Oaths

or Notary Public: (sign) as

USE THIS SPACE
OFFICIAL



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0E14570.5 Rev1

FID#: 2895

CRN renewal. 203A, 200A, 315A, 310A series - 36mm filters. 500psig @ -325F. SB221 A96061 T6

Notes: CRN expires June 15th 2031 - DG

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Registered 0E14570.50 Rev. 1
 Date 21/12/17
 Engineering and Inspection Services
 Registered by [Signature]
 UNDER THE AUTHORITY OF THE
 PUBLIC SAFETY ACT AND
 THE BOILER, PRESSURE VESSEL AND
 COMPRESSED GAS REGULATIONS
 Sect. 1.0 - Fittings Rev. 1 06/2003

Alexander Gwilum Astley


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Limited</u>	
MANUFACTURERS ADDRESS: <u>HEADLINE HOUSE, MILL HALL BUSINESS ESTATE, AYLESFORD, ME207JZ, UNITED KINGDOM</u>	
PLANT LOCATIONS: <u>HEADLINE HOUSE, MILL HALL BUSINESS ESTATE, AYLESFORD, ME207JZ, UNITED KINGDOM</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY <input type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input type="radio"/> B Flanges: all flanges <input type="radio"/> C Valves: all line valves <input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types <input checked="" type="radio"/> E Strainers, filters, separators, and steam traps <input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="radio"/> H Pressure retaining components that do not fall into one of the above categories <input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME Sec VIII - Div 1 2019 ED
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT 	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: category E filters series 315A see scope document 16864s-2	

DECLARATION:

I, Scott Hardiman (see note 3) employed by Headline Filters Limited and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: Scott Hardiman

Declared before me at 16 NEW STREET, MILDENHALL, SUFFOLK, U.K.

This 12th day of May AD 2021

Commissioner of Oaths
or Notary Public: (sign) [Signature]

USE THIS SPACE
OFFICIAL

This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>0E14570.5 Rev1</u>	
FID#: <u>2895</u>	
CRN renewal. 203A, 200A, 315A, 310A series - 36mm filters. 500psig @ -325F to 248F. SB221 A96061 T6	
Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	

Alexander Gwilum Astley


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Limited</u>	
MANUFACTURERS ADDRESS: <u>HEADLINE HOUSE, MILL HALL BUSINESS ESTATE, AYLESFORD, ME207JZ, UNITED KINGDOM</u>	
PLANT LOCATIONS: <u>HEADLINE HOUSE, MILL HALL BUSINESS ESTATE, AYLESFORD, ME207JZ, UNITED KINGDOM</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<input type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input type="radio"/> B Flanges: all flanges <input type="radio"/> C Valves: all line valves <input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types <input checked="" type="radio"/> E Strainers, filters, separators, and steam traps <input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="radio"/> H Pressure retaining components that do not fall into one of the above categories <input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME Sec VIII - Div 1 2019 ED
SHOW MANUFACTURER'S NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
category E filters series 315A see scope document 16884s-2	

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Limited and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: St Hardiman
 Declared before me at 16 NEW STREET, MARLBOROUGH, VENT
 This 12th day of May AD 2021

USE THIS SPACE
OFFICIAL

Commissioner of Oaths
or Notary Public: (sign) as

This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>0E14570.5 Rev1</u> FID#: <u>2895</u> CRN renewal. 203A, 200A, 315A, 310A series - 36mm filters, 500psig @ -325F to 248F. SB221 A96061 T6 Notes: CRN expires June 15th, 2034 - DG	Northwest Territories REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT. C.R.N. <u>0E14570.57 Rev1</u> SIGNED <u>[Signature]</u> DATE <u>Dec 16, 2021</u>
1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	

Alexander Gwilum Astley


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Headline Filters Limited	
MANUFACTURERS ADDRESS: HEADLINE HOUSE, MILL HALL BUSINESS ESTATE, AYLESFORD, ME207JZ, UNITED KINGDOM	
PLANT LOCATIONS: HEADLINE HOUSE, MILL HALL BUSINESS ESTATE, AYLESFORD, ME207JZ, UNITED KINGDOM	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<input type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input type="radio"/> B Flanges: all flanges <input type="radio"/> C Valves: all line valves <input checked="" type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types <input type="radio"/> E Strainers, filters, separators, and steam traps <input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="radio"/> H Pressure retaining components that do not fall into one of the above categories <input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME Sec VIII - Div 1 2019 ED
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION	
FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
category E filters series 315A see scope document 18864s-2	

DECLARATION:

I, Scott Hardman (see note 3) employed by Headline Filters Limited and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: Scott Hardman

Declared before me at 16 NEW STREET, MARYBOROUGH, VENT

This 12th day of May AD 2021

Commissioner of Oaths
or Notary Public: (sign) [Signature]

USE THIS SPACE
OFFICIAL

This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>OE14570.5 Rev1</u> FID#: <u>2895</u> CRN renewal. 203A, 200A, 315A, 310A series - 36mm filters. 500psig @ -325F to 248F. SB221 A96061 T6 Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	NUNAVUT Pressure Vessels REGISTERED CRN <u>OE 14570.5 N Rev1</u> Date <u>Dec 17, 2021</u> Signed <u>[Signature]</u> Chief Inspector SdC 1.0 - Fittings Rev. 1 06/2003
Alexander Gwilum Astley Commissioner	Territorial Registration Fee

54/11