NEW BI	RUNSWICK	NOVA SCOTIA		N THE REGISTRATION  DWARD ISLAND	Market State	DESIGNS D AND LABRADOR	
		YUKON		EST TERRITORIES			
	JFACTURERS NAME: He						
WAND	DIACTURERS ADDRESS	: HEADLINE HOUSE, MILL	HALL BUSINES	S ESTATE, AYLESFORD,	ME207JZ, UNITED	KINGDOM	
PLAN	LOCATIONS: HEADLIN	IE HOUSE, MILL HALL BUS	INESS ESTATE	AYLESFORD ME207.17	UNITED KINGDOM		
O A Pipe	e filtings including counting	INGS TO BE REGISTERED	. CIRCLE ONE	CATEGORY ONLY	TITLE OF THE STA	NDARO OF CONSTRUCTION	7
		igs, tees, elbows, Ys, plugs,	unions, pipe cap	s, or reducers			
O D Exp	ves: all line valves pansion joints, flexible con	nections, and hose assemble			ASME Sec VIII -	DIV 1 2019 ED	1
⊚ E Stre	anicio, micia, sedaratore :	and etgans trans					
O F Mea	asuring devices, including	pressure gauges, level gaug	jes, sight glasses	, levels, or			
O G Cer	rtified capacity-rated press	ure relief devices acceptable	e as primary ovei	pressure protection on			
		ing and fusible plugs ts that do not fall into one of					
O N Nuc	clear components: Class 1	☐ Class 2 ☐ Class 3 ☐,	(Meeting CNSC	or ASME requirements)			
SHOW	MANUFACTURERS NAM	ME, TRADEMARK, OR LOG	O AS IT WILL A	DOEAD ON THE BEADUR	TYPE OF	CONSTRUCTION	4
	·	ELITERATION OF LOC	U AS II IIILL A	PPEAR ON THE PRODUC	FORGED WELD	ED [] WROUGHT []	
	· III	D			CAST OTHE DESCRIBE OTHER;	R 🗆	
		HeadlineFil	vers				
LICTO	T OUT TO THE WAY						
		MENTATION AND IDENTIFI	CATION OF THE	ACTUAL ITEMS TO BE R	EGISTERED:		1
categor	ry E filters series 360A						
see sco	ppe document 16864s-1						
		•					
DECLA	DAWAN						1
	ARATION: dardiman	ters and an employed	hield-adv- a pro-				
respons	sibility for the quality of	ine ena product do solam	inly declare tha	rs Limited and be t the information contain	ad in this farms in t	rea mad to the best of	1
IIIA MIOR	wiedde rebresents the r	Droduct for which registrat	tion is sought	The dimensions maleda	In of annual ration		
manulac	cidie of these littings is	fication markings are in a regulated by a Quality Co	ccordance with ontrol Program	the herein named stand which extends to each n	ards. I further dec	lare that the	
declarati	tion conscientiously bel	leving it to be true, and kr	nowing that it is	of the same force and e	ffect as if made u	nder oath.	
Signatur	re of Declarer:	tardinu					3
Declared	d before me at 16 H	EU STREET, MAE	THINK KEE	T HEETHIC	SBASE		
This	12th day of	May AD	2021		ICIAL S		
-	sioner of Oaths	The same of the sa	2021	UFF	I G I A L		
	y Public: (sign)				\$	· 是那是在一个	A CONTRACTOR OF THE PARTY OF TH
	This re	rnis sp egistration must be revalid	ace for Regulato	ry Authority use	of acceptance		
			autor unto terr		PTED		
CRN:_	0E14569.5 Rev1	L		PROVINCE OF PRINC		ARTIN	
FID#:	2895			COMMUNITIES, LAI		TENT	24
		A, 225A, 360A series - 53n 1 A96061 T6	nm Filters		S S	-	
Notes:	@ -325F to 248F. SB22 CRN expires June 15th, :	1 A96061 T6 2031 - DG		CRN. OEIS	67.00	RWI	
1. All fit	ttings shall be registered in	n the name of the Manufactu		DATE:	C 17/2		
forms ar	nd one copy of supporting	ted with two Statutory Declar documentation.			ort f		
3. The	declaration shall be made	by the person having full au	thority and		(Youl)	Constitution (Applications	
4. Qual	sibility for the quality of the lity control programs shall	end product. be resubmitted for validation	1	INSPECTION SE			
	ximum interval of five (5) y			BOILER/PRESSUR	E VESSed P.OSE	tungs Rev. 1 06/2003	

MANUFACTURERS NAME: Headline Filters Limit MANUFACTURERS ADDRESS: HEADLINE HO PLANT LOCATIONS: HEADLINE HOUSE, MILL CATEGORY OF FITTINGS TO BE RECT A Pipe fittings, including couplings, tees, elbows, B Flanges: all flanges C Valves: all line valves	NORTHWEST TERRITO		D AND LABRADOR
MANUFACTURERS ADDRESS: HEADLINE HOI PLANT LOCATIONS: HEADLINE HOUSE, MILL I CATEGORY OF FITTINGS TO BE REC A Pipe fittings, including couplings, tees, elbows, B Flanges; all flanges	ted		
CATEGORY OF FITTINGS TO BE REC A Pipe fittings, including couplings, tees, elbows, B Flanges; all flanges		VIESEODD MESOZ IZ LINITED	KINODOM
A Pipe fittings, including couplings, tees, elbows, B Flanges; all flanges	HALL BUSINESS ESTATE AVIESEOR	D ME207 IZ LINITED KINGDOM	KINGDOM
A Pipe fittings, including couplings, tees, elbows, B Flanges; all flanges	SISTERED, CIRCLE ONE CATEGORY	ONLY TITLE OF THE STA	NDARO OF CONSTRUCTION
	Ys, plugs, unions, pipe caps, or reducer:	3	
C Valves: all line valves		ASME Sec VIII -	Div 1 2010 ED
D Expansion joints flexible compations and have	e assemblies: all types	MONIE SEC VIII	. DIV 1 2019 ED
E Strainers, filters, separators, and steam traps  F Measuring devices, including pressure gauges,			
prossure transmitters			
G Certified capacity-rated pressure relief devices bollers, pressure vessels, piping and fusible plus	acceptable as primary over pressure pro	tection on	
n Pressure retaining components that do not fail	into one of the above categories		
N Nuclear components: Class 1 ☐ Class 2 ☐ C	Class 3 [], (Meeting CNSC or ASME reg	uirements)	
SHOW MANUFACTURERS NAME, TRADEMARK	COR LOGO AS IT WILL APPEAR ON	HE PRODUCT TYPE OF	FONSTRUCTION
			ED WROUGHT
	1979 F173 m	DESCRIBE OTHER:	
" - riezon	ne Filiers		
LIST OF SUPPORTING DOGUMENT			
LIST OF SUPPORTING DOCUMENTATION AND category E filters series 360A	DIDENTIFICATION OF THE ACTUAL IT	EMS TO BE REGISTERED:	
see scope document 16864s-1			
represents the decay of the end product my knowledge represents the product for whic emperature ratings, and identification marking manufacture of these fittings is regulated by a or in part and has been verified by se	gs are in accordance with the herein  Quality Control Program which exten	ation contained in this form is to ilons, materials of construction named standards. I further dec note to each plant where fabrict	rue and to the best of , pressure :lare that the ation occurs in whole
eclaration conscientlously believing it to be tr	ue, and knowing that it is of the sam	e force and effect as if made u	nder path.
Signature of Declarer: Stondin	u		
Declared before me at 10 HIW STASST	C. MACONING KENT U.C.	ETHIS SPACE	
his 12th day of May	AD 2021	Y Y	
	EVE I	OFFICIAL OF	
Commissioner of Oaths		Ser.	
	This proce for Daniel	· · · · · · · · · · · · · · · · · · ·	
	This space for Regulatory Authority upper for revalidated after ten (10) years for	on the date of acceptance.	A 4 3 3 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
r Notary Public: (sign)	and the tor (10) years	- A-	
r Notary Public: (sign)  This registration must	SE S	NOVA SCOTIA	
This registration must		100	
This registration must  CRN: 0E14569.5 Rev1  FID#: 2895	ST.	ato Dec. 17/21	
This registration must  CRN: 0E14569.5 Rev1  FID#: 2895  CRN renewal. 243A, 245A, 223A, 225A, 360A s 500psig @ -325F to 248F. SB221 A96061 T6	eries - 53mm Filters C.R.N.	Dec. 17/21 0 E14569.58REVI	
This registration must  CRN: 0E14569.5 Rev1  FID#: 2895  CRN renewal. 243A, 245A, 223A, 225A, 360A s 500psig @ -325F to 248F, SB221 A96061 T6  Notes: CRN expires June 15th, 2031 - DG	eries - 53mm Filters C.R.N. Dwg.	Dec. 17/21 OE14569.58REVI	
CRN: 0E14569.5 Rev1  FID#: 2895  CRN renewal. 243A, 245A, 223A, 225A, 360A s 500psig @ -325F to 248F. SB221 A96061 T6 Notes: CRN expires June 15th, 2031 - DG  1. All fittings shall be registered in the name of the 2. Each category shall be supported with two Static	eries - 53mm Filters C.R.N. Deg	Dec. 17/21 OE 14569.58 REVI as described Thomas Perry	
This registration must  CRN: 0E14569.5 Rev1  FID#: 2895  CRN renewal. 243A, 245A, 223A, 225A, 360A s 500psig @ -325F to 248F. SB221 A96061 T6 Notes: CRN expires June 15th, 2031 - DG  1. All fittings shall be registered in the name of the 2. Each category shall be supported with two Static forms and one copy of supporting documentation.	eries - 53mm Filters C.R.N.  Dag utory Declaration Signed	Dec. 17/21 OE 14569.58 REVI as described Thorne Perry 1 of 1	
This registration must  CRN: 0E14569.5 Rev1  FID#: 2895  CRN renewal. 243A, 245A, 223A, 225A, 360A s 500psig @ -325F to 248F. SB221 A96061 T6  Notes: CRN expires June 15th, 2031 - DG  1. All fittings shall be registered in the name of the 2. Each category shall be supporting documentation. 3. The declaration shall be made by the person he responsibility for the quality of the end product.	eries - 53mm Filters C.R.N.  Manufacturer. utory Declaration Signed	as described  Johns Perry  1 of 1	
This registration must  CRN: 0E14569.5 Rev1  FID#: 2895  CRN renewal. 243A, 245A, 223A, 225A, 360A s 500psig @ -325F to 248F. SB221 A98061 T6 Notes: CRN expires June 15th, 2031 - DG  1. All fittings shall be registered in the name of the 2. Each category shall be supported with two State forms and one copy of supporting documentation.  3. The declaration shall be made by the person hall be made b	eries - 53mm Filters C.R.N.  Manufacturer. utory Declaration Signed	ate Dec. 17/21  OE 14569.58 REVI  as described  Thomas Perry  1 of 1  Part  Part  The REGILATIONS	Fittings Rev. 1 06/2003

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD IS NORTHWEST TERR		NEWFOUNDLAND AND LABR	ADOR
MANUFACTURERS NAME	: Headline Filters Limited				
MANUFACTURERS ADDF	RESS: HEADLINE HOUSE, MIL	L HALL BUSINESS ESTATI	E. AYLESFORD. M	ME207JZ, UNITED KINGDOM	
PLANT LOCATIONS: HEA	DLINE HOUSE, MILL HALL BU	SINESS ESTATE, AYLESFO	ORD, ME207JZ, U	NITED KINGDOM	
CATEGORY OF	FITTINGS TO BE REGISTERE	D. CIRCLE ONE CATEGOR	YONLY	TITLE OF THE STANDARD OF CON	STRUCTION
A Pipe fittings, including of B Flanges: all flanges C Valves: all line valves	ouplings, tees, elbows, Ys, plugs	, unions, pipe caps, or reduc	ers		
				ASME Sec VIII - Div 1 2019 E	ED
D Expansion joints, flexible E Strainers, filters, separate	connections, and hose assemb	lies: all types			
	tors, and steam traps uding pressure gauges, level gau	n elevel sesseln thris sen			
pressure transmitters					
poliers, pressure vessel	pressure relief devices acceptab s, piping and fusible plugs		protection on		
H Pressure retaining comp	onents that do not fall into one of	of the above categories			
	lass 1 🗆 Class 2 🗆 Class 3 🗆				
SHOW MANUFACTURERS	NAME, TRADEMARK, OR LO	GO AS IT WILL APPEAR O	N THE PRODUCT		
				FORGED WELDED WROUG	вит 🗆
	H Headline Fi	House		DESCRIBE OTHER:	
	- The second series	IIIAGII 30			
LIST OF SUPPORTING DO	OCUMENTATION AND IDENTIF	ICATION OF THE ACTUAL	ITEMS TO BE DE	CIETEDEN	
category E filters series 360		INATION OF THE ACTUAL	TIEMS TO BE RE	GIOTERED:	
see scope document 16864	s-1				
	•				
DECLARATION.					
DECLARATION:  Scott Hardiman	(see pale 2) Amploye	hv Haedling Filters t insites	and ha	ion the general backs of the	4
responsibility for the quali	ty of the end product do sole	mnly declare that the info	rmation contains	ing the person having full au	tnority and
my knowledge represents	the product for which registr	ation is sought. The dime	ensions, material	s of construction pressure	
temperature ratings, and t manufacture of these fittir	dentification markings are in ngs is regulated by a Quality	accordance with the here	ein named standa	ards. I further declare that the	e in out als
or in part and has been ve	erified by BSI	as bei	na suitable for th	at nurnose and I make this s	in whole colemn
declaration conscientious	ly believing it to be true, and	knowing that it is of the s	ame force and ef	fect as if made under oath.	00004
Signature of Declarer:	Standinu				
	WILL STAGET, MA	CONTRACT IN		0.0.0.0	
	MOIS GAT, U.V.	VMI	New SN	S P A C E	
This 12th day of	May AD	2021	srunsv	WICK S	
Commissioner of Oaths or Notary Public: (sign)	0-	DEDT	OF ILICTIOE B	UBLIC SAFETY	
or Notary Public. (sign)		BOILE	2 & PRESSUR	E VESSELACT	兴兴(6)
	This	space for Regulatory Author	tv use		
Т	his registration must be reva	ildated after ten (10) year	RECONSTITUTE CONTROL	Aegeptance.	
CRN: 0E14569.5 F	Rev1	221	OE 145	69.57Rev1	
	Against an annual an	CRN	AND THE RESIDENCE OF THE PARTY	Olio Ika	2
FID#: 2895	2004 0054 0004		() O		
500psig @ -325F to 248F.	A, 223A, 225A, 360A series - 5 SB221 A96061 T6	3mm Filters	Sun Cu	wh	
Notes: CRN expires June	15th, 2031 - DG ered in the name of the Manufac	CH	IEF BOILER IN	VSPECTOR	
<ol><li>Each category shall be s</li></ol>	supported with two Statutory Dec	claration	- 12/13	7/21	
forms and one copy of supp	porting documentation.	DA	IE 100/	1/ &	
<ol><li>The declaration shall be responsibility for the quality</li></ol>	made by the person having full a of the end product.	authority and			
4. Quality control programs	shall be resubmitted for validati	on BLRs	☐ PVs	P	
at a maximum interval of five	e (5) years.			Sect. 1.0 - Fittings Rev. 1	06/2003
		FITTING	S FINHELE	AR COMPONENTS	

Alexander Gwilum Astley

	NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLA	ND AND LABRADOR	
	MANUFACTURERS NAME: Hea	ediine Filters Limited				
			HALL BUSINESS ESTATE, AYLESFO	DD MESON IN LIMITE	DKINGDOM	
	PLANT LOCATIONS: HEADLINE	E HOUSE, MILL HALL BUSI	NESS ESTATE AYLESFORD ME207	7.17 UNITED KINGDO	M	
	CATEGORY OF FITTE	NGS TO BE REGISTERED.	CIRCLE ONE CATEGORY ONLY		TANDARD OF CONSTRUCTION	
000	A Pipe fittings, including coupling B Flanges: all flanges	gs, tees, elbows, Ys, plugs,	unions, pipe caps, or reducers			
ŏ	C Valves: all line valves			ASME Sec VII	I - Div 1 2019 ED	
0	D Expansion joints, flexible conn	nections, and hose assemble	es: all types	NOME GOO VII	1 - DIV 12010 LD	
O	E Strainers, filters, separators, a F Measuring devices, including processing transmitters.	Ind stagm trans				
	prossure transmitters					
0	boilers, pressure vessels, pipi	ure relief devices acceptable	as primary over pressure protection or	·		
0	n Pressure retaining component	ts that do not fall into one of	the above categories			
O	N Nuclear components: Class 1	☐ Class 2 ☐ Class 3 ☐,	(Meeting CNSC or ASME requirements	s)		
1	SHOW MANUFACTURERS NAM	E, TRADEMARK, OR LOG	D AS IT WILL APPEAR ON THE PRO	DUCT   IYPE	OF CONSTRUCTION	
				FORGED WE	LDED   WROUGHT	
-	D-P	Headline	Sum areas	DESCRIBE OTHE		
	<b>" U</b>	a a nescuenta nes (c'in)	Ken e			
ŀ	LIST OF SUPPORTING DOCUM	ENTATION AND IDENTIFIE	CATION OF THE ACTUAL ITEMS TO	DE DECIEVEDED.		
1	category E filters series 360A	THE PARTY OF THE P	PATION OF THE AUTUME TO	BE REGISTERED:		
	see scope document 16864s-1					
	Todaya dodaman 10004a-1					
- 1						
- 1						
L				-		
	DECLARATION:					
ŀ	Scott Hardiman	(see note 3) employed	by Headline Filters Limited a	nd being the person	having full authority and	
r	ny knowledge represents the c	ine ena product do solem	nly declare that the information collino is sought. The dimensions, ma	nonimod in this farms I	have model to the book of	
	emperature ratings, and identif	iicalion markings are in e	ccordance with the herein named .	tondordo I futband	a ml man Alumi Alum	
	nanufacture of these fittings is or in part and has been verified	regulated by a Quality Ci	ontrol Program which extends to ea	sch plant where fabri	cation occurs in whole	
	declaration conscientiously beli	ieving it to be true, and kr	as being suitable nowing that it is of the same force a	for that purpose and	I make this solemn	
	a.	A	iowing that it is of the same force a	and enect as it made	under bain.	
	Signature of Declarer:	Jaranina	- A Sharanyana and			
	Declared before me at 10 14	I'LL STREET, MAY	DIGNE, KUNT USETH	IIS SPACE		
٦	his 12th day of	May AD	2021 0	FFICIAL D		1
	Commissioner of Oaths			Ś		1
C	or Notary Public; (sign)			3		11. 13
		This sp	ace for Regulatory Authority use	6/2		15
- [	This re	egistration must be revalid	lated after ten (10) years from the	date of acceptance.		-
1	CRN: 0E14569.5 Rev	1 .	-	Labrado*		
- 1		<u>.</u>		Service NL	- June 541	u
	FID#: 2895	-		red 0€1456	1.50 KeV-1	
	CRN renewal. 243A, 245A, 223, 500psig @ -325F to 248F. SB22	A, 225A, 360A series - 53r 21 A96061 T6	A CONTRACTOR OF THE PARTY OF TH	21/12/1	J.	
	Notes: CRN expires June 15th,	2031 - DG		ering and Inspection S	fvices	
	<ol> <li>All fittings shall be registered in</li> <li>Each category shall be support</li> </ol>			eredby . Phy		
	forms and one copy of supporting 3. The declaration shall be made		thority and UND		F THE	
	responsibility for the quality of the	end product.	P	UBLIC SAFETY ACT AN	D	
	4. Quality control programs shall	be resubmitted for validation	THE BO	ILER, PRESSURE VES	SEL AND Filthings Rev. 1 06/2003	
	at a maximum interval of five (5) y	years.	COMP	ACCOLD GASSIGE 19	THURRISS NOV. 1 UDIZUUS	
_						

	NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
	MANUFACTURERS NAME: Hea	dline Filters Limited		
	MANUFACTURERS ADDRESS:	HEADLINE HOUSE, MIL	L HALL BUSINESS ESTATE, AYLESFORD	, ME207JZ, UNITED KINGDOM
	PLANT LOCATIONS: HEADLINE	E HOUSE, MILL HALL BU	ISINESS ESTATE AYLESFORD, ME207.17	UNITED KINGDOM
	CATEGORY OF FITTI	NGS TO BE REGISTERE	D. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
000	A Pipe fittings, including coupling B Flanges; all flanges	gs, tees, elbows, Ys, plug	s, unions, pipe caps, or reducers	
00	C Valves: all line valves			ASME Sec VIII - Div 1 2019 ED
0	D Expansion joints, flexible conn E Strainers, filters, separators, a	ections, and hose assemi	blies: all types	
0	r measuring devices, including a	pressure gauges, level gar	uges, sight glasses, levels, or	
0	biggarie rigitalificata		ole as primary over pressure protection on	
	DOUGLS, DICEOUIC AGSSEIS. DIDI	na ana tugihla niuae		
0	n Pressure retaining component	s that do not fall into one	of the above categories	
L	CHOW the Auto Components: Class 1	☐ Class 2 ☐ Class 3 ☐	, (Meeting CNSC or ASME requirements)	
ľ	SHOW MANUFACTURERS NAM	E, TRADEMARK, OR LO	GO AS IT WILL APPEAR ON THE PRODUC	
				FORGED WELDED WROUGHT CAST OTHER
		Headline	Mers	DESCRIBE OTHER:
			an tangera was	
ľ	LIST OF SUPPORTING DOCUM	ENTATION AND IDENTI	FICATION OF THE ACTUAL ITEMS TO BE I	PEGISTEDED:
	category E filters series 360A		,	NEGIOTEREO:
	see scope document 16864s-1			
- 1				
- 1				
	•			
	7701 4 7 4 7 1 7 1			
12	DECLARATION: _Scott Hardiman			
		he end product do sole	by Headline Filters Limited and b	eing the person having full authority and ned in this form is true and to the best of
	in vinomicade (chicaelite file b	TOUCK for which redistr	SION IS SOUGHT The dimensions materi	ala ad annahusatian musasus
4,0	simperature ratings, and identity	icauon markings are in	accordance with the horsin named stand	dende I first I - I - I - I - I
	or in part and has been verified	regulated by a Quality	Control Program which extends to each	plant where fabrication occurs in whole
d	eclaration conscientiously beli	eving it to be true, and	knowing that it is of the same force and	that purpose and I make this solemn
	(A.	Amadia .	the state of the same love and t	enect as it made under cain.
	Signature of Declarer:	Jananna		
	eclared before me at 16 M:	TILL LTAGOT, PUPA	EDMING, WAT USETHIS	S SPACE
T	his 12th day of	May AD	0004	ICIAL DE LA
C	Commissioner of Oaths			
0	r Notary Public: (sign)	3		
Г		This	space for Regulatory Authority use	
	This re	gistration must be reva	lidated after ten (10) years from the date	of acceptance
			1,8	
	crn: <u>0E14569.5 Rev1</u>	•	(3/ -	4
	FID#: 2895		10 BY Z	541
10	CRN renewal. 243A, 245A, 223A	- A, 225A, 360A series - 5	3mm Filters	12
1:	500psig @ -325F to 248F. SB22 Notes: CRN expires June 15th, 2	1 A96061 T6	CRN_0E	14569.5Y REV1
	1. All fittings shall be registered in	the name of the Manufac	cturer.	10/10/0001
	2. Each category shall be support	ed with two Statutory Dec	claration \ \ DATE_	12/16/2021
	forms and one copy of supporting 3. The declaration shall be made	documentation. by the person having full :		
1	responsibility for the quality of the	end product.	100	(5)
	4. Quality control programs shall I		on M.F.	Sect. 1.0 - Fittings Ray 1 06/2003
-	at a maximum interval of five (5) y	ears.	· · · · · · · · · · · · · · · · · · ·	Sect. 1.0 - Fittings Rev. 1 06/2003

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA	PRINCE EDWARD ISLAND	NEWFOUNDLAND AND LABRADOR
	YUKON	NORTHWEST TERRITORIES	
	ME: Headline Filters Limited		
PLANTI OCATIONS, US	TRESS: HEADLINE HOUSE, MI	L HALL BUSINESS ESTATE, AYLESFORD	, ME207JZ, UNITED KINGDOM
CATEGORY O	FITTINGS TO BE DECISTED.	JSINESS ESTATE, AYLESFORD, ME207JZ, D. CIRCLE ONE CATEGORY ONLY	
O A Pipe fittings, including	couplings, tens, sibows, Ys, plug	S. Linkers who cans or melucan	TITLE OF THE STANDARD OF CONSTRUCTION
O A Pipe fittings, including O B Flanges; all flanges O C Valves; all line valves O D Expansion joints, flexit		at summed tube cebat or reneces	
D Expansion joints, flexit	de connections and been served	hiles: all tunes	ASME Sec VIII - Div 1 2019 ED
er i er chanaia' imple sacht	BIGIS, SIM blacket from		
pressure transmitters	luding pressure gauges, layel ga		
G Certified capacity-rates	d pressure relief devices acceptat sis, piping and fusible plugs	ole as primary over pressure protection on	
H Pressure retaining com	ais, piping and fusible plugs iponants that do not fall into one (	of the whove celeportes	
N Nuclear components:	Class 1 🗆 Class 2 🗀 Class 3 🗀	I, (Meeting CNSC or ASME requirements)	
SHOW MANUFACTURER	S NAME, TRADEMARK, OR LO	GO AS IT WILL APPEAR ON THE PRODUC	TYPE OF CONSTRUCTION
			FORGED WELDED WAQUEHT CAST OTHER DESCRIBE OTHER:
	HeHeadlineF	200	DESCRISE OTHER:
	• y-readmer		
LIST OF SUPPORTING	OCIMENTATION AND IDENT	FICATION OF THE ACTUAL ITEMS TO BE	
category E filters series 38	DA .	TOATION OF THE ACTUAL ITEMS TO BE	REGISTERED
see scope document 1886			
and acroba documents today	10-1		
DECLARATION:			
	(eee cole 2) SMDIOVA	hy fleetine Eller I leited and b	ains the person begins full outlessite and
responsibility for the qual	ily of the end product do sole	mnly declare that the information contain	eing the person having full authority and red in this form is true and to the bast of
IN WILLAMORFIE LODI 626UR	s the product for which registr	ation is sought. The dimensions, materia accordance with the herein named stand	ala of constantial areas as
INTIMES OF THESE THE	ngs is requisied by a Quality (	Control Program which extends to each p	paros. I turner declars that the
vi ui pait and nes deen v	armad dv bei	na haine anticlela fun i	the desagned of the state of the section of the sec
OGCINIMIDAL COURCIGUTIONS	ay believing it to be true, and i	knowing that it is of the same force and o	effect as if made under oath.
Signature of Declarer:	Satorolinu		
Declared before me at	6 HILL LTREOT, MAN	COMING, KINT USETHIS	SPACE
This 12th day of	LAND COLL O' A'		ICIAL OF AMERICA
Commissioner of Oaths	The state of the s	OF F	
or Notary Public: (sign)	0=		
	This	space for Regulator Authority	The same of the sa
1	This registration must be revai	idated after ten (10) years in the	of acceptance
		AVA	1 2 30 00
CRN: <u>0E14569.5</u>	<u>tevī</u>	Northwest Territories	The same of the sa
FID#: 2895		DECISTER	ED S
CRN renewal. 243A, 245A	A, 223A, 225A, 360A series - 53	mm Filters UNDER THE AUTH	ORITY OF 65.00
500psig @ -325F to 248F. Notes: CRN expires June	35221 A95061 T6 15th, 2031 - DG	THE BOILER AND F	RESSURE
1. All fittings shall be regist	lared in the nume of the Manufaci	MINI 1 VECCEI AC	
forms and one copy of supp	supported with two Statutory Deci porting documentation.	ODN 0 E145	69.57 KW
3. The declaration shall be	made by the person having full a		
responsibility for the quality 4. Quality control programs	of the end product. sahali be resubmitted for validation	SIGNED	2011
at a maximum interval of fiv		DATE	Sec .0 - Fittings Rev. 1 06/2003
	C II - A -Alms		

NEW BRUNSWICK NUNAVUT		PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME	E: Headline Filters Limited		
MANUFACTURERS ADDR	RESS: HEADLINE HOUSE, MILL HALL	L BUSINESS ESTATE, AYLESFORD, MI	E207JZ, UNITED KINGDOM
PLANT LOCATIONS: HEA	DLINE HOUSE, MILL HALL BUSINES:	S ESTATE, AYLESFORD, ME207JZ, UN	
	FITTINGS TO BE REGISTERED. CIR ouplings, tees, elbows, Ys, plugs, union	CLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
8 Flanges: all flanges	oopange, toos, sinows, 15, pags, union	is, pipe caps, or reducers	
A Pipe fittings, including of B Flanges: all flanges C Valves: all fine valves D Expansion joints, flexible E Strainers, filters, senarat	e connections, and hose assemblies: at	*****	ASME Sec VIII - Div 1 2019 ED
	IOIR, SIId Steam trans		
F Measuring devices, inclu pressure transmitters	uding pressure gauges, level gauges, si	ght glasses, levels, or	
G Certified capacity-rated	pressure relief devices acceptable es pr	rimary over pressure protection on	
Dollers, pressure vessels	is, piping and fusible plugs conents that do not fall into one of the al		
N Nuclear components: C	lass 1 🗆 Class 2 🗆 Class 3 🗆, (Mee	ating CNSC or ASME requirements)	
	NAME, TRADEMARK, OR LOGO AS		TYPE OF CONSTRUCTION
			FORGED WELDED WROUGHT CAST CONNER C
			DESCRISE OTHER:
	Headline Filter	75	
LIST OF SUPPORTING DO	OCHMENTATION AND IDENTIFICATE	ON OF THE ACTUAL ITEMS TO BE REC	OMPEDED.
category E filters series 360		VI ST. THE AVIVAL HEND IV SERE	SIGIENCE
see scope document 16884	8-1		
my knowledge represents temperature ratings, and i- manufacture of these fittin or in part and has been ve	ity of the end product do solemnly d the product for which registration is identification markings are in accordings is regulated by a Quality Contro	sectare that the information contained is accept. The dimensions, materials dance with the herein named standar of Program which extends to each pla as being suitable for tha	rds. I further declare that the int where fabrication occurs in whole
Signature of Declarer:		ing was it is or the series force sind sin	ect as if made under path.
	Strandimu	-	ect as if made under oath.
Declared before me at	O MILL TARET. MARTH	-	ect as if made under cath.
Declared before me at	MOBIL GAT, U.V.	USETHIS	SPACE
Declared before me at 1 This 12th day of Commissioner of Oaths	MOBIL GAT, U.V.	USETHIS	SPACE
Declared before me at 1 This 12th day of Commissioner of Oaths	May AD 202	ING KANT USETHIS OFFI	SPACE
Declared before me at This 12th day of Commissioner of Oaths or Notary Public: (sign)	May AD 202	ING, KGNT USETHIS OFFI	SPACE
Declared before me at This 12th day of Commissioner of Oaths or Notary Public: (sign)	May AD 202	OFFI  TO Regulatory Automy use a date of date of date of date of the date of t	S P A C E C I A L C
Declared before me at This 12th day of Commissioner of Oaths or Notary Public: (sign)	May AD 202  This space if	ING, KGNT USETHIS OFFI	SPACE
Declared before me at 1 This 12th day of Commissioner of Oaths or Notary Public: (sign) T CRN: 0E14569.5 F	May AD 202  This space if	for Regulatory Automy use the date of Nunavut	S P A C E C I A L Pressure Ve
Declared before me at This 12th day of Commissioner of Oaths or Notary Public: (sign)  TRN: 0E14569.5 F	This space if This registration must be revalidated Rev1	tor Regulatory Automotive Control of Aunavut	S P A C E C I A L  A  Receptant Boltz  Pressure ve
Declared before me at 1 This 12th day of Commissioner of Oaths or Notary Public: (sign)  T CRN: 0E14569.5 F FIDM: 2895 CRN renewal. 243A, 245A 500psig @ -325F to 248F.	This space f This registration must be ravalidated  Rev1  A, 223A, 225A, 360A series - 53mm F SB221 A96061 T6	tor Regulatory Automotive Control of Aunavut	S P A C E C I A L Pressure Ve
Declared before me at This 12th day of Commissioner of Oaths or Notary Public: (sign) The CRN: 0E14569.5 Figure 2895 CRN renewal. 243A, 245A 500psig @ -325F to 248F. Notes: CRN expires aball he regist	This space is This registration must be revalidated Rev1  A, 223A, 225A, 360A series - 53mm F SB221 A96061 T6 15th, 2031 - DG	for Regulatory Automotive date of Nunavut  CRN OF I	S P A C E C I A L C  NU receptant Polity Pressure ve
Declared before me at This 12th day of Commissioner of Oaths or Notary Public: (sign) To CRN: 0E14569.5 FFIDS: 2895 CRN renewal. 243A, 245A 500psig @ -325F to 248F. Notes: CRN expires June 1. All fittings shall be regist 2. Each category shall be	This space of This registration must be revalidated Rev1  A, 223A, 225A, 360A series - 53mm F SB221 A96061 T6 15th, 2031 - DG tered in the name of the Manufacturer. supported with two Statutory Declaration	filters  ING. NONT  USETHIS  OFFI  O	S P A C E C I A L  NU  recoptan Bolls Pressure Ve  GISTERED  S 6 9, S N Rev I
Declared before me at This 12th day of Commissioner of Oaths or Notary Public: (sign)  TOTAL OE14569.5 F  FIDS: 2895  CRN: 0E14569.5 F  FIDS: 2895  CRN renewal. 243A, 245A  Notes: CRN expires June  1. All fittings shall be regist 2. Each category shall be a forms and one copy of supp 3. The declaration shall be	This space if This registration must be revalidated Rev1  A, 223A, 225A, 360A series - 53mm F SB221 A96061 T6 15th, 2031 - DG tered in the name of the Manufacturer. supported with two Statutory Declaration porting documentation.	tor Regulatory Automotive date of Nunavut  Filters  CRN DE 14  Date Dec	S P A C E C I A L C  NU receptant Polity Pressure ve
Declared before me at This 12th day of Commissioner of Oaths or Notary Public: (sign)  TO CRN: 0E14569.5 F  FIDM: 2895  CRN renewal. 243A, 245A 500psig @ -325F to 248F. Notes: CRN expires June 1. All fittings shall be regist 2. Each catagory shall be a forms and one copy of supp 3. The declaration shall be manualitity for the quality.	This space is This registration must be revalidated Rev1  A, 223A, 225A, 360A series - 53mm F SB221 A96061 T6 15th, 2031 - DG tered in the name of the Manufacturer. Supported with two Statutory Declaration porting documentation.	for Regulatory Add after ten (10)  Filters  CRN OE 14  Date Dec	SPACE CIAL S  NUI Facceptan Boltz Pressure Vegs  GISTERED  569, SNRev I  17, 2021
Declared before me at This 12th day of Commissioner of Oaths or Notary Public: (sign)  CRN: 0E14569.5 F  FIDM: 2895  CRN renewal. 243A, 245A 500psig @ -325F to 248F. Notes: CRN expires June 1. Alf fittings shall be regist 2. Each catagory shall be a forms and one copy of supp 3. The declaration shall be manoposibility for the quality.	This space is This registration must be revalidated Rev1  A, 223A, 225A, 360A series - 53mm F SB221 A96061 T6 15th, 2031 - DG tered in the name of the Manufacturer. supported with two Statutory Declaration porting documentation. In made by the person having full authority of the end product.	for Regulatory Add after ten (10)  Filters  CRN OE 14  Date Dec	S P A C E C I A L C  NU receptant Polity Pressure ve
Declared before me at This 12th day of Commissioner of Oaths or Notary Public: (sign)  TOTAL OE14569.5 F  FIDM: 2895  CRN: 0E14569.5 F  FIDM: 2895  CRN renewal. 243A, 245A 500psig @ -325F to 248F. Notes: CRN expires June  1. All fittings shall be regist 2. Each category shall be a forms and one copy of supp 3. The declaration shall be responsibility for the quality 4. Quality control programs	This space is This registration must be revalidated Rev1  A, 223A, 225A, 360A series - 53mm F SB221 A96061 T6 15th, 2031 - DG tered in the name of the Manufacturer. supported with two Statutory Declaration porting documentation. In made by the person having full authority of the end product.	for Regulatory Automotive date of Nunavut  CRN OF IV  CRN DE IV  Date Dec	SPACE CIAL 3  NUI Facceptan Bolla Pressure Veg  GISTERED  S69, SNRev I  17, 202 I  Chief/Inspector