



# United Filtration Systems Cross Reference Chart for Parker Finite®

This chart offers a comparison between our product and Parker Finite® products. They are cross referenced by mutual attributes and common physical sizes.

| <b>Section / Description</b>                            | <b>Page Number</b> |
|---|--------------------|
| <b>Filter Elements</b>                                  |                    |
| Disposable, Stainless Steel, Pleated & NGV Elements     | 2                  |
| <b>Type ID &amp; SD - DIF &amp; DIA</b>                 |                    |
| Disposable In-Line Filters & Adsorbers                  | 8                  |
| <b>KN Series - Nylon Filters</b>                        |                    |
| Nylon Filter Housings                                   | 10                 |
| <b>Q &amp; H Series (Aluminum Housings)</b>             |                    |
| Aluminum Filter Housings & Assemblies                   | 11                 |
| <b>H Series - Aluminum Filter Housings</b>              |                    |
| Aluminum Filter Assemblies                              | 14                 |
| <b>BA Series - Dual Stage Aluminum</b>                  |                    |
| Dual Stage Aluminum Filter Assemblies                   | 28                 |
| <b>FFC Series (NGV Filters)</b>                         |                    |
| NGV / CNG Assemblies - Includes A5R/A1R Series          | 32                 |
| <b>M Series Filter Assemblies</b>                       |                    |
| Stainless Steel and Aluminum Filter Assemblies          | 35                 |
| <b>SM Series - Stainless Steel Filters</b>              |                    |
| Stainless Steel Filter Housings                         | 39                 |
| <b>SJ Series / J Series - High Pressure</b>             |                    |
| Stainless Steel & Carbon Steel High Pressure Filters    | 41                 |
| <b>Bypass / High Pressure Filters</b>                   |                    |
| Bypass Filters & Stainless Steel Filter Housings        | 46                 |
| <b>Small Internal Volume Filters</b>                    |                    |
| Small Internal Volume Stainless Steel Filters           | 48                 |
| <b>High Flow SS Filter Houings (Includes SN Series)</b> |                    |
| High Flow SS Filter Housings & Assemblies               | 52                 |

Please note that the Headline housings/assemblies are alternatives. Check the specifications of each. This does not list all Headline housings/assemblies, only products that are similar to Finite®. Check bulletin specifications of each or consult United Filtration Systems at (586) 802-5561 or fax us at (586) 802-5562. Our website is [www.unitedfiltration.com](http://www.unitedfiltration.com) and e-mail is [sales@unitedfiltration.com](mailto:sales@unitedfiltration.com). If you have difficulty finding a housing model number, please call or email.



# Filter Elements

Finite® and UFS/Headline part numbers are interchangeable.

## Disposable Filter Elements

| Finite® Part Number<br>(Element Size: 0.50" x 1.00") | UFS/Headline Part Number<br>(Element Size 0.50" x 1.00") |
|--|--|
|--|--|

|                |                                 |
|----------------|---------------------------------|
| 6H04-010 X 10  | 12-25-50C (99.99% @ .01 micron) |
| 6G04-010 X 10  | 12-25-50K (99.99% @ .01 micron) |
| 8G04-010 X 10  | 12-25-60K (99.5% @ .01 micron)  |
| 8T04-010 X 10  | 12-25-60S (99.5% @ .01 micron)  |
| 10H04-010 X 10 | 12-25-70C (95% @ .01 micron)    |

| Finite® Part Number<br>(Element Size: 0.50" x 1.25") | UFS/Headline Part Number<br>(Element Size 0.50" x 1.25") |
|--|--|
|--|--|

|                |                                   |
|----------------|-----------------------------------|
| 4G04-013 X 10  | 12-32-40K (99.9999% @ .01 micron) |
| 4T04-013 X 10  | 12-32-40S (99.9999% @ .01 micron) |
| 6H04-013 X 10  | 12-32-50C (99.99% @ .01 micron)   |
| 6G04-013 X 10  | 12-32-50K (99.99% @ .01 micron)   |
| 6T04-013 X 10  | 12-32-50S (99.99% @ .01 micron)   |
| 8G04-013 X 10  | 12-32-60K (99.5% @ .01 micron)    |
| 10H04-013 X 10 | 12-32-70C (95% @ .01 micron)      |
| 10G04-013 X 10 | 12-32-70K (95% @ .01 micron)      |
| 10T04-013 X 10 | 12-32-70S (95% @ .01 micron)      |
| 12G04-013 X 10 | 12-32-80K (75%+ @ .01 micron)     |

| Finite® Part Number<br>(Element Size: 0.50" x 2.25") | UFS/Headline Part Number<br>(Element Size 0.50" x 1.25") |
|--|--|
|--|--|

|                |                                   |
|----------------|-----------------------------------|
| 4C04-023 X 10  | 12-57-40C (99.9999% @ .01 micron) |
| 4F04-023 X 10  | 12-57-40K (99.9999% @ .01 micron) |
| 4G04-023 X 10  | 12-57-40K (99.9999% @ .01 micron) |
| 4T04-023 X 10  | 12-57-40S (99.9999% @ .01 micron) |
| 6C04-023 X 10  | 12-57-50C (99.99% @ .01 micron)   |
| 6H04-023 X 10  | 12-57-50C (99.99% @ .01 micron)   |
| 6H04-023 X 10  | 12-57-50K (99.99% @ .01 micron)   |
| 6G04-023 X 10  | 12-57-50K (99.99% @ .01 micron)   |
| 6T04-023 X 10  | 12-57-50S (99.99% @ .01 micron)   |
| 8C04-023 X 10  | 12-57-60C (99.5% @ .01 micron)    |
| 8H04-023 X 10  | 12-57-60C (99.5% @ .01 micron)    |
| 8G04-023 X 10  | 12-57-60K (99.5% @ .01 micron)    |
| 8T04-023 X 10  | 12-57-60S (99.5% @ .01 micron)    |
| 10C04-023 X 10 | 12-57-70C (95% @ .01 micron)      |
| 10H04-023 X 10 | 12-57-70C (95% @ .01 micron)      |
| 10G04-023 X 10 | 12-57-70K (95% @ .01 micron)      |
| 10T04-023 X 10 | 12-57-70S (95% @ .01 micron)      |

**Finite® Part Number**  
**(Element Size: 1.00" x 2.00")**

**UFS/Headline Part Number**  
**(Element Size 0.50" x 1.25")**

|                       |  |
|-----------------------|--|
| <b>6C10-020 X 8</b>   | <b>25-51-50C</b> (99.99% @ .01 micron) |
| <b>6H10-020 X 8</b>   | <b>25-51-50C</b> (99.99% @ .01 micron) |
| <b>6G10-020 X 10</b>  | <b>25-51-50K</b> (99.99% @ .01 micron) |
| <b>8H10-020 X 8</b>   | <b>25-51-60C</b> (99.5% @ .01 micron)  |
| <b>8G10-020 X 10</b>  | <b>25-51-60K</b> (99.5% @ .01 micron)  |
| <b>10CH10-020 X 1</b> | <b>25-51-70C</b> (95% @ .01 micron)    |
| <b>10H10-020 X 8</b>  | <b>25-51-70C</b> (95% @ .01 micron)    |

**Finite® Part Number**  
**(Element Size: 1.00" x 2.50")**

**UFS/Headline Part Number**  
**(Element Size 1.00" x 2.50")**

|                       |  |
|-----------------------|--|
| <b>4C10-025 X 8</b>   | <b>25-64-40C</b> (99.9999% @ .01 micron)     |
| <b>4CU10-025 X 8</b>  | <b>25-64-40CS-UF</b> (99.9999% @ .01 micron) |
| <b>4G10-025 X 10</b>  | <b>25-64-40K</b> (99.9999% @ .01 micron)     |
| <b>4T10-025 X 10</b>  | <b>25-64-40S</b> (99.9999% @ .01 micron)     |
| <b>4QU10-025 X 8</b>  | <b>25-64-40DPC</b> (99.9999% @ .01 micron)   |
| <b>6C10-025 X 8</b>   | <b>25-64-50C</b> (99.99% @ .01 micron)       |
| <b>6CU10-025 X 8</b>  | <b>25-64-50CS-UF</b> (99.99% @ .01 micron)   |
| <b>6H10-025 X 8</b>   | <b>25-64-50C</b> (99.99% @ .01 micron)       |
| <b>6F10-025 X 10</b>  | <b>25-64-50K</b> (99.99% @ .01 micron)       |
| <b>6G10-025 X 10</b>  | <b>25-64-50K</b> (99.99% @ .01 micron)       |
| <b>6T10-025 X 10</b>  | <b>25-64-50S</b> (99.99% @ .01 micron)       |
| <b>6QU10-025 X 8</b>  | <b>25-64-50DPC</b> (99.99% @ .01 micron)     |
| <b>8C10-025 X 8</b>   | <b>25-64-60C</b> (99.5% @ .01 micron)        |
| <b>8H10-025 X 8</b>   | <b>25-64-60C</b> (99.5% @ .01 micron)        |
| <b>8G10-025 X 10</b>  | <b>25-64-60K</b> (99.5% @ .01 micron)        |
| <b>8T10-025 X 10</b>  | <b>25-64-60S</b> (99.5% @ .01 micron)        |
| <b>8QU10-025 X 8</b>  | <b>25-64-60DPC</b> (99.5% @ .01 micron)      |
| <b>10C10-025 X 8</b>  | <b>25-64-70C</b> (95% @ .01 micron)          |
| <b>10CU10-025 X 8</b> | <b>25-64-70CS-UF</b> (95% @ .01 micron)      |
| <b>10H10-025 X 8</b>  | <b>25-64-70C</b> (95% @ .01 micron)          |
| <b>10F10-025 X 10</b> | <b>25-64-70K</b> (95% @ .01 micron)          |
| <b>10G10-025 X 10</b> | <b>25-64-70K</b> (95% @ .01 micron)          |
| <b>10T10-025 X 10</b> | <b>25-64-70S</b> (95% @ .01 micron)          |
| <b>10QU10-025 X 8</b> | <b>25-64-70DPC</b> (95% @ .01 micron)        |
| <b>12G10-025 X 10</b> | <b>25-64-80K</b> (75%+ @ .01 micron)         |

**Finite® Part Number**  
**(Element Size: 1.00" x 5.00")**

**UFS/Headline Part Number**  
**(Element Size 1.00" x 5.00")**

|                      |   |
|----------------------|---|
| <b>4C10-050 X 4</b>  | <b>25-127-40C</b> (99.9999% @ .01 micron)     |
| <b>4CU10-050 X 4</b> | <b>25-127-40CS-UF</b> (99.9999% @ .01 micron) |
| <b>4QU10-050 X 4</b> | <b>25-127-40DPC</b> (99.9999% @ .01 micron)   |

**Finite® Part Number**  
**(Element Size: 1.00" x 5.00")**

**UFS/Headline Part Number**  
**(Element Size 1.00" x 5.00")**

6C10-050 X 4  
6CU10-050 X 4  
6H10-050 X 4  
6G10-050 X 10  
6T10-050 X 10  
6QU10-050 X 4  
8C10-050 X 4  
8CU10-050 X 4  
8H10-050 X 4  
8QU10-050 X 4  
10C10-050 X 4  
10CM10-050 X 4  
10CU10-050 X 4  
10H10-050 X 4  
10G10-050 X 10  
10T10-050 X 10  
10QU10-050 X 4

25-127-50C (99.99% @ .01 micron)  
25-127-50CS-UF (99.99% @ .01 micron)  
25-127-50C (99.99% @ .01 micron)  
25-127-50K (99.99% @ .01 micron)  
25-127-50S (99.99% @ .01 micron)  
25-127-50DPC (99.99% @ .01 micron)  
25-127-60C (99.5% @ .01 micron)  
25-127-60CS-UF (99.5% @ .01 micron)  
25-127-60C (99.5% @ .01 micron)  
25-127-60DPC (99.5% @ .01 micron)  
25-127-70C (95% @ .01 micron)  
25-127-70C (95% @ .01 micron)  
25-127-70CS-UF (95% @ .01 micron)  
25-127-70C (95% @ .01 micron)  
25-127-70K (95% @ .01 micron)  
25-127-70S (95% @ .01 micron)  
25-127-70DPC (95% @ .01 micron)

**Finite® Part Number**  
**(Element Size: 1.00" x 7.00")**

**UFS/Headline Part Number**  
**(Element Size 1.00" x 7.00")**

4C10-070 X 4  
4CU10-070 X 4  
4QU10-070 X 4  
4F10-070 X 10  
4G10-070 X 10  
6C10-070 X 4  
6CU10-070 X 4  
6QU10-070 X 4  
6H10-070 X 4  
6F10-070 X 10  
6G10-070 X 10  
6T10-070 X 10  
6QU10-070 X 4  
8H10-070 X 4  
8G10-070 X 10  
8QU10-070 X 4  
8T10-070 X 10  
10C10-070 X 4  
10CU10-070 X 4  
10H10-070 X 4  
10G10-070 X 10  
10T10-070 X 10  
10QU10-070 X 4  
12G10-070 X 10

25-178-40C (99.9999% @ .01 micron)  
25-178-40CS-UF (99.9999% @ .01 micron)  
25-178-40DPC (99.9999% @ .01 micron)  
25-178-40K (99.9999% @ .01 micron)  
25-178-40K (99.9999% @ .01 micron)  
25-178-50C (99.99% @ .01 micron)  
25-178-50CS-UF (99.99% @ .01 micron)  
25-178-50DPC (99.99% @ .01 micron)  
25-178-50C (99.99% @ .01 micron)  
25-178-50K (99.99% @ .01 micron)  
25-178-50S (99.99% @ .01 micron)  
25-178-50DPC (99.99% @ .01 micron)  
25-178-60C (99.5% @ .01 micron)  
25-178-60K (99.5% @ .01 micron)  
25-178-60DPC (99.5% @ .01 micron)  
25-178-60S (99.5% @ .01 micron)  
25-178-70C (95% @ .01 micron)  
25-178-70CS-UF (95% @ .01 micron)  
25-178-70C (95% @ .01 micron)  
25-178-70K (95% @ .01 micron)  
25-178-70S (95% @ .01 micron)  
25-178-70DPC (95% @ .01 micron)  
25-178-80K (75%+ @ .01 micron)

**Finite® Part Number**  
**(Element Size: 1.50" x 6.00")**

**UFS/Headline Part Number**  
**(Element Size 1.50" x 6.00")**

4C15-060 X 4  
4CU15-060 X 4  
4G15-060 X 10  
4QU15-060 X 4  
6C15-060 X 4  
6CU15-060 X 4  
6H15-060 X 4  
6G15-060 X 10  
6T15-060 X 10  
6QU15-060 X 4  
8C15-060 X 4  
8CU15-060 X 4  
8H15-060 X 4  
8QU15-060 X 4  
10C15-060 X 4  
10CM15-060 X 4  
10CU15-060 X 4  
10H15-060 X 4  
10G15-060 X 10  
10T15-060 X 10  
10QU15-060 X 4

38-152-40CS-DOE (99.9999% @ .01 micron)  
38-152-40CS-UF (99.9999% @ .01 micron)  
38-152-40K (99.9999% @ .01 micron)  
38-152-40DPC (99.9999% @ .01 micron)  
38-152-50CS-DOE (99.99% @ .01 micron)  
38-152-50CS-UF (99.99% @ .01 micron)  
38-152-50CS-DOE (99.99% @ .01 micron)  
38-152-50K (99.99% @ .01 micron)  
38-152-50S (99.99% @ .01 micron)  
38-152-50DPC (99.99% @ .01 micron)  
38-152-60CS-DOE (99.5% @ .01 micron)  
38-152-60CS-UF (99.5% @ .01 micron)  
38-152-60CS-DOE (99.5% @ .01 micron)  
38-152-60DPC (99.5% @ .01 micron)  
38-152-70C-DOE (95% @ .01 micron)  
38-152-70C-DOE (95% @ .01 micron)  
38-152-70CS-UF (95% @ .01 micron)  
38-152-70CS-DOE (95% @ .01 micron)  
38-152-70K (95% @ .01 micron)  
38-152-70S (95% @ .01 micron)  
38-152-70DPC (95% @ .01 micron)

**Finite® Part Number**  
**(Element Size: 2.00" x 3.50")**

**UFS/Headline Part Number**  
**(Element Size 2.00" x 3.50")**

6H20-035 X 4  
8H20-035 X 4

51-89-50CS (99.99% @ .01 micron)  
51-89-60CS (99.5% @ .01 micron)

**Finite® Part Number**  
**(Element Size: 2.00" x 9.00")**

**UFS/Headline Part Number**  
**(Element Size 2.00" x 9.00")**

4G20-090 X 10  
4T20-090 X 10  
4C20-090 X 2  
4Q20-090 X 2  
6C20-090 X 2  
6H20-090 X 2  
6Q20-090 X 2  
6G20-090 X 10  
6T20-090 X 10  
8C20-090 X 2  
8H20-090 X 10  
8Q20-090 X 10  
8G20-090 X 10

51-230-40K (99.9999% @ .01 micron)  
51-230-40S (99.9999% @ .01 micron)  
51-230-40CS (99.9999% @ .01 micron)  
51-230-40DPC (99.9999% @ .01 micron)  
51-230-50CS (99.99% @ .01 micron)  
51-230-50CS (99.99% @ .01 micron)  
51-230-50DPC (99.99% @ .01 micron)  
51-230-50K (99.99% @ .01 micron)  
51-230-50S (99.99% @ .01 micron)  
51-230-60CS (99.5% @ .01 micron)  
51-230-60CS (99.5% @ .01 micron)  
51-230-60DPC (99.5% @ .01 micron)  
51-230-60K (99.5% @ .01 micron)

**Finite® Part Number**  
**(Element Size: 2.00" x 9.00")**

**UFS/Headline Part Number**  
**(Element Size 2.00" x 9.00")**

**10C20-090 X 2**  
**10H20-090 X 2**  
**10Q20-090 X 2**  
**10G20-090 X 10**  
**10T20-090 X 10**

**51-230-70CS** (95% @ .01 micron)  
**51-230-70CS** (95% @ .01 micron)  
**51-230-70DPC** (95% @ .01 micron)  
**51-230-70K** (95% @ .01 micron)  
**51-230-70S** (95% @ .01 micron)

**Finite® Part Number**  
**(Element Size: 2.00" x 18.75")**

**UFS/Headline Part Number**  
**(Element Size 2.00" x 18.75")**

**4C20-187 X 1**  
**4CU20-187 X 1**  
**4CU25-187 X 1**  
**4G20-187 X 10**  
**4T20-187 X 10**  
**4QU25-187 X 1**  
**6C20-187 X 1**  
**6CU20-187 X 1**  
**6CU25-187 X 1**  
**6H20-187 X 1**  
**6G20-187 X 10**  
**6T20-187 X 10**  
**6QU20-187 X 1**  
**6QU25-187 X 1**  
**8CU20-187 X 1**  
**8CU25-187 X 1**  
**8H20-187 X 1**  
**8G20-187 X 10**  
**8QU25-187 X 1**  
**10CU20-187 X 1**  
**10CU25-187 X 1**  
**10H20-187 X 1**  
**10G20-187 X 10**  
**10T20-187 X 10**  
**10QU25-187 X 1**  
**12T20-187 X 10**

**51-476-40CS** (99.9999% @ .01 micron)  
**51-476-40CS-UF** (99.9999% @ .01 micron)  
**51-476-40CS-UF** (99.9999% @ .01 micron)  
**51-476-40K** (99.9999% @ .01 micron)  
**51-476-40S** (99.9999% @ .01 micron)  
**51-476-40DPC** (99.9999% @ .01 micron)  
**51-476-50CS** (99.99% @ .01 micron)  
**51-476-50CS-UF** (99.99% @ .01 micron)  
**51-476-50CS-UF** (99.99% @ .01 micron)  
**51-476-50CS** (99.99% @ .01 micron)  
**51-476-50K** (99.99% @ .01 micron)  
**51-476-50S** (99.99% @ .01 micron)  
**51-476-50DPC** (99.99% @ .01 micron)  
**51-476-50DPC** (99.99% @ .01 micron)  
**51-476-60CS** (99.5% @ .01 micron)  
**51-476-60CS-UF** (99.5% @ .01 micron)  
**51-476-60CS** (99.5% @ .01 micron)  
**51-476-60K** (99.5% @ .01 micron)  
**51-476-60DPC** (99.5% @ .01 micron)  
**51-476-70CS-UF** (95% @ .01 micron)  
**51-476-70CS-UF** (95% @ .01 micron)  
**51-476-70CS** (95% @ .01 micron)  
**51-476-70K** (95% @ .01 micron)  
**51-476-70S** (95% @ .01 micron)  
**51-476-70DPC** (95% @ .01 micron)  
**51-476-80S** (75%+ @ .01 micron)

## Stainless Steel Elements

| Finite® Part Number<br>(Stainless steel Retainers with Mesh Screen in Between) | UFS/Headline Part Number<br>(Five Layer Stainless Steel<br>with Teflon Seals) |
|--|---|
| 100WS04-023 X 1  | SS-12-57-100T   |
| 100WS10-020 X 1  | SS-25-51-100T   |
| 100WS10-050 X 1  | SS-25-127-100T  |
| 100WS25-187 X 1  | SS-51-476-100T  |
| With Urethane End Seal   | With Teflon Seals   |
| 100WSU10-025 X 1   | SS-25-64-100T   |
| 100WSU15-060 X 1   | SS-38-152-100T  |

## Pleated Elements

| Finite® Part Number<br>(Pleated Cellulose Element) | UFS/Headline Part Number<br>(Pleated Glass Microfiber Element) |
|--|--|
| With Silicone End Seal                             | PVC End Cap with Viton O-Rings                                 |
| 3PS10-025 X 8                                      | 25-64-03PLMG   |
| 3PS10-050 X 4                                      | 25-127-03PLMG  |
| 3PS15-060 X 4                                      | 38-152-03PLMG  |
| 3PS20-187 X 1                                      | 51-476-03PLMG  |
| 3PS25-187 X 1                                      | 51-476-03PLMG  |
| With Urethane End Seal                             | PVC End Cap with Viton O-Rings                                 |
| 3PU10-025 X 8                                      | 25-64-03PLMG   |
| 3PU10-050 X 4                                      | 25-127-03PLMG  |
| 3PU10-070 X 4                                      | 25-178-03PLMG  |
| 3PU15-060 X 4                                      | 38-152-03PLMG  |
| 3PU20-187 X 1                                      | 51-476-03PLMG  |
| 3PU25-187 X 1                                      | 51-476-03PLMG  |
| High Temperature Element                           |  |
| 3PUS20-187 X 1                                     | 51-476-03PLMG  |
| 3PSS25-187 X 1                                     | 51-476-03PLMG  |

## NGV Filter Element Kits

| Finite® Part Number<br>(NGV Filter Element Kit) | UFS/Headline Part Number<br>(NGV Filter Element Kit) |
|---|--|
| CLS112-10K                                      | NGV-FFC112   |
| CLS112-4K                                       | NGV-FFC112   |
| CLS112-6K                                       | NGV-FFC112   |

# Disposable In-Line Filters & Adsorbers

Finite® and UFS/Headline part numbers are 100% compatible and interchangeable.

## Disposable In-Line Filters

| Finite® Part Number<br>(Nylon Body w/ Microfiber Element) | UFS/Headline Part Number<br>(Nylon Body w/ Microfiber Element)    |
|---|---|
| <b>1/4" Tube Inlet / Outlet</b>                           | <b>1/4" Tube Inlet / Outlet</b>                                   |
| <b>IDN-4F X 10</b>  | <b>DIF-BN40</b> (99.9999% @ .01 micron)                           |
| <b>IDN-4G X 10</b>  | <b>DIF-BN40</b> (99.9999% @ .01 micron)                           |
| <b>IDN-4T X 10</b>  | <b>DIF-BN40RPT</b> (99.9999% @ .01 micron)                        |
| <b>IDS-4G X 10</b>  | <b>DIF-BN40SP (Short Spigot)</b> (99.9999% @ .01 micron)          |
| <b>IDS-4T X 10</b>  | <b>DIF-BN40RPT-SP (Short Spigot)</b> (99.9999% @ .01 micron)      |
| <b>IDS-6T X 10</b>  | <b>DIF-BN40RPT-SP (Short Spigot)</b> (99.9999% @ .01 micron)      |
| <b>IDN-6F X 10</b>  | <b>DIF-BN50</b> (99.99% @ .01 micron)                             |
| <b>IDN-6G X 10</b>  | <b>DIF-BN50</b> (99.99% @ .01 micron)                             |
| <b>IDN-6T X 10</b>  | <b>DIF-BN50RPT</b> (99.99% @ .01 micron)                          |
| <b>IDS-6G X 10</b>  | <b>DIF-BN50-SP (Short Spigot)</b> (99.99% @ .01 micron)           |
| <b>IDN-8G X 10</b>  | <b>DIF-BN60</b> (99.5% @ .01 micron)                              |
| <b>IDN-8T X 10</b>  | <b>DIR-BN60RPT</b> (99.5% @ .01 micron)                           |
| <b>IDN-10F X 10</b>                                       | <b>DIF-BN70</b> (95% @ .01 micron)                                |
| <b>IDN-10G X 10</b>                                       | <b>DIF-BN70</b> (95% @ .01 micron)                                |
| <b>IDN-10T X 10</b>                                       | <b>DIF-BN70RPT</b> (95% @ .01 micron)                             |
| <b>IDS-10G X 10</b>                                       | <b>DIF-BN70-SP (Short Spigot)</b> (95% @ .01 micron)              |
| <b>IDN-12G X 10</b>                                       | <b>DIF-BN80</b> (75%+ @ .01 micron)                               |
| <b>1/8" Tube (Straight Barb) Inlet / Outlet</b>           | <b>1/8" Tube (Straight Barb) Inlet / Outlet</b>                   |
| <b>IDS-4G-4S X 10</b>                                     | <b>DIF-BN40SP-1/8" (Short Spigot)</b> (99.9999% @ .01 micron)     |
| <b>IDN-6G-4S X 10</b>                                     | <b>DIF-BN50-1/8"</b> (99.99% @ .01 micron)                        |
| <b>IDS-6G-4S X 10</b>                                     | <b>DIF-BN50SP-1/8" (Short Spigot)</b> (99.99% @ .01 micron)       |
| <b>IDS-6T-4S X 10</b>                                     | <b>DIF-BN50RPT-SP-1/8" (Short Spigot)</b> (99.99% @ .01 micron)   |
| <b>IDS-8T-4S X 10</b>                                     | <b>DIF-BN60RPT-SP-1/8" (Short Spigot)</b> (99.5% @ .01 micron)    |
| <b>IDN-10G-4S X 10</b>                                    | <b>DIF-BN70-1/8"</b> (95% @ .01 micron)                           |
| <b>IDS-10G-4S X 10</b>                                    | <b>DIF-BN70-SP-1/8" (Short Spigot)</b> (95% @ .01 micron)         |
| <b>1/8" Tube (90°Elbow Barb) Inlet / Outlet</b>           | <b>1/8" Tube (90°Elbow Barb) Inlet / Outlet</b>                   |
| <b>IDN-6G-4A X 10</b>                                     | <b>DIF-BN50-1/8"-90</b> (99.99% @ .01 micron)                     |
| <b>IDS-6G-4A X 10</b>                                     | <b>DIF-BN50SP-1/8"-90 (Short Spigot)</b> (99.99% @ .01 micron)    |
| <b>IDN-8T-4S X 10</b>                                     | <b>DIF-BN60RPT-1/8"-90</b> (99.5% @ .01 micron)                   |
| <b>IDS-8T-4A X 10</b>                                     | <b>DIF-BN60RPT-SP-1/8"-90 (Short Spigot)</b> (99.5% @ .01 micron) |
| <b>IDN-10G-4A X 10</b>                                    | <b>DIF-BN70-1/8"-90</b> (95% @ .01 micron)                        |



**Finite® Part Number**  
**(Nylon Body w/ Stainless Steel Mesh)**

**UFS/Headline Part Number**  
**(Nylon Body w/ Stainless Steel Screen)**

1/4" Tube Inlet / Outlet  
**IDN-44P X 10**  
**IDS-44P X 10**

1/4" Tube Inlet / Outlet  
**DIF-BN44SS**  
**DIF-BN44SS-SP (Short Spigot)**

1/8" Tube (Straight Barb) Inlet / Outlet  
**IDN-44P-4S X 10**

1/8" Tube (Straight Barb) Inlet / Outlet  
**DIF-BN44SS-1/8"**

**Finite® Part Number**  
**(Nylon Body w/ Microfiber Element)**

**UFS/Headline Part Number**  
**(Nylon Body w/ Microfiber Element)**

**With Oil Indicating Dye**

**With Oil Indicating Dye**

1/4" Tube Inlet / Outlet  
**SDN-O X 10**  
**SDS-O X 10**

1/4" Tube Inlet / Outlet  
**DIF-BN50I** (99.99% @ .01 micron)  
**DIF-BN50I-SP (Short Spigot)** (99.99% @ .01 micron)

1/8" Tube (Straight Barb) Inlet / Outlet  
**SDN-O-4S X 10**

1/8" Tube (Straight Barb) Inlet / Outlet  
**DIF-BN50I-1/8** (99.99% @ .01 micron)

1/8" Tube (90°Elbow Barb) Inlet / Outlet  
**SDN-O-4A X 10**  
**SDS-O-4A X 10**

1/8" Tube (90°Elbow Barb) Inlet / Outlet  
**DIF-BN50I-1/8"-90** (99.99% @ .01 micron)  
**DIF-BN50I-SP-1/8"-90 (Short Spigot)** (99.99% @ .01 micron)

## Disposable In-Line Adsorbers

**Finite® Part Number**  
**(Nylon Body)**

**UFS/Headline Part Number**  
**(Nylon Body)**

1/4" Tube Inlet / Outlet  
**SDN-A X 10**  
**SDN-J X 10**  
**SDN-M X 10**  
**SDS-A X 10**  
**SDS-J X 10**

1/4" Tube Inlet / Outlet  
**DIA-BNCC** (Activated Carbon)  
**DIA-BNSG** (Silica Gel)  
**DIA-BNCC-SP (Short Spigot)** (Activated Carbon)  
**DIA-BNSG-SP (Short Spigot)** (Silica Gel)  
**DIA-BN13X-SP (Short Spigot)** (Molecule Sieve 13X)

1/8" Tube (Straight Barb) Inlet / Outlet  
**SDN-A-4S X 10**  
**SDN-J-4S X 10**  
**SDS-A-4S X 10**  
**SDS-J-4S X 10**  
**SDS-M-4S X 10**

1/8" Tube (Straight Barb) Inlet / Outlet  
**DIA-BNCC-1/8"** (Activated Carbon)  
**DIA-BNSG-1/8"** (Silica Gel)  
**DIA-BNCC-SP-1/8" (Short Spigot)** (Activated Carbon)  
**DIA-BNSG-SP-1/8" (Short Spigot)** (Silica Gel)  
**DIA-BN13X-SP-1/8" (Short Spigot)** (Molecule Sieve 13X)

# Plastic Filter Housings

Cross Comparisons are based on functionality but not interchangeable.

| Finite® Part Number<br>(Nylon)  | UFS/Headline Part Number<br>(Nylon)  |
|---|--|
| <p>1/8" NPT, Buna-N O-Rings, 150 PSIG Max. Pressure</p> <p>Element Size: xx06-016</p> <p><b>KN5S-6C06-016</b></p> <p><b>KN5S-6G06-016</b></p> <p><b>KN5S-10C06-016</b></p> <p><b>KN5S-10G06-016</b></p> | <p>1/8" NPT, Viton O-Rings, 100 PSIG Max. Pressure</p> <p>Element Size: 12-57-xx</p> <p><b>721N-50C</b></p> <p><b>721N-50K</b></p> <p><b>721N-70C</b></p> <p><b>721N-70K</b></p> |
| <p>1/8" NPT, Buna-N O-Rings, 150 PSIG Max. Pressure</p> <p>Element Size: xx06-016</p> <p><b>KN5S-75P06-016</b></p>  | <p>1/8" NPT, Viton O-Rings, 100 PSIG Max. Pressure</p> <p>Element Size: PEL-12-57-xx</p> <p><b>721N-PEL75</b></p>  |

| Finite® Part Number<br>(Nylon)   | UFS/Headline Part Number<br>(Nylon)   |
|--|---|
| <p>1/4" NPT, Buna-N O-Rings, 150 PSIG Max. Pressure</p> <p>Element Size: xx06-016, Housing Only - No Element</p> <p><b>KN1S X 1</b></p>  | <p>1/4" NPT, Viton O-Rings, 100 PSIG Max. Pressure</p> <p>Element Size: 12-57-xx, Housing Only - No Element</p> <p><b>730N</b></p>  |
| <p>1/4" NPT, Buna-N O-Rings, 150 PSIG Max. Pressure</p> <p>Element Size: xx06-016</p> <p><b>KN1S-4C06-016</b></p> <p><b>KN1S-6C06-016</b></p> <p><b>KN1S-6G06-016</b></p> <p><b>KN1S-6H06-016</b></p> <p><b>KN1S-6T06-016</b></p> <p><b>KN1S-8C06-016</b></p> <p><b>KN1S-8H06-016</b></p> <p><b>KN1S-10C06-016</b></p> <p><b>KN1S-10G06-016</b></p> <p><b>KN1S-10H06-016</b></p> | <p>1/4" NPT, Viton O-Rings, 100 PSIG Max. Pressure</p> <p>Element Size: 12-57-xx</p> <p><b>730N-40C</b></p> <p><b>730N-50C</b></p> <p><b>730N-50K</b></p> <p><b>730N-50CS</b></p> <p><b>730N-50S</b></p> <p><b>730N-60C</b></p> <p><b>730N-60CS</b></p> <p><b>730N-70C</b></p> <p><b>730N-70K</b></p> <p><b>730N-70CS</b></p> |
| <p>1/4" NPT, Buna-N O-Rings, 150 PSIG Max. Pressure</p> <p>Element Size: xx06-016</p> <p><b>KN1S-75P06-016</b></p>   | <p>1/4" NPT, Viton O-Rings, 100 PSIG Max. Pressure</p> <p>Element Size: PEL-12-57-xx</p> <p><b>730N-PEL75</b></p>   |

**Finite® Part Number  
(Nylon)**

**UFS/Headline Part Number  
(Nylon)**

1/4" NPT, Buna-N O-Rings, 150 PSIG Max. Pressure  
Element Size: xx10-025, Housing Only - No Element  
**P1N X 1**

1/4" NPT, Viton O-Rings, 100 PSIG Max. Pressure  
Element Size: 25-64-xx, Housing Only - No Element  
**751N**

1/4" NPT, Buna-N O-Rings, 150 PSIG Max. Pressure  
Element Size: xx10-025  
**P1N-4C10-025**  
**P1N-4G10-025**  
**P1N-6C10-025**  
**P1N-6F10-025**  
**P1N-6H10-025**  
**P1N-6QU10-025**  
**P1N-8G10-025**  
**P1N-10C10-025**  
**P1N-10G10-025**  
**P1N-10QU10-025**  
**P1N-3PU10-025**

1/4" NPT, Viton O-Rings, 100 PSIG Max. Pressure  
Element Size: 25-64-xx  
**751N-40C**  
**751N-40K**  
**751N-50C**  
**751N-50K**  
**751N-50CS**  
**751N-50DPC**  
**751N-60K**  
**751N-70C**  
**751N-70K**  
**751N-70DPC**  
**751N-03PLMG**

1/4" NPT, Buna-N O-Rings, 150 PSIG Max. Pressure  
Adsorption Element: AU10-025  
**P1N-AU10-025**

1/4" NPT, Viton O-Rings, 100 PSIG Max. Pressure  
Adsorption Element: TRE25-64-CC  
**751N-CC-TP**

## Aluminum Filter Assemblies

**Filter Housings are an alternative but Elements are not interchangeable.**

Other O-Rings including Perfluoroelastomer are readily available.

**Finite® Part Number  
(Aluminum Head with Polycarbonate Bowl)**

**UFS/Headline Part  
(Anodized Aluminum Head with Polycarbonate Bowl)**

1/8" NPT, Buna-N O-Rings, 150 PSIG Max.  
Element Size: xx06-013, NO ELEMENT INSTALLED  
**Q5SX1(No Element)**

1/8" NPT, Buna-N O-Rings, 150 PSIG Max.  
Element Size: 12-32-xx, NO ELEMENT INSTALLED  
**310-1/8"**

1/8" NPT, Buna-N O-Rings, 150 PSIG Max.  
Element Size: xx06-013  
**Q5S-4HM06-013**  
**Q5S-6HM06-013**  
**Q5S-8HM06-013**  
**Q5S-10HM06-013**

1/8" NPT, Buna-N O-Rings, 150 PSIG Max.  
Element Size: 12-32-xx  
**310-1/8"-40C**  
**310-1/8"-50C**  
**310-1/8"-60C**  
**310-1/8"-70C**

Adsorption Element: AU06-013  
**Q5S-AM06-013**

Adsorption Element Size: TRE12-32-CC  
**310-1/8"-TRECC**

1/4" NPT, Buna-N O-Rings, 150 PSIG Max.  
Element Size: xx06-013, NO ELEMENT INSTALLED  
**Q1SX1 (No Element)**

1/4" NPT, Buna-N O-Rings, 150 PSIG Max.  
Element Size: 12-32-xx, NO ELEMENT INSTALLED  
**315-1/4"**

1/4" NPT, Buna-N O-Rings, 150 PSIG Max.  
Element Size: xx06-013  
**Q1S-4HM06-013**  
**Q1S-6HM06-013**  
**Q1S-8HM06-013**  
**Q1S-10HM06-013**

1/4" NPT, Buna-N O-Rings, 150 PSIG Max.  
Element Size: 12-32-xx  
**315-1/4"-40C**  
**315-1/4"-50C**  
**315-1/4"-60C**  
**315-1/4"-70C**

Adsorption Element: AU06-013  
**Q1S-AM06-013**

Adsorption Element Size: TRE12-32-CC  
**315-1/4"-TRECC**

**Finite® Part Number**  
**(Aluminum Head with Polycarbonate Bowl)**

**UFS/Headline Part**  
**(Anodized Aluminum Head with Polycarbonate Bowl)**

1/8" NPT, Buna-N O-Rings, 150 PSIG Max., 1/8" Barbed Drain  
Element Size: xx06-013  
**FQ5S-4HM06-013**  
**FQ5S-6HM06-013**  
**FQ5S-8HM06-013**  
**FQ5S-10HM06-013**

1/8" NPT, Buna-N O-Rings, 150 PSIG Max., 1/8" Barbed Drain  
Element Size: 12-32-xx  
**310-1/8"-1/8"BD-40C**  
**310-1/8"-1/8"BD-50C**  
**310-1/8"-1/8"BD-60C**  
**310-1/8"-1/8"BD-70C**

**Finite® Part Number**  
**(Aluminum Head with Polycarbonate Bowl)**

**UFS/Headline Part**  
**(Anodized Aluminum Head with Polycarbonate Bowl)**

Adsorption Element: AU06-013  
**FQ5S-AM06-013**

Adsorption Element Size: TRE12-32-CC  
**310-1/8"-1/8"BD-TRECC**

1/4" NPT, Buna-N O-Rings, 150 PSIG Max., 1/8" Barbed Drain  
Element Size: xx06-013  
**FQ1S-4HM06-013**  
**FQ1S-6HM06-013**  
**FQ1S-8HM06-013**  
**FQ1S-10HM06-013**

1/4" NPT, Buna-N O-Rings, 150 PSIG Max., 1/8" Barbed Drain  
Element Size: 12-32-xx  
**315-1/4"-1/8"BD-40C**  
**315-1/4"-1/8"BD-50C**  
**315-1/4"-1/8"BD-60C**  
**315-1/4"-1/8"BD-70C**

Adsorption Element: AU06-013  
**FQ1S-AM06-013**

Adsorption Element Size: TRE12-32-CC  
**315-1/4"1/8"BD-TRECC**

**Finite® Part Number**  
**(Aluminum Head with Zinc Bowl)**

**UFS/Headline Part**  
**(Anodized Aluminum Head and Bowl)**

1/8" NPT, Buna-N O-Rings, 150 PSIG Max., 1/8" Barbed Drain  
Element Size: xx06-013, NO ELEMENT INSTALLED  
**H5SX1 (No Element)**

1/8" NPT, Buna-N O-Rings, 150 PSIG Max., 1/8" Barbed Drain  
Element Size: 12-32-xx, NO ELEMENT INSTALLED  
**310A-1/8"**

1/8" NPT, Buna-N O-Rings, 250 PSIG Max.

Element Size: xx06-013

- H5S-4HM06-013
- H5S-6HM06-013
- H5S-8HM06-013
- H5S-10HM06-013

Adsorption Element: AU06-013

H5S-AM06-013

1/4" NPT, Buna-N O-Rings, 250 PSIG Max.

Element Size: xx06-013, NO ELEMENT INSTALLED

H1SX1 (No Element)

1/4" NPT, Buna-N O-Rings, 250 PSIG Max.

Element Size: xx06-013

- H1S4HM06-013
- H1S-6HM06-013
- H1S-8HM06-013
- H1S-10HM06-013

Adsorption Element: AU06-013

H1S-AM06-013

1/8" NPT, Buna-N O-Rings, 500 PSIG Max.

Element Size: 12-32-xx

- 310A-1/8"-40C
- 310A-1/8"-50C
- 310A-1/8"-60C
- 310A-1/8"-70C

Adsorption Element Size: TRE12-32-CC

310A-1/8"-TRECC

1/4" NPT, Buna-N O-Rings, 500 PSIG Max.

Element Size: 12-32-xx, NO ELEMENT INSTALLED

315A-1/4"

1/4" NPT, Buna-N O-Rings, 500 PSIG Max.

Element Size: 12-32-xx

- 315A-1/4"-40C
- 315A-1/4"-50C
- 315A-1/4"-60C
- 315A-1/4"-70C

Adsorption Element Size: TRE12-32-CC

315A-1/4"-TRECC

**Finite® Part Number  
(Aluminum Head with Zinc Bowl)**

**UFS/Headline Part  
(Anodized Aluminum Head and Bowl)**

1/8" NPT, Buna-N O-Rings, 250 PSIG Max., 1/8" Barbed Drain

Element Size: xx06-013

- FH5S-4HM03-016
- FH5S-6HM03-016
- FH5S-8HM03-016
- FH5S-10HM03-016

Adsorption Element: AU06-013

FH5S-AM03-016

1/4" NPT, Buna-N O-Rings, 250 PSIG Max., 1/8" Barbed Drain

Element Size: xx06-013

- FH1S-4HM03-016
- FH1S-6HM03-016
- FH1S-8HM03-016
- FH1S-10HM03-016

Adsorption Element: AU06-013

FH1S-AM03-016

1/8" NPT, Buna-N O-Rings, 500 PSIG Max., 1/8" Barbed Drain

Element Size: 12-32-xx

- 310A-1/8"-1/8"BD-40C
- 310A-1/8"-1/8"BD-50C
- 310A-1/8"-1/8"BD-60C
- 310A-1/8"-1/8"BD-70C

Adsorption Element Size: TRE12-32-CC

310A-1/8"-1/8"BD-TRECC

1/4" NPT, Buna-N O-Rings, 500 PSIG Max., 1/8" Barbed Drain

Element Size: 12-32-xx

- 315A-1/4"-1/8"BD-40C
- 315A-1/4"-1/8"BD-50C
- 315A-1/4"-1/8"BD-60C
- 315A-1/4"-1/8"BD-70C

Adsorption Element Size: TRE12-32-CC

315A-1/4"-1/8"BD-TRECC

# Aluminum Filter Assemblies

Filter Housings are an alternative with 100% Interchangeable Elements

Other O-Rings including Perfluoroelastomer are readily available.

**Finite® Part Number**  
(Aluminum Cast Head, Aluminum Drawn Body  
w/ Powder Painted Exterior)

**360A Series**  
UFS/Headline Part  
(Anodized Aluminum w/ Nylon Internals)

1/4" NPT, Buna-N O-Rings, 500 PSIG Max.,

Element Size: xx10-025

HN1S-4C  
HN1S-6C  
HN1S-8C  
HN1S-10C  
HN1S-4CU  
HN1S-6CU  
HN1S-8CU  
HN1S-10CU  
HN1S-4QU  
HN1S-6QU  
HN1S-8QU  
HN1S-10QU  
HN1S-3PU  
HN1S-100WSU

Adsorption Cartridge Installed: AU10-025

HN1S-AU

250 PSIG Max., Float Drain

HN1S-4CA  
HN1S-6CA  
HN1S-8CA  
HN1S-10CA  
HN1S-4CUA  
HN1S-6CUA  
HN1S-8CUA  
HN1S-10CUA  
HN1S-4QUA  
HN1S-6QUA  
HN1S-8QUA  
HN1S-10QUA  
HN1S-100WSUA

1/4" NPT, Buna-N O-Rings, 500 PSIG Max.

Element Size: 25-64-xx

360A-1/4"-40C  
360A-1/4"-50C  
360A-1/4"-60C  
360A-1/4"-70C  
360A-1/4"-40CS  
360A-1/4"-50CS  
360A-1/4"-60CS  
360A-1/4"-70CS  
360A-AD-1/4"-40DPC  
360A-AD-1/4"-50DPC  
360A-AD-1/4"-60DPC  
360A-AD-1/4"-70DPC  
360A-AD-1/4"03PLMG  
360A-1/4"-SS100

Adsorption Cartridge Installed: 25-64-CC-TS

360A-AD-1/4"-CC-TS

250 PSIG Max., Float Drain

360AF-1/4"-40C  
360AF-1/4"-50C  
360AF-1/4"-60C  
360AF-1/4"-70C  
360AF-1/4"-40CS  
360AF-1/4"-50CS  
360AF-1/4"-60CS  
360AF-1/4"-70CS  
360AF-AD-1/4"-40DPC  
360AF-AD-1/4"-50DPC  
360AF-AD-1/4"-60DPC  
360AF-AD-1/4"-70DPC  
360AF-1/4"-SS100

250 PSIG Max., Float Drain, and Indicator

HN1S-4CW  
HN1S-6CW  
HN1S-6QUW  
HN1S-10CW  
HN1S-4CUW  
HN1S-6CUW  
HN1S-8CUW  
HN1S-10CUW  
HN1S-4QUW  
HN1S-6QUW  
HN1S-8QUW  
HN1S-10QUW  
HN1S-100WSUW

250 PSIG Max., Float Drain, and Indicator

360AFI-1/4"-40C  
360AFI-1/4"-50C  
360AFI-1/4"-60C  
360AFI-1/4"-70C  
360AFI-1/4"-40CS  
360AFI-1/4"-50CS  
360AFI-1/4"-60CS  
360AFI-1/4"-70CS  
360AFI-AD-1/4"-40DPC  
360AFI-AD-1/4"-50DPC  
360AFI-AD-1/4"-60DPC  
360AFI-AD-1/4"-70DPC  
360AFI-1/4"-SS100

Finite® Part Number

(Aluminum Cast Head, Aluminum Drawn Body  
w/ Powder Painted Exterior)

368A Series

UFS/Headline Part  
(Anodized Aluminum w/ Nylon Internals)

3/8" NPT, Buna-N O-Rings, 500 PSIG Max., Element Size: xx10-025

Element Size: xx10-025

HN15S-4C  
HN15S-6C  
HN15S-8C  
HN15S-10C  
HN15S-4CU  
HN15S-6CU  
HN15S-8CU  
HN15S-10CU  
HN15S-4QU  
HN15S-6QU  
HN15S-8QU  
HN15S-10QU  
HN15S-3PU  
HN15S-100WSU

Adsorption Cartridge Installed: AU10-025

HN15S-AU

250 PSIG Max., Float Drain

HN15S-4CA  
HN15S-6CA  
HN15S-8CA  
HN15S-10CA  
HN15S-4CUA  
HN15S-6CUA  
HN15S-8CUA  
HN15S-10CUA  
HN15S-4QUA  
HN15S-6QUA  
HN15S-8QUA  
HN15S-10QUA  
HN15S-100WSUA

3/8" NPT, Buna-N O-Rings, 500 PSIG Max., Element Size: 25-64-xx

Element Size: 25-64-xx

360A-3/8"-40C  
360A-3/8"-50C  
360A-3/8"-60C  
360A-3/8"-70C  
360A-3/8"-40CS  
360A-3/8"-50CS  
360A-3/8"-60CS  
360A-3/8"-70CS  
360A-AD-3/8"-40DPC  
360A-AD-3/8"-50DPC  
360A-AD-3/8"-60DPC  
360A-AD-3/8"-70DPC  
360A-AD-3/8"-03PLMG  
360A-3/8"-SS100

Adsorption Cartridge Installed: 25-64-CC-TS

360A-AD-3/8"-CC-TS

250 PSIG Max., Float Drain

360AF-3/8"-40C  
360AF-3/8"-50C  
360AF-3/8"-60C  
360AF-3/8"-70C  
360AF-3/8"-40CS  
360AF-3/8"-50CS  
360AF-3/8"-60CS  
360AF-3/8"-70CS  
360AF-AD-3/8"-40DPC  
360AF-AD-3/8"-50DPC  
360AF-AD-3/8"-60DPC  
360AF-AD-3/8"-70DPC  
360AF-3/8"-SS100

250 PSIG Max., Float Drain, and Indicator

HN15S-4CW  
HN15S-6CW  
HN15S-8CW  
HN15S-10CW

250 PSIG Max., Float Drain, and Indicator

HN15S-4CUW  
HN15S-6CUW  
HN15S-8CUW  
HN15S-10CUW  
HN15S-4QUW  
HN15S-6QUW  
HN15S-8QUW  
HN15S-10QUW  
HN15S-100WSUW

250 PSIG Max., Float Drain, and Indicator

360AFI-3/8"-40C  
360AFI-3/8"-50C  
360AFI-3/8"-60C  
360AFI-3/8"-70C

250 PSIG Max., Float Drain, and Indicator

360AFI-3/8"-40CS  
360AFI-3/8"-50CS  
360AFI-3/8"-60CS  
360AFI-3/8"-70CS  
360AFI-AD-3/8"-40DPC  
360AFI-AD-3/8"-50DPC  
360AFI-AD-3/8"-60DPC  
360AFI-AD-3/8"-70DPC  
360AFI-3/8"-SS100

|  |   |
|--|---|
| <b>Finite® Part Number</b><br>(Aluminum Cast Head, Aluminum Drawn Body w/ Powder Painted Exterior) | <b>365A Series</b><br>UFS/Headline Part<br>(Anodized Aluminum w/ Nylon Internals) |
|--|---|

1/2" NPT, Buna-N O-Rings, 500 PSIG Max., Element Size: xx10-025

HN2S-4C  
HN2S-6C  
HN2S-8C  
HN2S-10C  
HN2S-4CU  
HN2S-6CU  
HN2S-8CU  
HN2S-10CU  
HN2S-4QU  
HN2S-6QU  
HN2S-8QU  
HN2S-10QU  
HN2S-3PU  
HN2S-100WSU

Adsorption Cartridge Installed: AU10-025

HN2S-AU

250 PSIG Max., Float Drain

HN2S-4CA  
HN2S-6CA  
HN2S-8CA  
HN2S-10CA  
HN2S-4CUA  
HN2S-6CUA  
HN2S-8CUA  
HN2S-10CUA  
HN2S-4QUA  
HN2S-6QUA  
HN2S-8QUA  
HN2S-10QUA  
HN2S-100WSUA

1/2" NPT, Buna-N O-Rings, 500 PSIG Max., Element Size 25-64-xx

365A-1/2"-40C  
365A-1/2"-50C  
365A-1/2"-60C  
365A-1/2"-70C  
365A-1/2"-40CS  
365A-1/2"-50CS  
365A-1/2"-60CS  
365A-1/2"-70CS  
365A-AD-1/2"-40DPC  
365A-AD-1/2"-50DPC  
365A-AD-1/2"-60DPC  
365A-AD-1/2"-70DPC  
365A-1/2"-03PLMG  
365A-1/2"-SS100

Adsorption Cartridge Installed: 25-64-CC-TS

365A-AD-1/2"-CC-TS

250 PSIG Max., Float Drain

365AF-1/2"-40C  
365AF-1/2"-50C  
365AF-1/2"-60C  
365AF-1/2"-70C  
365AF-1/2"-40CS  
365AF-1/2"-50CS  
365AF-1/2"-60CS  
365AF-1/2"-70CS  
365AF-AD-1/2"-40DPC  
365AF-AD-1/2"-50DPC  
365AF-AD-1/2"-60DPC  
365AF-AD-1/2"-70DPC  
365AF-1/2"-SS100



250 PSIG Max., Float Drain, and Indicator

HN2S-4CW  
HN2S-6CW  
HN2S-8CW  
HN2S-10CW  
HN2S-4CUW  
HN2S-6CUW  
HN2S-8CUW  
HN2S-10CUW  
HN2S-4QUW  
HN2S-6QUW  
HN2S-8QUW  
HN2S-10QUW  
HN2S-100WSUW

250 PSIG Max., Float Drain, and Indicator

365AFI-1/2"-40C  
365AFI-1/2"-50C  
365AFI-1/2"-60C  
365AFI-1/2"-70C  
365AFI-1/2"-40CS  
365AFI-1/2"-50CS  
365AFI-1/2"-60CS  
365AFI-1/2"-70CS  
365AFI-AD-1/2"-40DPC  
365AFI-AD-1/2"-50DPC  
365AFI-AD-1/2"-60DPC  
365AFI-AD-1/2"-70DPC  
365AFI-1/2"-SS100

|  |   |
|--|---|
| <b>Finite® Part Number</b><br>(Aluminum Cast Head, Aluminum Drawn Body w/ Powder Painted Exterior) | <b>370A Series</b><br>UFS/Headline Part<br>(Anodized Aluminum w/ Nylon Internals) |
|--|---|

1/4" NPT, Buna-N O-Rings, 500 PSIG Max., Manual Drain

Element Size: xx10-050

HN1L-4C  
HN1L-6C  
HN1L-8C  
HN1L-10C  
HN1L-4CU  
HN1L-6CU  
HN1L-8CU  
HN1L-10CU  
HN1L-4QU  
HN1L-6QU  
HN1L-8QU  
HN1L-10QU  
HN1L-3PU  
HN1L-100WSU

Adsorption Cartridge Installed: AU10-050

HN1L-AU

250 PSIG Max., Float Drain

HN1L-4CA  
HN1L-6CA  
HN1L-8CA  
HN1L-10CA  
HN1L-4CUA  
HN1L-6CUA  
HN1L-8CUA  
HN1L-10CUA  
HN1L-4QUA  
HN1L-6QUA  
HN1L-8QUA  
HN1L-10QUA  
HN1L-100WSUA

1/4" NPT, Buna-N O-Rings, 500 PSIG Max., Manual Drain

Element Size: 25-127-xx

370A-1/4"-127-40C  
370A-1/4"-127-50C  
370A-1/4"-127-60C  
370A-1/4"-127-70C  
370A-1/4"-127-40CS  
370A-1/4"-127-50CS  
370A-1/4"-127-60CS  
370A-1/4"-127-70CS  
370A-AD-1/4"-127-40DPC  
370A-AD-1/4"-127-50DPC  
370A-AD-1/4"-127-60DPC  
370A-AD-1/4"-127-70DPC  
370A-1/4"-127-03PLMG  
370A-1/4"-127-SS100

Adsorption Cartridge Installed: 25-127-CC-TS

370A-1/4"-AD-127-CC-TS

250 PSIG Max., Float Drain

370AF-1/4"-127-40C  
370AF-1/4"-127-50C  
370AF-1/4"-127-60C  
370AF-1/4"-127-70C  
370AF-1/4"-127-40CS  
370AF-1/4"-127-50CS  
370AF-1/4"-127-60CS  
370AF-1/4"-127-70CS  
370AF-AD-1/4"-127-40DPC  
370AF-AD-1/4"-127-50DPC  
370AF-AD-1/4"-127-60DPC  
370AF-AD-1/4"-127-70DPC  
370AF-1/4"-127-SS100

250 PSIG Max., Float Drain, and Indicator

HN1L-4CW  
HN1L-6CW  
HN1L-8CW  
HN1L-10CW  
HN1L-4CUW  
HN1L-6CUW  
HN1L-8CUW  
HN1L-10CUW  
HN1L-4QUW  
HN1L-6QUW  
HN1L-8QUW  
HN1L-10QUW  
HN1L-100WSUW

250 PSIG Max., Float Drain, and Indicator

370AFI-1/4"-127-40C  
370AFI-1/4"-127-50C  
370AFI-1/4"-127-60C  
370AFI-1/4"-127-60C  
370AFI-1/4"-127-40CS  
370AFI-1/4"-127-50CS  
370AFI-1/4"-127-60CS  
370AFI-1/4"-127-70CS  
370AFI-AD-1/4"-127-40DPC  
370AFI-AD-1/4"-127-50DPC  
370AFI-AD-1/4"-127-60DPC  
370AFI-AD-1/4"-127-70DPC  
370AFI-1/4"-127-SS100

|  |  |
|--|--|
| <b>Finite® Part Number</b><br>(Aluminum Cast Head, Aluminum Drawn Body w/ Powder Painted Exterior) | <b>370A-3/8" Series</b><br>UFS/Headline Part<br>(Anodized Aluminum w/ Nylon Internals) |
|--|--|

3/8" NPT, Buna-N O-Rings, 500 PSIG Max., Manual Drain

Element Size: xx10-050

HN15L-4C  
HN15L-6C  
HN15L-8C  
HN15L-10C  
HN15L-4CU  
HN15L-6CU  
HN15L-8CU  
HN15L-10CU  
HN15L-4QU  
HN15L-6QU  
HN15L-8QU  
HN15L-10QU  
HN15L-3PU  
HN15L-100WSU

Adsorption Cartridge Installed: AU10-050

HN15L-AU

250 PSIG Max., Float Drain

HN15L-4CA  
HN15L-6CA  
HN15L-8CA  
HN15L-10CA  
HN15L-4CUA  
HN15L-6CUA  
HN15L-8CUA  
HN15L-10CUA  
HN15L-4QUA  
HN15L-6QUA  
HN15L-8QUA  
HN15L-10QUA  
HN15L-100WSUA

3/8" NPT, Buna-N O-Rings, 500 PSIG Max., Manual Drain

Element Size: 25-127-xx

370A-3/8"-127-40C  
370A-3/8"-127-50C  
370A-3/8"-127-60C  
370A-3/8"-127-70C  
370A-3/8"-127-40CS  
370A-3/8"-127-50CS  
370A-3/8"-127-60CS  
370A-3/8"-127-70CS  
370A-AD-3/8"-127-40DPC  
370A-AD-3/8"-127-50DPC  
370A-AD-3/8"-127-60DPC  
370A-AD-3/8"-127-70DPC  
370A-3/8"-127-03PLMG  
370A-3/8"-127-SS100

Adsorption Cartridge Installed: 25-127-CC-TS

370A-AD-3/8"-127-CC-TS

250 PSIG Max., Float Drain

370AF-3/8"-127-40C  
370AF-3/8"-127-50C  
370AF-3/8"-127-60C  
370AF-3/8"-128-70C  
370AF-3/8"-127-40CS  
370AF-3/8"-127-50CS  
370AF-3/8"-127-60CS  
370AF-3/8"-127-70CS  
370AF-AD-3/8"-127-40DPC  
370AF-AD-3/8"-127-50DPC  
370AF-AD-3/8"-127-60DPC  
370AF-AD-3/8"-127-70DPC  
370AF-3/8"-127-SS100

250 PSIG Max., Float Drain, and Indicator

HN15L-4CW  
 HN15L-6CW  
 HN15L-8CW  
 HN15L-10CW  
 HN15L-4CUW  
 HN15L-6CUW  
 HN15L-8CUW  
 HN15L-10CUW  
 HN15L-4QUW  
 HN15L-6QUW  
 HN15L-8QUW  
 HN15L-10QUW  
 HN15L-100WSUW

250 PSIG Max., Float Drain, and Indicator

370AFI-3/8"-127-40C  
 370AFI-3/8"-127-50C  
 370AFI-3/8"-127-60C  
 370AFI-3/8"-127-60C  
 370AFI-3/8"-127-40CS  
 370AFI-3/8"-127-50CS  
 370AFI-3/8"-127-60CS  
 370AFI-3/8"-127-70CS  
 370AFI-AD-3/8"-127-40DPC  
 370AFI-AD-3/8"-127-50DPC  
 370AFI-AD-3/8"-127-60DPC  
 370AFI-AD-3/8"-127-70DPC  
 370AFI-3/8"-127-SS100

|  |   |
|--|---|
| <b>Finite® Part Number</b><br>(Aluminum Cast Head, Aluminum Drawn Body w/ Powder Painted Exterior) | <b>375A Series</b><br>UFS/Headline Part<br>(Anodized Aluminum w/ Nylon Internals) |
|--|---|

1/2" NPT, Buna-N O-Rings, 500 PSIG Max., Manual Drain

Element Size: xx10-050

HN2L-4C  
 HN2L-6C  
 HN2L-8C  
 HN2L-10C  
 HN2L-4CU  
 HN2L-6CU  
 HN2L-8CU  
 HN2L-10CU  
 HN2L-4QU  
 HN2L-6QU  
 HN2L-8QU  
 HN2L-10QU  
 HN2L-3PU  
 HN2L-100WSU

Adsorption Cartridge Installed: AU10-050

HN2L-AU

250 PSIG Max., Float Drain

HN2L-4CA  
 HN2L-6CA  
 HN2L-8CA  
 HN2L-10CA  
 HN2L-4CUA  
 HN2L-6CUA  
 HN2L-8CUA  
 HN2L-10CUA  
 HN2L-4QUA  
 HN2L-6QUA  
 HN2L-8QUA  
 HN2L-10QUA  
 HN2L-100WSUA

1/2" NPT, Buna-N O-Rings, 500 PSIG Max., Manual Drain

Element Size: 25-127-xx

375A-1/2"-127-40C  
 375A-1/2"-127-50C  
 375A-1/2"-127-60C  
 375A-1/2"-127-70C  
 375A-1/2"-127-40CS  
 375A-1/2"-127-50CS  
 375A-1/2"-127-60CS  
 375A-1/2"-127-70CS  
 375A-AD-1/2"-127-40DPC  
 375A-AD-1/2"-127-50DPC  
 375A-AD-1/2"-127-60DPC  
 375A-AD-1/2"-127-70DPC  
 375A-1/2"-127-03PL  
 375A-1/2"-127-SS100

Adsorption Cartridge Installed: 25-127-CC-TS

375A-AD-1/2"-127-CC-TS

250 PSIG Max., Float Drain

375AF-1/2"-127-40C  
 375AF-1/2"-127-50C  
 375AF-1/2"-127-60C  
 375AF-1/2"-128-70C  
 375AF-1/2"-127-40CS  
 375AF-1/2"-127-50CS  
 375AF-1/2"-127-60CS  
 375AF-1/2"-127-70CS  
 375AF-AD-1/2"-127-40DPC  
 375AF-AD-1/2"-127-50DPC  
 375AF-AD-1/2"-127-60DPC  
 375AF-AD-1/2"-127-70DPC  
 375AF-1/2"-127-SS100

250 PSIG Max., Float Drain, and Indicator

HN2L-4CW  
HN2L-6CW  
HN2L-8CW  
HN2L-10CW  
HN2L-4CUW  
HN2L-6CUW  
HN2L-8CUW  
HN2L-10CUW  
HN2L-4QUW  
HN2L-6QUW  
HN2L-8QUW  
HN2L-10QUW  
HN2L-100WSUW

250 PSIG Max., Float Drain, and Indicator

375AFI-1/2"-127-40C  
375AFI-1/2"-127-50C  
375AFI-1/2"-127-60C  
375AFI-1/2"-127-60C  
375AFI-1/2"-127-40CS  
375AFI-1/2"-127-50CS  
375AFI-1/2"-127-60CS  
375AFI-1/2"-127-70CS  
375AFI-AD-1/2"-127-40DPC  
375AFI-AD-1/2"-127-50DPC  
375AFI-AD-1/2"-127-60DPC  
375AFI-AD-1/2"-127-70DPC  
375AFI-1/2"-127-SS100

|  |   |
|--|---|
| <b>Finite® Part Number</b><br>(Aluminum Cast Head, Aluminum Drawn Body w/ Powder Painted Exterior) | <b>380AHP Series</b><br>UFS/Headline Part<br>(Anodized Aluminum w/ Nylon Internals) |
|--|---|

3/4" NPT, Buna-N O-Rings, 500 PSIG Max.

Element Size: xx15-060

HN3S-4C  
HN3S-6C  
HN3S-8C  
HN3S-10C  
HN3S-4CU  
HN3S-6CU  
HN3S-8CU  
HN3S-10CU  
HN3S-4QU  
HN3S-6QU  
HN3S-8QU  
HN3S-10QU  
HN3S-3PU  
HN3S-100WSU

Adsorption Cartridge Installed: AU15-060

HN3S-AU

250 PSIG Max., Float Drain

HN3S-4CA  
HN3S-6CA  
HN3S-8CA  
HN3S-10CA  
HN3S-4CUA  
HN3S-6CUA  
HN3S-8CUA  
HN3S-10CUA  
HN3S-4QUA  
HN3S-6QUA  
HN3S-8QUA  
HN3S-10QUA  
HN3S-100WSUA

3/4" NPT, Buna-N O-Rings, 1500 PSIG Max.

Element Size: 38-152-xx-DOE

380AHP-3/4"-40C-DOE  
380AHP-3/4"-50C-DOE  
380AHP-3/4"-60C-DOE  
380AHP-3/4"-70C-DOE  
380AHP-3/4"-40CS-DOE  
380AHP-3/4"-50CS-DOE  
380AHP-3/4"-60CS-DOE  
380AHP-3/4"-70CS-DOE  
380AHP-AD-3/4"-40DPC  
380AHP-AD-3/4"-50DPC  
380AHP-AD-3/4"-60DPC  
380AHP-AD-3/4"-70DPC  
380AHP-3/4"-03PLMG  
380AHP-3/4"-SS100

Adsorption Cartridge Installed: 38-152-CC-TS

380AHP-AD-3/4"-CC-TS

250 PSIG Max., Float Drain

380AHPF-3/4"-40C-DOE  
380AHPF-3/4"-50C-DOE  
380AHPF-3/4"-60C-DOE  
380AHPF-3/4"-70C-DOE  
380AHPF-3/4"-40CS-DOE  
380AHPF-3/4"-50CS-DOE  
380AHPF-3/4"-60CS-DOE  
380AHPF-3/4"-70CS-DOE  
380AHPF-AD-3/4"-40DPC  
380AHPF-AD-3/4"-50DPC  
380AHPF-AD-3/4"-60DPC  
380AHPF-AD-3/4"-70DPC  
380AHPF-3/4"-SS100

250 PSIG Max., Float Drain, and Indicator

HN3S-4CY  
HN3S-6CY  
HN3S-8CY  
HN3S-10CY  
HN3S-4CUY  
HN3S-6CUY  
HN3S-8CUY  
HN3S-10CUY  
HN3S-4QUY  
HN3S-6QUY  
HN3S-8QUY  
HN3S-10QUY  
HN3S-100WSUY

250 PSIG Max., Float Drain, and Indicator

380AHPFVDI-3/4"-40C-DOE  
380AHPFVDI-3/4"-50C-DOE  
380AHPFVDI-3/4"-60C-DOE  
380AHPFVDI-3/4"-70C-DOE  
380AHPFVDI-3/4"-40CS-DOE  
380AHPFVDI-3/4"-50CS-DOE  
380AHPFVDI-3/4"-60CS-DOE  
380AHPFVDI-3/4"-70CS-DOE  
380AHPFVDI-AD-3/4"-40DPC  
380AHPFVDI-AD-3/4"-50DPC  
380AHPFVDI-AD-3/4"-60DPC  
380AHPFVDI-AD-3/4"-70DPC  
380AHPFVDI-3/4"-SS100

Finite® Part Number

(Aluminum Cast Head, Aluminum Drawn Body w/ Powder Painted Exterior)

383AHP Series

UFS/Headline Part  
(Anodized Aluminum w/ Nylon Internals)

1" NPT, Buna-N O-Rings, 500 PSIG Max.

Element Size: xx15-060

HN4S-4C  
HN4S-6C  
HN4S-8C  
HN4S-10C  
HN4S-4CU  
HN4S-6CU  
HN4S-8CU  
HN4S-10CU  
HN4S-4QU  
HN4S-6QU  
HN4S-8QU  
HN4S-10QU  
HN4S-3PU  
HN4S-100WSU

Adsorption Cartridge Installed: AU15-060

HN4S-AU

250 PSIG Max., Float Drain

HN4S-4CA  
HN4S-6CA  
HN4S-8CA  
HN4S-10CA  
HN4S-4CUA  
HN4S-6CUA  
HN4S-8CUA  
HN4S-10CUA  
HN4S-4QUA  
HN4S-6QUA  
HN4S-8QUA  
HN4S-10QUA  
HN4S-100WSU

1" NPT, Buna-N O-Rings, 1500 PSIG Max.

Element Size: 38-152-xx-DOE

383AHP-1"-40C-DOE  
383AHP-1"-50C-DOE  
383AHP-1"-60C-DOE  
383AHP-1"-70C-DOE  
383AHP-1"-40CS-DOE  
383AHP-1"-50CS-DOE  
383AHP-1"-60CS-DOE  
383AHP-1"-70CS-DOE  
383AHP-AD-1"-40DPC  
383AHP-AD-1"-50DPC  
383AHP-AD-1"-60DPC  
383AHP-AD-1"-70DPC  
383AHP-1"-03PLMG  
383AHP-1"-SS100

Adsorption Cartridge Installed: 38-152-CC-TS

383AHP-AD-1"-CC-TS

250 PSIG Max., Float Drain

383AHPF-1"-40C-DOE  
383AHPF-1"-50C-DOE  
383AHPF-1"-60C-DOE  
383AHPF-1"-70C-DOE  
383AHPF-1"-40CS-DOE  
383AHPF-1"-50CS-DOE  
383AHPF-1"-60CS-DOE  
383AHPF-1"-70CS-DOE  
383AHPF-AD-1"-40DPC  
383AHPF-AD-1"-50DPC  
383AHPF-AD-1"-60DPC  
383AHPF-AD-1"-70DPC  
383AHPF-1"-SS100

250 PSIG Max., Float Drain, and Indicator

HN4S-4CY  
HN4S-6CY  
HN4S-8CY  
HN4S-10CY  
HN4S-4CUY  
HN4S-6CUY  
HN4S-8CUY  
HN4S-10CUY  
HN4S-4QUY  
HN4S-6QUY  
HN4S-8QUY  
HN4S-10QUY  
HN4S-100WSUY

250 PSIG Max., Float Drain, and Indicator

383AHPFVDI-1"-40C-DOE  
383AHPFVDI-1"-50C-DOE  
383AHPFVDI-1"-60C-DOE  
383AHPFVDI-1"-70C-DOE  
383AHPFVDI-1"-40CS-DOE  
383AHPFVDI-1"-50CS-DOE  
383AHPFVDI-1"-60CS-DOE  
383AHPFVDI-1"-70CS-DOE  
383AHPFVDI-AD-1"-40DPC  
383AHPFVDI-AD-1"-50DPC  
383AHPFVDI-AD-1"-60DPC  
383AHPFVDI-AD-1"-70DPC  
383AHPFVDI-1"-SS100

|  |   |
|--|---|
| <b>Finite® Part Number</b><br>(Aluminum Cast Head, Aluminum Drawn Body w/ Powder Painted Exterior) | <b>383AHP-241 Series</b><br>UFS/Headline Part<br>(Anodized Aluminum w/ Nylon Internals) |
|--|---|

1" NPT, Buna-N O-Rings, 500 PSIG Max.

Element Size: xx15-095

HN4L-4C  
HN4L-6C  
HN4L-8C  
HN4L-10C  
HN4L-4CU  
HN4L-6CU  
HN4L-8CU  
HN4L-10CU  
HN4L-4QU  
HN4L-6QU  
HN4L-8QU  
HN4L-10QU  
HN4L-3PU  
HN4L-100WSU

Adsorption Cartridge Installed: AU15-095

HN4L-AU

250 PSIG Max., Float Drain

HN4L-4CA  
HN4L-6CA  
HN4L-8CA  
HN4L-10CA  
HN4L-4CUA  
HN4L-6CUA  
HN4L-8CUA  
HN4L-10CUA  
HN4L-4QUA  
HN4L-6QUA  
HN4L-8QUA  
HN4L-10QUA  
HN4L-100WSUA

1" NPT, Buna-N O-Rings, 1500 PSIG Max.

Element Size: 38-241-xx

383AHP-241-1"-40C  
383AHP-241-1"-50C  
383AHP-241-1"-60C  
383AHP-241-1"-70C  
383AHP-241-1"-40CS  
383AHP-241-1"-50CS  
383AHP-241-1"-60CS  
383AHP-241-1"-70CS  
383AHP-241-1"-40DPC  
383AHP-241-1"-50DPC  
383AHP-241-1"-60DPC  
383AHP-241-1"-70DPC  
383AHP-241-1"-03PLMG  
383AHP-241-1"-SS100

Adsorption Cartridge Installed: 38-241-CC-TS

383AHP-241-AD-1"-CC-TS

250 PSIG Max., Float Drain

383AHPF-241-1"-40C-DOE  
383AHPF-241-1"-50C-DOE  
383AHPF-241-1"-60C-DOE  
383AHPF-241-1"-70C-DOE  
383AHPF-241-1"-40CS-DOE  
383AHPF-241-1"-50CS-DOE  
383AHPF-241-1"-60CS-DOE  
383AHPF-241-1"-70CS-DOE  
383AHPF-241-1"-40DPC  
383AHPF-241-1"-50DPC  
383AHPF-241-1"-60DPC  
383AHPF-241-1"-70DPC  
383AHPF-241-1"-SS100

250 PSIG Max., Float Drain, and Indicator

HN4L-4CY  
HN4L-6CY  
HN4L-8CY  
HN4L-10CY  
HN4L-4CUY  
HN4L-6CUY  
HN4L-8CUY  
HN4L-10CUY  
HN4L-4QUY  
HN4L-6QUY  
HN4L-8QUY  
HN4L-10QUY  
HN4L-100WSUY

250 PSIG Max., Float Drain, and Indicator

383AHPFVDI-241-1"-40C-DOE  
383AHPFVDI-241-1"-50C-DOE  
383AHPFVDI-241-1"-60C-DOE  
383AHPFVDI-241-1"-70C-DOE  
383AHPFVDI-241-1"-40CS-DOE  
383AHPFVDI-241-1"-50CS-DOE  
383AHPFVDI-241-1"-60CS-DOE  
383AHPFVDI-241-1"-70CS-DOE  
383AHPFVDI-241-1"-40DCP  
383AHPFVDI-241-1"-50DCP  
383AHPFVDI-241-1"-60DCP  
383AHPFVDI-241-1"-70DCP  
383AHPFVDI-241-1"-SS100

|  |  |
|--|--|
| <b>Finite® Part Number</b><br>(Aluminum Cast Head, Aluminum Drawn Body w/ Powder Painted Exterior) | <b>385AHP Series (1 1/4" NPT)</b><br>UFS/Headline Part<br>(Anodized Aluminum w/ Nylon Internals) |
|--|--|

1 1/4" NPT, Buna-N O-Rings, 500 PSIG Max.

Element Size: xx25-130

Elements Are Not Interchangeable

HN5S-4C  
HN5S-6C  
HN5S-8C  
HN5S-10C  
HN5S-4CU  
HN5S-6CU  
HN5S-8CU  
HN5S-10CU  
HN5S-4QU  
HN5S-6QU  
HN5S-8QU  
HN5S-10QU  
HN5S-3PU  
HN5S-100WSU

1 1/4" NPT, Buna-N O-Rings, 1000 PSIG Max.

Element Size: 51-230-xx

Elements Are Not Interchangeable

385AHP-1-1/4"-40C  
385AHP-1-1/4"-50C  
385AHP-1-1/4"-60C  
385AHP-1-1/4"-70C  
385AHP-1-1/4"-40CS  
385AHP-1-1/4"-50CS  
385AHP-1-1/4"-60CS  
385AHP-1-1/4"-70CS  
385AHP-AD-1-1/4"-40DPC  
385AHP-AD-1-1/4"-50DPC  
385AHP-AD-1-1/4"-60DPC  
385AHP-AD-1-1/4"-70DPC  
385AHP-AD-1-1/4"-03PLMG  
385AHP-1-1/4"-SS100

1 1/4" NPT, Buna-N O-Rings, 250 PSIG Max., Float Drain

Elements Are Not Interchangeable

HN5S-4CA  
HN5S-6CA  
HN5S-8CA  
HN5S-10CA  
HN5S-4CUA  
HN5S-6CUA  
HN5S-8CUA  
HN5S-10CUA  
HN5S-4QUA  
HN5S-6QUA  
HN5S-8QUA  
HN5S-10QUA  
HN5S-100WSUA

1 1/4" NPT, Buna-N O-Rings, 250 PSIG Max., Float Drain

Elements Are Not Interchangeable

385AHPF-1-1/4"-40C-DOE  
385AHPF-1-1/4"-50C-DOE  
385AHPF-1-1/4"-60C-DOE  
385AHPF-1-1/4"-70C-DOE  
385AHPF-1-1/4"-40CS-DOE  
385AHPF-1-1/4"-50CS-DOE  
385AHPF-1-1/4"-60CS-DOE  
385AHPF-1-1/4"-70CS-DOE  
385AHPF-AD-1-1/4"-40DPC  
385AHPF-AD-1-1/4"-50DPC  
385AHPF-AD-1-1/4"-60DPC  
385AHPF-AD-1-1/4"-70DPC  
385AHPF-1-1/4"-SS100

1 1/4" NPT, Buna-N O-Rings, 250 PSIG Max.,

Float Drain, and Indicator, Elements Are Not Interchangeable

- HN5S-4CY
- HN5S-6CY
- HN5S-8CY
- HN5S-10CY
- HN5S-4CUY
- HN5S-6CUY
- HN5S-8CUY
- HN5S-10CUY
- HN5S-4QUY
- HN5S-6QUY
- HN5S-8QUY
- HN5S-10QUY
- HN5S-100WSUY

1 1/4" NPT, Buna-N O-Rings, 250 PSIG Max.,

Float Drain, and Indicator, Elements Are Not Interchangeable

- 385AHPFVDI-1-1/4"-40C-DOE
- 385AHPFVDI-1-1/4"-50C-DOE
- 385AHPFVDI-1-1/4"-60C-DOE
- 385AHPFVDI-1-1/4"-70C-DOE
- 385AHPFVDI-1-1/4"-40CS-DOE
- 385AHPFVDI-1-1/4"-50CS-DOE
- 385AHPFVDI-1-1/4"-60CS-DOE
- 385AHPFVDI-1-1/4"-70CS-DOE
- 385AHPFVDI-AD-1-1/4"-40DPC
- 385AHPFVDI-AD-1-1/4"-50DPC
- 385AHPFVDI-AD-1-1/4"-60DPC
- 385AHPFVDI-AD-1-1/4"-70DPC
- 385AHPFVDI-1-1/4"-SS100

**Finite® Part Number**

(Aluminum Cast Head, Aluminum Drawn Body w/ Powder Painted Exterior)

**385AHP Series (1 1/2" NPT)**

UFS/Headline Part  
(Anodized Aluminum w/ Nylon Internals)

1 1/2" NPT, Buna-N O-Rings, 500 PSIG Max.

Element Size: xx25-130, Elements Are Not Interchangeable

- HN6S-4C
- HN6S-6C
- HN6S-8C
- HN6S-10C
- HN6S-4CU
- HN6S-6CU
- HN6S-8CU
- HN6S-10CU
- HN6S-4QU
- HN6S-6QU
- HN6S-8QU
- HN6S-10QU
- HN6S-3PU
- HN6S-100WSU

1 1/2" NPT, Buna-N O-Rings, 1000 PSIG Max.

Element Size: 51-230-xx, Elements Are Not Interchangeable

- 385AHP-1-1/2"-40C
- 385AHP-1-1/2"-50C
- 385AHP-1-1/2"-60C
- 385AHP-1-1/2"-70C
- 385AHP-1-1/2"-40CS
- 385AHP-1-1/2"-50CS
- 385AHP-1-1/2"-60CS
- 385AHP-1-1/2"-70CS
- 385AHP-AD-1-1/2"-40DPC
- 385AHP-AD-1-1/2"-50DPC
- 385AHP-AD-1-1/2"-60DPC
- 385AHP-AD-1-1/2"-70DPC
- 385AHP-AD-1-1/2"-03PLMG
- 385AHP-1-1/2"-SS100

1 1/2" NPT, Buna-N O-Rings, 250 PSIG Max., Float Drain

Elements Are Not Interchangeable

- HN6S-4CA
- HN6S-6CA
- HN6S-8CA
- HN6S-10CA
- HN6S-4CUA
- HN6S-6CUA
- HN6S-8CUA
- HN6S-10CUA
- HN6S-4QUA
- HN6S-6QUA
- HN6S-8QUA
- HN6S-10QUA
- HN6S-100WSUA

1 1/2" NPT, Buna-N O-Rings, 250 PSIG Max., Float Drain

Elements Are Not Interchangeable

- 385AHPF-1-1/2"-40C
- 385AHPF-1-1/2"-50C
- 385AHPF-1-1/2"-60C
- 385AHPF-1-1/2"-70C
- 385AHPF-1-1/2"-40CS
- 385AHPF-1-1/2"-50CS
- 385AHPF-1-1/2"-60CS
- 385AHPF-1-1/2"-70CS
- 385AHPF-AD-1-1/2"-40DPC
- 385AHPF-AD-1-1/2"-50DPC
- 385AHPF-AD-1-1/2"-60DPC
- 385AHPF-AD-1-1/2"-70DPC
- 385AHPF-1-1/2"-SS100



1 1/2" NPT, Buna-N O-Rings, 250 PSIG Max.,

Float Drain, and Indicator, Elements Are Not Interchangeable

- HN6S-4CY
- HN6S-6CY
- HN6S-8CY
- HN6S-10CY
- HN6S-4CUY
- HN6S-6CUY
- HN6S-8CUY
- HN6S-10CUY
- HN6S-4QUY
- HN6S-6QUY
- HN6S-8QUY
- HN6S-10QUY
- HN6S-100WSUY

1 1/2" NPT, Buna-N O-Rings, 250 PSIG Max.,

Float Drain, and Indicator, Elements Are Not Interchangeable

- 385AHPFVDI-1-1/2"-40C
- 385AHPFVDI-1-1/2"-50C
- 385AHPFVDI-1-1/2"-60C
- 385AHPFVDI-1-1/2"-70C
- 385AHPFVDI-1-1/2"-40CS
- 385AHPFVDI-1-1/2"-50CS
- 385AHPFVDI-1-1/2"-60CS
- 385AHPFVDI-1-1/2"-70CS
- 385AHPFVDI-AD-1-1/2"-40DPC
- 385AHPFVDI-AD-1-1/2"-50DPC
- 385AHPFVDI-AD-1-1/2"-60DPC
- 385AHPFVDI-AD-1-1/2"-70DPC
- 385AHPFVDI-1-1/2"-SS100

**Finite® Part Number**

(Aluminum Cast Head, Aluminum Drawn Body w/ Powder Painted Exterior)

**385AHP Series (2" NPT)**

UFS/Headline Part  
(Anodized Aluminum w/ Nylon Internals)

2" NPT, Buna-N O-Rings, 500 PSIG Max.

Element Size: xx25-130, Elements Are Not Interchangeable

- HN8E-4C
- HN8E-6C
- HN8E-8C
- HN8E-10C
- HN8E-4CU
- HN8E-6CU
- HN8E-8CU
- HN8E-10CU
- HN8E-4QU
- HN8E-6QU
- HN8E-8QU
- HN8E-10QU
- HN8E-3PU
- HN8E-100WSU

2" NPT, Buna-N O-Rings, 1000 PSIG Max.

Element Size: 51-230-xx, Elements Are Not Interchangeable

- 385AHP-2"-40C
- 385AHP-2"-50C
- 385AHP-2"-60C
- 385AHP-2"-70C
- 385AHP-2"-40CS
- 385AHP-2"-50CS
- 385AHP-2"-60CS
- 385AHP-2"-70CS
- 385AHP-AD-2"-40DPC
- 385AHP-AD-2"-50DPC
- 385AHP-AD-2"-60DPC
- 385AHP-AD-2"-70DPC
- 385AHP-AD-2"-03PLMG
- 385AHP-2"-SS100

2" NPT, Buna-N O-Rings, 250 PSIG Max., Float Drain

Elements Are Not Interchangeable

- HN8E-4CA
- HN8E-6CA
- HN8E-8CA
- HN8E-10CA
- HN8E-4CUA
- HN8E-6CUA
- HN8E-8CUA
- HN8E-10CUA
- HN8E-4QUA
- HN8E-6QUA
- HN8E-8QUA
- HN8E-10QUA
- HN8E-100WSUA

2" NPT, Buna-N O-Rings, 250 PSIG Max., Float Drain

Elements Are Not Interchangeable

- 385AHPF-2"-40C
- 385AHPF-2"-50C
- 385AHPF-2"-60C
- 385AHPF-2"-70C
- 385AHPF-2"-40CS
- 385AHPF-2"-50CS
- 385AHPF-2"-60CS
- 385AHPF-2"-70CS
- 385AHPF-AD-2"-40DPC
- 385AHPF-AD-2"-50DPC
- 385AHPF-AD-2"-60DPC
- 385AHPF-AD-2"-70DPC
- 385AHPF-2"-SS100

2" NPT, Buna-N O-Rings, 250 PSIG Max.,

Float Drain, and Indicator, Elements Are Not Interchangeable

- HN8E-4CY
- HN8E-6CY
- HN8E-8CY
- HN8E-10CY
- HN8E-4CUY
- HN8E-6CUY
- HN8E-8CUY
- HN8E-10CUY
- HN8E-4QUY
- HN8E-6QUY
- HN8E-8QUY
- HN8E-10QUY
- HN8E-100WSUY

2" NPT, Buna-N O-Rings, 250 PSIG Max.,

Float Drain, and Indicator, Elements Are Not Interchangeable

- 385AHPFVDI-2"-40C
- 385AHPFVDI-2"-50C
- 385AHPFVDI-2"-60C
- 385AHPFVDI-2"-70C
- 385AHPFVDI-2"-40CS
- 385AHPFVDI-2"-50CS
- 385AHPFVDI-2"-60CS
- 385AHPFVDI-2"-70CS
- 385AHPFVDI-AD-2"-40DPC
- 385AHPFVDI-AD-2"-50DPC
- 385AHPFVDI-AD-2"-60DPC
- 385AHPFVDI-AD-2"-70CS-03PLMG
- 385AHPFVDI-2"-SS100

**Finite® Part Number**

(Aluminum Cast Head, Aluminum Drawn Body w/ Powder Painted Exterior)

**385AHP Series (2" NPT)**

UFS/Headline Part  
(Anodized Aluminum w/ Nylon Internals)

2" NPT, Buna-N O-Rings, 500 PSIG Max.

Element Size: xx25-187, Elements Are Not Interchangeable

- HN8S-4C
- HN8S-6C
- HN8S-8C
- HN8S-10C
- HN8S-4CU
- HN8S-6CU
- HN8S-8CU
- HN8S-10CU
- HN8S-4QU
- HN8S-6QU
- HN8S-8QU
- HN8S-10QU
- HN8S-3PU
- HN8S-100WSU

2" NPT, Buna-N O-Rings, 1000 PSIG Max.

Element Size: 51-230-xx, Elements Are Not Interchangeable

- 385AHP-2"-40C
- 385AHP-2"-50C
- 385AHP-2"-60C
- 385AHP-2"-70C
- 385AHP-2"-40CS
- 385AHP-2"-50CS
- 385AHP-2"-60CS
- 385AHP-2"-70CS
- 385AHP-AD-2"-40DPC
- 385AHP-AD-2"-50DPC
- 385AHP-AD-2"-60DPC
- 385AHP-AD-2"-70DPC
- 385AHP-AD-2"-03PLMG
- 385AHP-2"-SS100

2" NPT, Buna-N O-Rings, 250 PSIG Max., Float Drain

Elements Are Not Interchangeable

- HN8S-4CA
- HN8S-6CA
- HN8S-8CA
- HN8S-10CA
- HN8S-4CUA
- HN8S-6CUA
- HN8S-8CUA
- HN8S-10CUA
- HN8S-4QUA
- HN8S-6QUA
- HN8S-8QUA
- HN8S-10QUA
- HN8S-100WSUA

2" NPT, Buna-N O-Rings, 250 PSIG Max., Float Drain

Elements Are Not Interchangeable

- 385AHPF-2"-40C
- 385AHPF-2"-50C
- 385AHPF-2"-60C
- 385AHPF-2"-70C
- 385AHPF-2"-40CS
- 385AHPF-2"-50CS
- 385AHPF-2"-60CS
- 385AHPF-2"-70CS
- 385AHPF-AD-2"-40DPC
- 385AHPF-AD-2"-50DPC
- 385AHPF-AD-2"-60DPC
- 385AHPF-2"-70CS-03PLMG
- 385AHPF-2"-SS100

2" NPT, Buna-N O-Rings, 250 PSIG Max.,

Float Drain, and Indicator, Elements Are Not Interchangeable

- HN8S-4CY
- HN8S-6CY
- HN8S-8CY
- HN8S-10CY
- HN8S-4CUY
- HN8S-6CUY
- HN8S-8CUY
- HN8S-10CUY
- HN8S-4QUY
- HN8S-6QUY
- HN8S-8QUY
- HN8S-10QUY
- HN8S-100WSUY

2" NPT, Buna-N O-Rings, 250 PSIG Max.,

Float Drain, and Indicator, Elements Are Not Interchangeable

- 385AHPFVDI-2"-40C
- 385AHPFVDI-2"-50C
- 385AHPFVDI-2"-60C
- 385AHPFVDI-2"-70C
- 385AHPFVDI-2"-40CS
- 385AHPFVDI-2"-50CS
- 385AHPFVDI-2"-60CS
- 385AHPFVDI-2"-70CS
- 385AHPFVDI-AD-2"-40DPC
- 385AHPFVDI-AD-2"-50DPC
- 385AHPFVDI-AD-2"-60DPC
- 385AHPFVDI-AD-2"-70DPC
- 385AHPFVDI-2"-SS100

**Finite® Part Number**

(Aluminum Cast Head, Aluminum Drawn Body w/ Powder Painted Exterior)

**390AHP Series**

UFS/Headline Part  
(Anodized Aluminum w/ Nylon Internals)

2" NPT, Buna-N O-Rings, 500 PSIG Max.

Element Size: xx25-235, Elements Are Not Interchangeable

- HN8L-4C
- HN8L-6C
- HN8L-8C
- HN8L-10C
- HN8L-4CU
- HN8L-6CU
- HN8L-8CU
- HN8L-10CU
- HN8L-4QU
- HN8L-6QU
- HN8L-8QU
- HN8L-10QU
- HN8L-3PU
- HN8L-100WSU

2" NPT, Buna-N O-Rings, 1000 PSIG Max.

Element Size: 51-476-xx, Elements Are Not Interchangeable

- 390AHP-40C
- 390AHP-50C
- 390AHP-60C
- 390AHP-70C
- 390AHP-40CS
- 390AHP-50CS
- 390AHP-60CS
- 390AHP-70CS
- 390AHP-AD-40DPC
- 390AHP-AD-50DPC
- 390AHP-AD-60DPC
- 390AHP-AD-70DPC
- 390AHP-03PLMG-B
- 390AHP-SS100

2" NPT, Buna-N O-Rings, 250 PSIG Max., Float Drain

Elements Are Not Interchangeable

- HN8L-4CA
- HN8L-6CA
- HN8L-8CA
- HN8L-10CA
- HN8L-4CUA
- HN8L-6CUA
- HN8L-8CUA
- HN8L-10CUA
- HN8L-4QUA
- HN8L-6QUA
- HN8L-8QUA
- HN8L-10QUA
- HN8L-100WSUA

2" NPT, Buna-N O-Rings, 250 PSIG Max., Float Drain

Elements Are Not Interchangeable

- 390AHPF-40C
- 390AHPF-50C
- 390AHPF-60C
- 390AHPF-70C
- 390AHPF-40CS
- 390AHPF-50CS
- 390AHPF-60CS
- 390AHPF-70CS
- 390AHPF-AD-40DPC
- 390AHPF-AD-50DPC
- 390AHPF-AD-60DPC
- 390AHPF-AD-70DPC
- 390AHPF-SS100

2" NPT, Buna-N O-Rings, 250 PSIG Max.,

Float Drain, and Indicator

Elements Are Not Interchangeable

HN8L-4CY  
HN8L-6CY  
HN8L-8CY  
HN8L-10CY  
HN8L-4CUY  
HN8L-6CUY  
HN8L-8CUY  
HN8L-10CUY  
HN8L-4QUY  
HN8L-6QUY  
HN8L-8QUY  
HN8L-10QUY  
HN8L-100WSUY

2" NPT, Buna-N O-Rings, 250 PSIG Max.,

Float Drain, and Indicator

Elements Are Not Interchangeable

390AHPFVDI-40C  
390AHPFVDI-50C  
390AHPFVDI-60C  
390AHPFVDI-70C  
390AHPFVDI-40CS  
390AHPFVDI-50CS  
390AHPFVDI-60CS  
390AHPFVDI-70CS  
390AHPFVDI-AD-40DPC  
390AHPFVDI-AD-50DPC  
390AHPFVDI-AD-60DPC  
390AHPFVDI-AD-70DPC  
390AHPFVDI-SS100

## Dual Stage Aluminum Filter Assemblies

Filter Housings are an alternative but Elements are not interchangeable.

Other O-Rings including Perfluoroelastomer are readily available.

**Finite® Part Number**  
(Aluminum Cast Head & Bowl  
w/ Powder Painted Exterior)

**360A Series**  
UFS/Headline Part  
(Anodized Aluminum w/ Nylon Internals)

1/4" NPT, Buna-N O-Rings, 500 PSIG Max.

BAN1L-4CUN  
BAN1L-4QUN  
BAN1L-6CUN  
BAN1L-6QUN

250 PSIG Max., Float Drain

BAN1L-4CUA  
BAN1L-4QUA  
BAN1L-6CUA  
BAN1L-6QUA

250 PSIG Max., Indicator

BAN1L-4CUD  
BAN1L-4QUD  
BAN1L-6CUD  
BAN1L-6QUD

250 PSIG Max., Float Drain, and Indicator

BAN1L-4CUW  
BAN1L-4QUW  
BAN1L-6CUW  
BAN1L-6QUW

1/4" NPT, Buna-N O-Rings, 500 PSIG Max.

360A-1/4"-40CS/CC  
360A-1/4"-40DPC/CC  
360A-1/4"-50CS/CC  
360A-1/4"-50DPC/CC

250 PSIG Max., Float Drain

360AF-1/4"-40CS/CC  
360AF-1/4"-40DCP/CC  
360AF-1/4"-50CS/CC  
360AF-1/4"-50DCP/CC

500 PSIG Max., Indicator

360AI-1/4"-40CS/CC  
360AI-1/4"-40DCP/CC  
360AI-1/4"-50CS/CC  
360AI-1/4"-50DCP/CC

250 PSIG Max., Float Drain, and Indicator

360AFI-1/4"-40CS/CC  
360AFI-1/4"-40DCP/CC  
360AFI-1/4"-50CS/CC  
360AFI-1/4"-50DCP/CC

**Finite® Part Number**  
(Aluminum Cast Head & Bowl  
w/ Powder Painted Exterior)

**360A-3/8" Series**  
UFS/Headline Part  
(Anodized Aluminum w/ Nylon Internals)

3/8" NPT, Buna-N O-Rings, 500 PSIG Max.

**BAN15L-4CUN**  
**BAN15L-4QUN**  
**BAN15L-6CUN**  
**BAN15L-6QUN**

250 PSIG Max., Float Drain

**BAN15L-4CUA**  
**BAN15L-4QUA**  
**BAN15L-6CUA**  
**BAN15L-6QUA**

250 PSIG Max., Indicator

**BAN15L-4CUD**  
**BAN15L-4QUD**  
**BAN15L-6CUD**  
**BAN15L-6QUD**

250 PSIG Max., Float Drain, and Indicator

**BAN15L-4CUW**  
**BAN15L-4QUW**  
**BAN15L-6CUW**  
**BAN15L-6QUW**

3/8" NPT, Buna-N O-Rings, 500 PSIG Max.

**360A-3/8"-40CS/CC**  
**360A-3/8"-40DCP/CC**  
**360A-3/8"-50CS/CC**  
**360A-3/8"-50DCP/CC**

250 PSIG Max., Float Drain

**360AF-3/8"-40CS/CC**  
**360AF-3/8"-40DPC/CC**  
**360AF-3/8"-50CS/CC**  
**360AF-3/8"-50DPC/CC**

500 PSIG Max., Indicator

**360AI-3/8"-40CS/CC**  
**360AI-3/8"-40DPC/CC**  
**360AI-3/8"-50CS/CC**  
**360AI-3/8"-50DPC/CC**

250 PSIG Max., Float Drain, and Indicator

**360AFI-3/8"-40CS/CC**  
**360AFI-3/8"-40DPC/CC**  
**360AFI-3/8"-50CS/CC**  
**360AFI-3/8"-50DPC/CC**

**Finite® Part Number**  
(Aluminum Cast Head & Bowl  
w/ Powder Painted Exterior)

**365A Series**  
UFS/Headline Part  
(Anodized Aluminum w/ Nylon Internals)

1/2" NPT, Buna-N O-Rings, 500 PSIG Max.

**BAN2L-4CUN**  
**BAN2L-4QUN**  
**BAN2L-6CUN**  
**BAN2L-6QUN**

250 PSIG Max., Float Drain

**BAN2L-4CUA**  
**BAN2L-4QUA**  
**BAN2L-6CUA**  
**BAN2L-6QUA**

250 PSIG Max., Indicator

**BAN2L-4CUD**  
**BAN2L-4QUD**  
**BAN2L-6CUD**  
**BAN2L-6QUD**

250 PSIG Max., Float Drain, and Indicator

**BAN2L-4CUW**  
**BAN2L-4QUW**  
**BAN2L-6CUW**  
**BAN2L-6QUW**

1/2" NPT, Buna-N O-Rings, 500 PSIG Max.

**365A-1/2"-40CS/CC**  
**365A-1/2"-40DCP/CC**  
**365A-1/2"-50CS/CC**  
**365A-1/2"-50DCP/CC**

250 PSIG Max., Float Drain

**365AF-1/2"-40CS/CC**  
**365AF-1/2"-40DPC/CC**  
**365AF-1/2"-50CS/CC**  
**365AF-1/2"-50DPC/CC**

500 PSIG Max., Indicator

**365AI-1/2"-40CS/CC**  
**365AI-1/2"-40DPC/CC**  
**365AI-1/2"-50CS/CC**  
**365AI-1/2"-50DPC/CC**

250 PSIG Max., Float Drain, and Indicator

**365AFI-1/2"-40CS/CC**  
**365AFI-1/2"-40DPC/CC**  
**365AFI-1/2"-50CS/CC**  
**365AFI-1/2"-50DPC/CC**

**Finite® Part Number**  
(Aluminum Cast Head & Bowl  
w/ Powder Painted Exterior)

**380AHP Series**  
UFS/Headline Part  
(Anodized Aluminum w/ Nylon Internals)

3/4" NPT, Buna-N O-Rings, 1500 PSIG Max.

**BAN3S-4CUN**  
**BAN3S-4QUN**  
**BAN3S-6CUN**  
**BAN3S-6QUN**

250 PSIG Max., Float Drain

**BAN3S-4CUA**  
**BAN3S-4QUA**  
**BAN3S-6CUA**  
**BAN3S-6QUA**

250 PSIG Max., Indicator

**BAN3S-4CUG**  
**BAN3S-4QUG**  
**BAN3S-6CUG**  
**BAN3S-6QUG**

250 PSIG Max., Float Drain, and Indicator

**BAN3S-4CUY**  
**BAN3S-4QUY**  
**BAN3S-6CUY**  
**BAN3S-6QUY**

3/4" NPT, Buna-N O-Rings, 1500 PSIG Max.

**380AHP-3/4"-40CS/CC**  
**380AHP-3/4"-40DPC/CC**  
**380AHP-3/4"-50CS/CC**  
**380AHP-3/4"-50DPC/CC**

250 PSIG Max., Float Drain

**380AHPF-3/4"-40CS/CC**  
**380AHPF-3/4"-40DPC/CC**  
**380AHPF-3/4"-50CS/CC**  
**380AHPF-3/4"-50DPC/CC**

500 PSIG Max., Indicator

**380AHPVDI-3/4"-40CS/CC**  
**380AHPVDI-3/4"-40DPC/CC**  
**380AHPVDI-3/4"-50CS/CC**  
**380AHPVDI-3/4"-50DPC/CC**

250 PSIG Max., Float Drain, and Indicator

**380AHPFVDI-3/4"-40CS/CC**  
**380AHPFVDI-3/4"-40DPC/CC**  
**380AHPFVDI-3/4"-50CS/CC**  
**380AHPFVDI-3/4"-50DPC/CC**

**Finite® Part Number**  
(Aluminum Cast Head & Bowl  
w/ Powder Painted Exterior)

**380AHP-241 Series (Long Bowl)**  
UFS/Headline Part  
(Anodized Aluminum w/ Nylon Internals)

3/4" NPT, Buna-N O-Rings, 1500 PSIG Max.

**BAN3L-4CUN**  
**BAN3L-4QUN**  
**BAN3L-6CUN**  
**BAN3L-6QUN**

250 PSIG Max., Float Drain

**BAN3L-4CUA**  
**BAN3L-4QUA**  
**BAN3L-6CUA**  
**BAN3L-6QUA**

250 PSIG Max., Indicator

**BAN3L-4CUG**  
**BAN3L-4QUG**  
**BAN3L-6CUG**  
**BAN3L-6QUG**

250 PSIG Max., Float Drain, and Indicator

**BAN3L-4CUY**  
**BAN3L-4QUY**  
**BAN3L-6CUY**  
**BAN3L-6QUY**

3/4" NPT, Buna-N O-Rings, 1500 PSIG Max.

**380AHP-241-3/4"-40CS/CC**  
**380AHP-241-3/4"-40DPC/CC**  
**380AHP-241-3/4"-50CS/CC**  
**380AHP-241-3/4"-50DPC/CC**

250 PSIG Max., Float Drain

**380AHPF-241-3/4"-40CS/CC**  
**380AHPF-241-3/4"-40DPC/CC**  
**380AHPF-241-3/4"-50CS/CC**  
**380AHPF-241-3/4"-50DPC/CC**

500 PSIG Max., Indicator

**380AHPVDI-241-3/4"-40CS/CC**  
**380AHPVDI-241-3/4"-40DPC/CC**  
**380AHPVDI-241-3/4"-50CS/CC**  
**380AHPVDI-241-3/4"-50DPC/CC**

250 PSIG Max., Float Drain, and Indicator

**380AHPFVDI-241-3/4"-40CS/CC**  
**380AHPFVDI-241-3/4"-40DPC/CC**  
**380AHPFVDI-241-3/4"-50CS/CC**  
**380AHPFVDI-241-3/4"-50DPC/CC**

**Finite® Part Number**  
(Aluminum Cast Head & Bowl  
w/ Powder Painted Exterior)

**383AHP Series**  
UFS/Headline Part  
(Anodized Aluminum w/ Nylon Internals)

1" NPT, Buna-N O-Rings, 1500 PSIG Max.

**BAN4S-4CUN**  
**BAN4S-4QUN**  
**BAN4S-6CUN**  
**BAN4S-6QUN**

250 PSIG Max., Float Drain

**BAN4S-4CUA**  
**BAN4S-4QUA**  
**BAN4S-6CUA**  
**BAN4S-6QUA**

250 PSIG Max., Indicator

**BAN4S-4CUG**  
**BAN4S-4QUG**  
**BAN4S-6CUG**  
**BAN4S-6QUG**

250 PSIG Max., Float Drain, and Indicator

**BAN4S-4CUY**  
**BAN4S-4QUY**  
**BAN4S-6CUY**  
**BAN4S-6QUY**

1" NPT, Buna-N O-Rings, 1500 PSIG Max.

**383AHP-1"-40CS/CC**  
**383AHP-1"-40DPC/CC**  
**383AHP-1"-50CS/CC**  
**383AHP-1"-50DPC/CC**

250 PSIG Max., Float Drain

**383AHPF-1"-40CS/CC**  
**383AHPF-1"-40DPC/CC**  
**383AHPF-1"-50CS/CC**  
**383AHPF-1"-50DPC/CC**

500 PSIG Max., Indicator

**383AHPVDI-1"-40CS/CC**  
**383AHPVDI-1"-40DPC/CC**  
**383AHPVDI-1"-50CS/CC**  
**383AHPVDI-1"-50DPC/CC**

250 PSIG Max., Float Drain, and Indicator

**383AHPFVDI-1"-40CS/CC**  
**383AHPFVDI-1"-40DPC/CC**  
**383AHPFVDI-1"-50CS/CC**  
**383AHPFVDI-1"-50DPC/CC**

**Finite® Part Number**  
(Aluminum Cast Head & Bowl  
w/ Powder Painted Exterior)

**383AHP-241 Series (Long Bowl)**  
UFS/Headline Part  
(Anodized Aluminum w/ Nylon Internals)

1" NPT, Buna-N O-Rings, 1500 PSIG Max.

**BAN4L-4CUN**  
**BAN4L-4QUN**  
**BAN4L-6CUN**  
**BAN4L-6QUN**

250 PSIG Max., Float Drain

**BAN4L-4CUA**  
**BAN4L-4QUA**  
**BAN4L-6CUA**  
**BAN4L-6QUA**

250 PSIG Max., Indicator

**BAN4L-4CUG**  
**BAN4L-4QUG**  
**BAN4L-6CUG**  
**BAN4L-6QUG**

250 PSIG Max., Float Drain, and Indicator

**BAN4L-4CUY**  
**BAN4L-4QUY**  
**BAN4L-6CUY**  
**BAN4L-6QUY**

1" NPT, Buna-N O-Rings, 1500 PSIG Max.

**383AHP-241-1"-40CS/CC**  
**383AHP-241-1"-40DPC/CC**  
**383AHP-241-1"-50CS/CC**  
**383AHP-241-1"-50DPC/CC**

250 PSIG Max., Float Drain

**383AHPF-241-1"-40CS/CC**  
**383AHPF-241-1"-40DPC/CC**  
**383AHPF-241-1"-50CS/CC**  
**383AHPF-241-1"-50DPC/CC**

500 PSIG Max., Indicator

**383AHPVDI-241-1"-40CS/CC**  
**383AHPVDI-241-1"-40DPC/CC**  
**383AHPVDI-241-1"-50CS/CC**  
**383AHPVDI-241-1"-50DPC/CC**

250 PSIG Max., Float Drain, and Indicator

**383AHPFVDI-241-1"-40CS/CC**  
**383AHPFVDI-241-1"-40DPC/CC**  
**383AHPFVDI-241-1"-50CS/CC**  
**383AHPFVDI-241-1"-50DPC/CC**

# FFC Series - NGV / CNG Filter Assemblies

Cross Comparisons are based on functionality but not interchangeable.

| Finite® Part Number<br>(Aluminum Filter w/ SS Internals)   | UFS/Headline Part Number<br>(Anodized Aluminum Filter w/ Metal Internals)  |
|--|--|
| 1/4" NPT, Viton O-Rings, 500 PSIG Max.<br><b>FFC-110-10</b><br><b>FFC-110-4</b><br><b>FFC-110-6</b>          | 1/4" NPT, Buna-N O-Rings, 500 PSIG Max.<br><b>230A-1/4"-70CS</b><br><b>230A-1/4"-40CS</b><br><b>230A-1/4"-50CS</b>           |
| 1/2" NPT, Viton O-Rings, 500 PSIG Max.<br><b>FFC-110L-10</b><br><b>FFC-110L-4</b><br><b>FFC-110L-6</b>       | 1/2" NPT, Buna-N O-Rings, 500 PSIG Max.<br><b>253A-1/2"-70CS</b><br><b>253A-1/2"-40CS</b><br><b>253A-1/2"-50CS</b>           |
| 1/4" NPT, Viton O-Rings, 3600 PSIG Max.<br><b>FFC-112-10</b><br><b>FFC-112-6</b>                             | 1/4" NPT, Buna-N O-Rings, 3600 PSIG Max.<br><b>315ALHP-1/4"-01NGV</b><br><b>315ALHP-1/4"-01NGV</b>                           |
| 9/16 SAE, Viton O-Rings, 3600 PSIG Max.<br><b>FFC-112 SAE-10</b><br><b>FFC-112 SAE-6</b>                     | 9/16 SAE, Buna-N O-Rings, 3600 PSIG Max.<br><b>315ALHP-SAE6-01NGV</b><br><b>315ALHP-SAE6-01NGV</b>                           |
| 1/4" NPT, Viton O-Rings, 3600 PSIG Max., Long Bowl with Drain<br><b>FFC-112E-10</b><br><b>FFC-112E-6</b>     | 1/4" NPT, Buna-N O-Rings, 3600 PSIG Max., Long Bowl with Drain<br><b>896-315ALHP-01NGV</b><br><b>896-315ALHP-01NGV</b>       |
| SAE6, Viton O-Rings, 3600 PSIG Max., Long Bowl with Drain<br><b>FFC-112E SAE-10</b><br><b>FFC-112E SAE-6</b> | SAE6, Buna-N O-Rings, 3600 PSIG Max., Long Bowl with Drain<br><b>315ALHP-4396-SAE-01NGV</b><br><b>315ALHP-4396-SAE-01NGV</b> |
| 1/4" NPT, Viton O-Rings, 3600 PSIG Max., Long Bowl w/o Drain<br><b>FFC-112L-10</b><br><b>FFC-112L-6</b>      | 1/4" NPT, Buna-N O-Rings, 3600 PSIG Max., Long Bowl w/o Drain<br><b>897-315ALHP-01NGV</b><br><b>897-315ALHP-01NGV</b>        |
| SAE6, Viton O-Rings, 3600 PSIG Max., Long Bowl w/o Drain<br><b>FFC-112L SAE-10</b><br><b>FFC-112L SAE-6</b>  | SAE6, Buna-N O-Rings, 3600 PSIG Max., Long Bowl w/o Drain<br><b>897-315ALHP-SAE-01NGV</b><br><b>897-315ALHP-SAE-01NGV</b>    |
| 1/2" NPT, Viton O-Rings, 3600 PSIG Max.<br><b>FFC-213-10</b><br><b>FFC-213-6</b>                             | 1/2" NPT, Buna-N O-Rings, 3600 PSIG Max.<br><b>375AHP-4340-1/2"-70CSX1</b><br><b>375AHP-4340-1/2"-50CSX1</b>                 |
| SAE8, Viton O-Rings, 3600 PSIG Max.<br><b>FFC-213-SAE-10</b><br><b>FFC-213-SAE-6</b>                         | SAE8, Buna-N O-Rings, 3600 PSIG Max.<br><b>370AHP-4340-SAE8-70CSX1</b><br><b>370AHP-4340-SAE8-50CSX1</b>                     |



**Finite® Part Number**  
**(303 Stainless Steel w/ SS Internals)**

**UFS/Headline Part Number**  
**(Anodized Aluminum Filter w/ Metal Internals)**

1/2" NPT, Viton O-Rings, 3600 PSIG Max.  
**FFC-113-10**  
**FFC-113-4**  
**FFC-113-6**

1/2" NPT, Buna-N O-Rings, 3600 PSIG Max.  
**375AHP-4340-1/2"-70CSX1**  
**375AHP-4340-1/2"-40CSX1**  
**375AHP-4340-1/2"-50CSX1**

SAE6, Viton O-Rings, 3600 PSIG Max.  
**FFC-113-SAE-6**

SAE6, Buna-N O-Rings, 3600 PSIG Max.  
**370AHP-4340-SAE6-70CSX1**

SAE8, Viton O-Rings, 3600 PSIG Max.  
**FFC-113-SAE-8**

SAE8, Buna-N O-Rings, 3600 PSIG Max.  
**370AHP-4340-SAE8-70CSX1**

1/4" NPT, Viton O-Rings, 5000 PSIG Max.  
**FFC-116-10**  
**FFC-116-6**

1/4" NPT, Viton O-Rings, 5000 PSIG Max.  
**122-70CS**  
**122-50CS**

## A5R/A1R Series - CNG / Bypass Gas Filter Assemblies

Cross Comparisons are based on functionality, but not interchangeable.

Other O-Rings including Perfluoroelastomer are readily available.

**Finite® Part Number**  
**(Aluminum Filter)**

**UFS/Headline Part Number**  
**(Anodized Aluminum Filter)**

1/8" NPT, Buna-N O-Rings, 1/8" Drain, 1000 PSIG Max.

**A5R-4G04-023**  
**A5R-4T04-023**  
**A5R-4F04-023**  
**A5R-4H04-023**  
**A5R-4C04-023**

1/8" NPT, Buna-N O-Rings, 1/4" Drain, 3600 PSIG Max.

**310ALHP-1/8"-40K**  
**310ALHP-1/8"-40S**  
**310ALHP-1/8"-40K**  
**310ALHP-1/8"-40CS**  
**310ALHP-1/8"-40C**

**A5R-6G04-023**  
**A5R-6T04-023**  
**A5R-6F04-023**  
**A5R-6H04-023**  
**A5R-6C04-023**

**310ALHP-1/8"-50K**  
**310ALHP-1/8"-50S**  
**310ALHP-1/8"-50K**  
**310ALHP-1/8"-50CS**  
**310ALHP-1/8"-50C**

**A5R-8G04-023**  
**A5R-8T04-023**  
**A5R-8F04-023**  
**A5R-8H04-023**  
**A5R-8C04-023**

**310ALHP-1/8"-60K**  
**310ALHP-1/8"-60S**  
**310ALHP-1/8"-50K**  
**310ALHP-1/8"-60CS**  
**310ALHP-1/8"-60C**

**Finite® Part Number  
(Aluminum Filter)**

**UFS/Headline Part Number  
(Anodized Aluminum Filter)**

1/4" NPT, Buna-N O-Rings, 1/4" Drain, 1000 PSIG Max.

A1R-10G04-023  
A1R-10T04-023  
A1R-10F04-023  
A1R-10H04-023  
A1R-10C04-023

A1R-4G04-023  
A1R-4T04-023  
A1R-4F04-023  
A1R-4H04-023  
A1R-4C04-023

A1R-6G04-023  
A1R-6T04-023  
A1R-6F04-023  
A1R-6H04-023  
A1R-6C04-023

A1R-8GG04-023  
A1R-8TG04-023  
A1R-8FG04-023  
A1R-8HG04-023  
A1R-8CG04-023

A1R-10GG04-023  
A1R-10TG04-023  
A1R-10FG04-023  
A1R-10HG04-023  
A1R-10CG04-023

1/8" NPT, Buna-N O-Rings, 1/8" Drain, 1000 PSIG Max.

A5R (Housing Only)

1/4" NPT, Buna-N O-Rings, 1/4" Drain, 1000 PSIG Max.

A1R (Housing Only)

1/4" NPT, Buna-N O-Rings, 1/4" Drain, 3600 PSIG Max.

315ALHP-1/4"-70K  
315ALHP-1/4"-70S  
315ALHP-1/4"-70K  
315ALHP-1/4"-70CS  
315ALHP-1/4"-70C

315ALHP-1/4"-40K  
315ALHP-1/4"-40S  
315ALHP-1/4"-40K  
315ALHP-1/4"-40CS  
315ALHP-1/4"-40C

315ALHP-1/4"-50K  
315ALHP-1/4"-50S  
315ALHP-1/4"-50K  
315ALHP-1/4"-50CS  
315ALHP-1/4"-50C

315ALHP-1/4"-60K  
315ALHP-1/4"-60S  
315ALHP-1/4"-60K  
315ALHP-1/4"-60CS  
315ALHP-1/4"-60C

315ALHP-1/4"-70K  
315ALHP-1/4"-70S  
315ALHP-1/4"-70K  
315ALHP-1/4"-70CS  
315ALHP-1/4"-70C

1/8" NPT, Buna-N O-Rings, 1/4" Drain, 3600 PSIG Max.

310ALHP-1/8" (Housing Only)

1/4" NPT, Buna-N O-Rings, 1/4" Drain, 3600 PSIG Max.

315ALHP-1/4" (Housing Only)

# M Series of Filter Assemblies

Filter Housings are an alternative with 100% Interchangeable Elements

| <b>Finite® Part Number</b><br>(Aluminum Housings w/ Stainless Steel Internals) | <b>UFS/Headline Part</b><br>(316L Stainless Steel w/ Stainless Steel Internals) |
|--|---|
| <b>1/4" NPT, Buna-N O-Rings, 800 PSIG Max.</b>                                 | <b>1/4" NPT, Viton O-Rings, 1500 PSIG Max.</b>                                  |
| Element Size: xx10-025   | Element Size: 25-64-xx  |
| MN1S-4C  | 130-40C   |
| MN1S-6C  | 130-50C   |
| MN1S-8C  | 130-60C   |
| MN1S-10C   | 130-70C   |
| MN1S-4CU   | 130-40CS  |
| MN1S-6CU   | 130-50CS  |
| MN1S-8CU   | 130-60CS  |
| MN1S-10CU  | 130-70CS  |
| MN1S-4QU   | 130-40DCP   |
| MN1S-6QU   | 130-50DCP   |
| MN1S-8QU   | 130-60DCP   |
| MN1S-10QU  | 130-70DCP   |
| MN1S-3PU   | 130-03PLMG  |
| MN1S-100WSU  | 130-SS100   |
| MN1S-AU  | 130-CC-TS   |
| <b>1/4" NPT, Buna-N O-Rings, 800 PSIG Max.</b>                                 | <b>1/4" NPT, Viton O-Rings, 1500 PSIG Max.</b>                                  |
| Element Size: xx10-050   | Element Size: 25-178-xx   |
| MN1L-4C  | 140-40C   |
| MN1L-6C  | 140-50C   |
| MN1L-8C  | 140-60C   |
| MN1L-10C   | 140-70C   |
| MN1L-4U  | 140-40CS  |
| MN1L-6CU   | 140-50CS  |
| MN1L-8CU   | 140-60CS  |
| MN1L-10CU  | 140-70CS  |
| MN1L-4QU   | 140-40DPC   |
| MN1L-6QU   | 140-50DPC   |
| MN1L-8QU   | 140-60DPC   |
| MN1L-10QU  | 140-70DPC   |
| MN1L-3PU   | 140-03PLMG  |
| MN1L-100WSU  | 140-SS100   |
| MN1L-AU  | 140-CC-TS   |

**3/8" NPT, Buna-N O-Rings, 800 PSIG Max.**

Element Size: xx10-025

MN15S-4C  
MN15S-6C  
MN15S-8C  
MN15S-10C  
MN15S-4CU  
MN15S-6CU  
MN15S-8CU  
MN15S-10CU

MN15S-4QU  
MN15S-6QU  
MN15S-8QU  
MN15S-10QU  
MN15S-3PU  
MN15S-100WSU  
MN15S-AU

**3/8" NPT, Viton O-Rings, 1500 PSIG Max.**

Element Size: 25-64-xx

130-3/8"-40C  
130-3/8"-50C  
130-3/8"-60C  
130-3/8"-70C  
130-3/8"-40CS  
130-3/8"-50CS  
130-3/8"-60CS  
130-3/8"-70CS  
  
130-3/8"-40DPC  
130-3/8"-50DPC  
130-3/8"-60DPC  
130-3/8"-70C-03PLMG  
130-3/8"-03PLMG  
130-3/8"-SS100  
130-3/8"-CC-TS

**3/8" NPT, Buna-N O-Rings, 800 PSIG Max.**

Element Size: xx10-050

MN15L-4C  
MN15L-6C  
MN15L-8C  
MN15L-10C  
MN15L-4CU  
MN15L-6CU  
MN15L-8CU  
MN15L-10CU

MN15L-4QU  
MN15L-6QU  
MN15L-8QU  
MN15L-10QU  
MN15L-3PU  
MN15L-100WSU  
MN15L-AU

**3/8" NPT, Viton O-Rings, 1500 PSIG Max.**

Element Size: 25-178-xx

140-3/8"-40C  
140-3/8"-50C  
140-3/8"-60C  
140-3/8"-70C  
140-3/8"-40CS  
140-3/8"-50CS  
140-3/8"-60CS  
140-3/8"-70CS  
  
140-3/8"-40DPC  
140-3/8"-50DPC  
140-3/8"-60DPC  
140-3/8"-70DPC  
140-3/8"-03PLMG  
140-3/8"-SS100  
140-3/8"-CC-TS

**1/2" NPT, Buna-N O-Rings, 800 PSIG Max.**

Element Size: xx10-025

MN2S-4C  
MN2S-6C  
MN2S-8C  
MN2S-10C  
MN2S-4CU  
MN2S-6CU  
MN2S-8CU  
MN2S-10CU

**1/2" NPT, Viton O-Rings, 1500 PSIG Max.**

Element Size: 25-64-xx

132-40C  
132-50C  
132-60C  
132-70C  
132-40CS  
132-50CS  
132-60CS  
132-70CS

1/2" NPT, Buna-N O-Rings, 800 PSIG Max.

Element Size: xx10-025

MN2S-4QU  
MN2S-6QU  
MN2S-8QU  
MN2S-10QU  
MN2S-3PU  
MN2S-100WSU  
MN2S-AU

1/2" NPT, Viton O-Rings, 1500 PSIG Max.

Element Size: 25-64-xx

132-40DPC  
132-50DPC  
132-60DPC  
132-70DPC  
132-03PLMG  
132-SS100  
132-CC-TS

1/2" NPT, Buna-N O-Rings, 800 PSIG Max.

Element Size: xx10-050

MN2L-4C  
MN2L-6C  
MN2L-8C  
MN2L-10C  
MN2L-4CU  
MN2L-6CU  
MN2L-8CU  
MN2L-10CU

MN2L-4QU  
MN2L-6QU  
MN2L-8QU  
MN2L-10QU  
MN2L-3PU  
MN2L-100WSU  
MN2L-AU

1/2" NPT, Viton O-Rings, 1500 PSIG Max.

Element Size: 25-178-xx

142-40C  
142-50C  
142-60C  
142-70C  
142-40CS  
142-50CS  
142-60CS  
142-70CS

142-40DPC  
142-50DPC  
142-60DPC  
142-70C-03PLMG  
142-03PLMG  
142-SS100  
142-CC-TS

**Finite® Part Number**

**(Aluminum Housings w/ Stainless Steel Internals)**

**UFS/Headline Part**

**(Anodized Aluminum w/ Nylon Internals)**

3/4" NPT, Buna-N O-Rings, 800 PSIG Max.

Element Size: xx15-060

MN3S-4C  
MN3S-6C  
MN3S-8C  
MN3S-10C  
MN3S-4CU  
MN3S-6CU  
MN3S-8CU  
MN3S-10CU

MN3S-4QU  
MN3S-6QU  
MN3S-8QU  
MN3S-10QU  
MN3S-3PU  
MN3S-100WSU  
MN3S-AU

3/4" NPT, Buna-N O-Rings, 1500 PSIG Max.

Element Size: TRE38-152-xx

380AHP-3/4"-40C  
380AHP-3/4"-50C  
380AHP-3/4"-60C  
380AHP-3/4"-70C  
380AHP-3/4"-40CS  
380AHP-3/4"-50CS  
380AHP-3/4"-60CS  
380AHP-3/4"-70CS

380AHP-AD-3/4"-40DPC  
380AHP-AD-3/4"-50DPC  
380AHP-AD-3/4"-60DPC  
380AHP-AD-3/4"-70DPC  
380AHP-3/4"-03PLMG  
380AHP-3/4"-100SS  
380AHP-3/4"-TRECC

1" NPT, Buna-N O-Rings, 800 PSIG Max.

Element Size: xx15-060

MN4S-4C  
MN4S-6C  
MN4S-8C  
MN4S-10C  
MN4S-4CU  
MN4S-6CU  
MN4S-8CU  
MN4S-10CU  
MN4S-4QU  
MN4S-6QU  
MN4S-8QU  
MN4S-10QU  
MN4S-3PU  
MN4S-100WSU  
MN4S-AU

1" NPT, Buna-N O-Rings, 1500 PSIG Max.

Element Size: TRE38-152-xx

383AHP-1"-40C  
383AHP-1"-50C  
383AHP-1"-60C  
383AHP-1"-70C  
383AHP-1"-40CS  
383AHP-1"-50CS  
383AHP-1"-60CS  
383AHP-1"-70CS  
383AHP-AD-1"-40DPC  
383AHP-AD-1"-50DPC  
383AHP-AD-1"-60DPC  
383AHP-AD-1"-70DPC  
383AHP-1"-03PLMG  
383AHP-1"-100SS  
383AHP-1"-TRECC

1" NPT, Buna-N O-Rings, 800 PSIG Max.

Element Size: xx15-095

MN4L-4C  
MN4L-6C  
MN4L-8C  
MN4L-10C  
MN4L-4CU  
MN4L-6CU  
MN4L-8CU  
MN4L-10CU  
MN4L-4QU  
MN4L-6QU  
MN4L-8QU  
MN4L-10QU  
MN4L-3PU  
MN4L-100WSU  
MN4L-AU

1" NPT, Buna-N O-Rings, 1500 PSIG Max.

Element Size: 38-241-xx

383AHP-241-1"-40C  
383AHP-241-1"-50C  
383AHP-241-1"-60C  
383AHP-241-1"-70C  
383AHP-241-1"-40CS  
383AHP-241-1"-50CS  
383AHP-241-1"-60CS  
383AHP-241-1"-70CS  
383AHP-241-1"-40DPC  
383AHP-241-1"-50DPC  
383AHP-241-1"-60DPC  
383AHP-241-1"-70DPC  
383AHP-241-1"-03PLMG  
383AHP-241-1"-100SS  
383AHP-241-1"-TRECC

2" NPT, Buna-N O-Rings, 800 PSIG Max.

Element Size: xx25-130

MN8S-4CV  
MN8S-6CV  
MN8S-8CV  
MN8S-10CV  
MN8S-4QU  
MN8S-6QU  
MN8S-8QU  
MN8S-10QU  
MN8S-7CVP  
MN8S-3PV  
MN8S-100WS  
MN8S-AU

2" NPT, Buna-N O-Rings, 1000 PSIG Max.

Element Size: 51-230-xx

385AHP-2"-40C  
385AHP-2"-50C  
385AHP-2"-60C  
385AHP-2"-70C  
385AHP-2"-40CS  
385AHP-2"-50CS  
385AHP-2"-60CS  
385AHP-2"-70CS  
385AHP-2"-07PLMG  
385AHP-2"-03PLMG  
385AHP-2"-100SS  
385AHP-2"-TRECC

# Stainless Steel Filter Housings & Assemblies

Filter Housings are an alternative with 100% Interchangeable Elements

Viton O-Rings are Standard, other O-Ring materials including Perfluoroelastomer are readily available.

| <b>Finite® Part Number</b><br>(Max. Pressure: 1200 PSI, Viton O-Rings)  | <b>UFS/Headline Part Number</b><br>(Max. Pressure: 1500 PSI, Viton O-Rings)  |
|---|--|
| 1/4" NPT, Element Size: xx10-025<br><b>SMN1S X 1</b>  | 1/4" NPT, Element Size: 25-64-xx<br><b>130</b>   |
| 1/4" NPT, Element Included, Element Size: xx10-025<br><b>SMN1S-10CN</b><br><b>SMN1S-10HN</b><br><b>SMN1S-10TN</b><br><b>SMN1S-3PUN</b><br><b>SMN1S-4CN</b><br><b>SMN1S-4HN</b><br><b>SMN1S-6CUN</b><br><b>SMN1S-6TN</b><br><b>SMN1S-8CN</b><br><b>SMN1S-AUN</b>   | 1/4" NPT, Element Included, Element Size: 25-64-xx<br><b>130-70C</b><br><b>130-70C</b><br><b>130-70S</b><br><b>130-03PLMG</b><br><b>130-40C</b><br><b>130-40C</b><br><b>130-50CS</b><br><b>130-50S</b><br><b>130-60C</b><br><b>130-CC-TS</b>   |
| 1/2" NPT, Element Size: xx10-025<br><b>SMN2S X 1</b>  | 1/2" NPT, Element Size: 25-64-xx<br><b>132</b>   |
| 1/2" NPT, Element Included, Element Size: xx10-025<br><b>SMN2S-10CN</b><br><b>SMN2S-10CUN</b><br><b>SMN2S-10HN</b><br><b>SMN2S-10TN</b><br><b>SMN2S-3PUN</b><br><b>SMN2S-4CN</b><br><b>SMN2S-4CUN</b><br><b>SMN2S-4HN</b><br><b>SMN2S-6CN</b><br><b>SMN2S-6CUN</b><br><b>SMN2S-6HN</b><br><b>SMN2S-6QUN</b><br><b>SMN2S-AUN</b> | 1/2" NPT, Element Included, Element Size: 25-64-xx<br><b>132-70C</b><br><b>132-70CS</b><br><b>132-70C</b><br><b>132-70S</b><br><b>132-40C</b><br><b>132-40C</b><br><b>132-40CS</b><br><b>132-40C</b><br><b>132-50C</b><br><b>132-50S</b><br><b>132-50C</b><br><b>132-50DPC</b><br><b>132-CC-TS</b> |
| 1/4" NPT, Element Size: xx10-050<br><b>SMN1M X 1</b>  | 1/4" NPT, Element Size: 25-127-xx<br><b>140-127</b>  |
| 1/4" NPT, Element Included, Element Size: xx10-050<br><b>SMN1M-10CN</b><br><b>SMN1M-10HN</b><br><b>SMN1M-4HN</b><br><b>SMN1M-6CN</b><br><b>SMN1M-6HN</b><br><b>SMN1M-6QUN</b>   | 1/4" NPT, Element Included, Element Size: 25-127-xx<br><b>140-127-70C</b><br><b>140-127-70C</b><br><b>140-127-40C</b><br><b>140-127-50C</b><br><b>140-127-50C</b><br><b>140-127-50DPC</b>  |

**Finite® Part Number****(Max. Pressure: 1200 PSI, Viton O-Rings)****UFS/Headline Part Number****(Max. Pressure: 1500 PSI, Viton O-Rings)**

1/2" NPT, Element Included, Element Size: xx10-050

**SMN2M-100WSUN**  
**SMN2M-10CN**  
**SMN2M-10CUN**  
**SMN2M-10HN**  
**SMN2M-3PUN**  
**SMN2M-4CN**  
**SMN2M-4CUN**  
**SMN2M-4HN**  
**SMN2M-4QUN**  
**SMN2M-6CN**  
**SMN2M-6CUN**  
**SMN2M-6GN**  
**SMN2M-6HN**  
**SMN2M-8HN**  
**SMN2M-AUN**

1/4" NPT, Element Size: xx10-070

**SMN1L X 1**

1/4" NPT, Element Included, Element Size: xx10-070

**SMN1L-10HN**  
**SMN1L-4HN**  
**SMN1L-6HN**

1/2" NPT, Element Size: xx10-070

**SMN2L X 1**

1/2" NPT, Element Included, Element Size: xx10-070

**SMN2L-10CUN**  
**SMN2L-10TN**  
**SMN2L-3PUN**  
**SMN2L-4CN**  
**SMN2L-4CUN**  
**SMN2L-4GN**  
**SMN2L-6CN**  
**SMN2L-6HN**  
**SMN2L-6QUN**

1/2" NPT, Element Included, Element Size: 25-127-xx

**142-127-100SS**  
**142-127-70C**  
**142-127-70CS**  
**142-127-70C**  
**142-127-03PLMG**  
**142-127-40C**  
**142-127-40CS**  
**142-127-40C**  
**142-127-50DPC**  
**142-127-50C**  
**142-127-50CS**  
**142-127-50K**  
**142-127-50C**  
**142-127-60C**  
**142-127-CC-TS**

1/4" NPT, Element Size: 25-178-xx

**140**

1/4" NPT, Element Included, Element Size: 25-178-xx

**140-70C**  
**140-40C**  
**140-50C**

1/2" NPT, Element Size: 25-178-xx

**142**

1/2" NPT, Element Included, Element Size: 25-178-xx

**142-70CS**  
**142-70S**  
**142-03PLMG**  
**142-40C**  
**142-40CS**  
**142-40K**  
**142-50C**  
**142-50C**  
**142-50DPC**



# High Pressure Stainless Steel Filter Housings

Filter Housings are an alternative but Elements are not interchangeable

Viton O-Rings are Standard, other O-Ring materials including Perfluoroelastomer are readily available.

| <b>Finite® Part Number</b><br>(Max. Pressure: 6000 PSI, Viton O-Rings)  | <b>UFS/Headline Part Number</b><br>(Max. Pressure: 6000 PSI, Viton O-Rings)   |
|---|---|
| 1/2" NPT, Element Included, Element Size: xx11-036<br><b>SJN2S-100WSN</b><br><b>SJN2S-10CWCN</b><br><b>SJN2S-3PWCN</b><br><b>SJN2S-4CWCN</b><br><b>SJN2S-AWCN</b> | 1/2" NPT, Element Included, Element Size: 25-64-xx<br><b>132VP-100SS</b><br><b>132VP-70CX3</b><br><b>132VP-03PLMGX1</b><br><b>132VP-40CX3</b><br><b>132VP-CCX1-TS</b> |
| 3/4" NPT, Element Included, Element Size: xx11-036<br><b>SJN3S-10CWCN</b><br><b>SJN3S-3PWCN</b><br><b>SJN3S-4CWCN</b>   | 3/4" NPT, Element Included, Element Size: 25-64-xx<br><b>132VP-3/4"-70CX3</b><br><b>132VP-3/4"-100SS</b><br><b>132VP-3/4"-40CX3</b>                                   |
| 1" NPT, Element Included, Element Size: xx11-036<br><b>SJN4S-10CWCN</b><br><b>SJN4S-3PWCN</b><br><b>SJN4S-4CWCN</b><br><b>SJN4S-AWCN</b>                          | 1" NPT, Element Included, Element Size: 25-64-xx<br><b>132VP-1"-70CX3</b><br><b>132VP-1"-03PLMGX1</b><br><b>132VP-1"-40CX3</b><br><b>132VP-1"-CCX1-TS</b>             |
| SAE8, Element Included, Element Size: xx11-036<br><b>SJS2S-4CWCN</b><br><b>SJS2S-AWCN</b>   | SAE8, Element Included, Element Size: 25-64-xx<br><b>132VP-SAE8-40CX3</b><br><b>132VP-SAE8-CCX1-TS</b>  |
| SAE12, Element Included, Element Size: xx11-036<br><b>SJS3S-4CWCN</b>   | SAE12, Element Included, Element Size: 25-64-xx<br><b>132VP-SAE12-40CX3</b>   |
| SAE16, Element Included, Element Size: xx11-036<br><b>SJS4S-10CWCN</b><br><b>SJS4S-4CWCN</b>  | SAE16, Element Included, Element Size: 25-64-xx<br><b>132VP-SAE16-70CX3</b><br><b>132VP-SAE16-40CX3</b>   |
| 1/2" NPT, Element Included, Element Size: xx11-036<br><b>SJN2L-4CWCN</b>  | 1/2" NPT, Element Included, Element Size: 25-127-xx<br><b>142VP-127-40CX3</b>   |
| 3/4" NPT, Element Included, Element Size: xx11-036<br><b>SJN3L-10CWCN</b><br><b>SJN3L-4CWCN</b>   | 3/4" NPT, Element Included, Element Size: 25-127-xx<br><b>142VP-3/4"-127-70CX3</b><br><b>142VP-3/4"-127-40CX3</b>   |
| 1" NPT, Element Included, Element Size: xx11-036<br><b>SJN4L-10CWCN</b><br><b>SJN4L-4CWCN</b>   | 1" NPT, Element Included, Element Size: 25-127-xx<br><b>142VP-1"-127-70CX3</b><br><b>142VP-1"-127-40CX3</b>   |

SAE8, Element Included, Element Size: xx11-036

**SJS2L-4CWCN**

SAE12, Element Included, Element Size: xx11-036

**SJS3L-10CWCN**

**SJS3L-4CWCN**

SAE16, Element Included, Element Size: xx11-036

**SJS4L-4CWCN**

1/2" NPT, Element Included, Element Size: xx11-072

**SJN2H-10WSN**

**SJN2H-4CWCN**

3/4" NPT, Element Included, Element Size: xx11-072

**SJN3H-10CWCN**

**SJN3H-4CWCN**

**SJN3H-AWCN**

1" NPT, Element Included, Element Size: xx11-072

**SJN4H-10CWCN**

**SJN4H-3PWCN**

**SJN4H-4CWCN**

**SJN4H-AWCN**

SAE12, Element Included, Element Size: xx11-072

**SJS3H-10CWCN**

**SJS3H-4CWCN**

SAE16, Element Included, Element Size: xx11-072

**SJS4H-10WSN**

**SJS4H-AWCN**

SAE8, Element Included, Element Size: 25-127-xx

**142VP-SAE8-127-40CX3**

SAE12, Element Included, Element Size: 25-127-xx

**142VP-SAE12-127-70CX3**

**142VP-SAE12-127-40CX3**

SAE16, Element Included, Element Size: 25-127-xx

**142VP-SAE16-127-40CX3**

1/2" NPT, Element Included, Element Size: 25-178-xx

**142VP-100SS**

**142VP-40CX3**

3/4" NPT, Element Included, Element Size: 25-178-xx

**142VP-3/4"-70CX3**

**142VP-3/4"-40CX3**

**142VP-3/4"-CC-TS**

1" NPT, Element Included, Element Size: 25-178-xx

**142VP-1"-70CX3**

**142VP-1"-03PLMGX1**

**142VP-1"-40CX3**

**142VP-1"-CCX1-TS**

SAE12, Element Included, Element Size: 25-178-xx

**142VP-SAE12-70CX3**

**142VP-SAE12-70CX3**

SAE16, Element Included, Element Size: 25-178-xx

**142VP-SAE16-100SS**

**142VP-SAE16-CCX1-TS**

## High Pressure Filter Housings

**Filter Housings are an alternative but Elements are not interchangeable**

Viton O-Rings are Standard, other O-Ring materials including Perfluoroelastomer are readily available.

### Finite® J Series Part Number

(Cast Iron Head , Carbon Steel Bowl & Internals)

### 130 Series

(316L Stainless Steel w/ Stainless Steel Internals)

1/4" NPT, Viton O-Rings, 5000 PSIG Max., Element Size: xJAK

**JN1A-4CN**

**JN1A-10CN**

**JN1A-3PN**

**JN1A-7CPN**

**JN1A-WSN**

1/4" NPT, Viton O-Rings, 6000 PSIG Max., Element Size: 25-64-xx

**130VP-40CSX1**

**130VP-70CSX1**

**130VP-03PLMGX1**

**130VP-70DPCX1**

**130VP-SS100**

Adsorption Cartridge Installed: AJAK

**JN1A-AN**

SAE4, Viton O-Rings, 5000 PSIG Max.

Element Size: xJAK

**JS1A-4CN**

**JS1A-10CN**

**JS1A-3PN**

**JS1A-7CPN**

**JS1A-WSN**

Adsorption Cartridge Installed: AJAK

**JS1A-AN**

1/2" NPT, Viton O-Rings, 5000 PSIG Max.

Element Size: xJAK

**JN2A-4CN**

**JN2A-10CN**

**JN2A-3PN**

**JN2A-7CPN**

**JN2A-WSN**

Adsorption Cartridge Installed: AJAK

**JN2A-AN**

SAE8, Viton O-Rings, 5000 PSIG Max.

Element Size: xJAK

**JS2A-4CN**

**JS2A-10CN**

**JS2A-3PN**

**JS2A-7CPN**

**JS2A-WSN**

Adsorption Cartridge Installed: AJAK

**JS2A-AN**

Adsorption Cartridge Installed: 25-64-CC-TSX1

**130VP-CC-TSX1**

SAE4, Viton O-Rings, 6000 PSIG Max.

Element Size: 25-64-xx

**130VP-SAE4-40CSX1**

**130VP-SAE4-70CSX1**

**130VP-SAE4-03PLMGX1**

**130VP-SAE4-70DPCX1**

**130VP-SAE4-SS100**

Adsorption Cartridge Installed: 25-64-CC-TSX1

**130VP-SAE4-CC-TSX1**

1/2" NPT, Viton O-Rings, 6000 PSIG Max.

Element Size: 25-64-xx

**132VP-40CSX1**

**132VP-70CSX1**

**132VP-03PLMGX1**

**132VP-70DPCX1**

**132VP-SS100**

Adsorption Cartridge Installed: 25-64-CC-TSX1

**132VP-CC-TSX1**

SAE8, Viton O-Rings, 6000 PSIG Max.

Element Size: 25-64-xx

**132VP-SAE8-40CSX1**

**132VP-SAE8-70CSX1**

**132VP-SAE8-03PLMGX1**

**132VP-SAE8-70DPCX1**

**132VP-SAE8-SS100**

Adsorption Cartridge Installed: 25-64-CC-TSX1

**132VP-SAE8-CC-TSX1**

### Finite® J Series Part Number

(Cast Iron Head , Carbon Steel Bowl & Internals)

### 140 Series

(316L Stainless Steel w/ Stainless Steel Internals)

1/2" NPT, Viton O-Rings, 5000 PSIG Max.

Element Size: xJBK

**JN2B-4CN**

**JN2B-10CN**

**JN2B-3PN**

**JN2B-7CPN**

**JN2B-WSN**

Adsorption Cartridge Installed: AJBK

**JN2B-AN**

1/2" NPT, Viton O-Rings, 6000 PSIG Max.

Element Size: 25-178-xx

**142VP-40CSX1**

**142VP-70CSX1**

**142VP-03PLMGX1**

**142VP-70DPCX1**

**142VP-SS100**

Adsorption Cartridge Installed: 25-178-CC-TSX1

**142VP-CC-TSX1**

SAE8, Viton O-Rings, 5000 PSIG Max.

Element Size: xJBK

**JS2B-4CN**

**JS2B-10CN**

**JS2B-3PN**

**JS2B-7CPN**

**JS2B-WSN**

Adsorption Cartridge Installed: AJBK

**JS2B-AN**

SAE8, Viton O-Rings, 6000 PSIG Max.

Element Size: 25-178-xx

**142VP-SAE8-40CSX1**

**142VP-SAE8-70CSX1**

**142VP-SAE8-03PLMGX1**

**142VP-SAE8-70DPCX1**

**142VP-SAE8-SS100**

Adsorption Cartridge Installed: 25-178-CC-TSX1

**142VP-SAE8-CC-TSX1**

**Finite® J Series Part Number**

**(Cast Iron Head , Carbon Steel Bowl & Internals)**

**150 Series**

**(316L Stainless Steel w/ Stainless Steel Internals)**

1 1/2" NPT, Buna-N O-Rings, 5000 PSIG Max.

Element Size: xJDK

**JN6D-4CN**

**JN6D-10CN**

**JN6D-3PN**

**JN6D-7CPN**

**JN6D-WSN**

Adsorption Cartridge Installed: AJDK

**JN6D-AN**

1 1/2" NPT, Viton O-Rings, 6000 PSIG Max.

Element Size: 51-230-xx

**151VP-4401-40CSX3**

**151VP-4401-70CSX3**

**151VP-4401-03PLMGX1**

**151VP-4401-70DPX3**

**151VP-4401-SS100**

Adsorption Cartridge Installed: 51-230-CCX3

**151VP-4401-CCX3**

SAE24, Buna-N O-Rings, 5000 PSIG Max., Element Size: xJDK

**JS6D-4CN**

**JS6D-10CN**

**JS6D-3PN**

**JS6D-7CPN**

**JS6D-WSN**

Adsorption Cartridge Installed: AJDK

**JS6D-AN**

SAE24, Viton O-Rings, 6000 PSIG Max., Element Size: 51-230-xx

**151VP-4401-SAE24-40CSX3**

**151VP-4401-SAE24-70CSX3**

**151VP-4401-SAE24-03PLMGX3**

**151VP-4401-SAE24-70DPCX3**

**151VP-4401-SAE24-SS100**

Adsorption Cartridge Installed: 51-230-CCX3

**151VP-4401-SAE24-CCX3**

2" NPT, Buna-N O-Rings, 5000 PSIG Max., Element Size: xJDK

**JN8E-4CN**

**JN8E-10CN**

**JN8E-3PN**

**JN8E-7CPN**

**JN8E-WSN**

Adsorption Cartridge Installed: AJEK

**JN8E-AN**

2" NPT, Viton O-Rings, 6000 PSIG Max., Element Size: 51-230-xx

**152VP-4401-40CSX3**

**152VP-4401-70CSX3**

**152VP-4401-03PLMGX3**

**152VP-4401-70DPCX3**

**152VP-4401-SS100**

Adsorption Cartridge Installed: 51-230-CCX3

**152VP-4401-CCX3**

SAE32, Buna-N O-Rings, 5000 PSIG Max.

Element Size: xJEK

**JS8E-4CN**

**JS8E-10CN**

**JS8E-3PN**

**JS8E-7CPN**

**JS8E-WSN**

Adsorption Cartridge Installed: AJEK

**JS8E-AN**

SAE32, Viton O-Rings, 6000 PSIG Max.

Element Size: 51-230-xx

**152VP-4401-SAE32-40CSX3**

**152VP-4401-SAE32-70CSX3**

**152VP-4401-SAE32-03PLMGX1**

**152VP-4401-SAE32-70DPCX3**

**152VP-4401-SAE32-SS100**

Adsorption Cartridge Installed: 51-230-CCX3

**152VP-4401-SAE32-CCX3**

**Finite® J Series Part Number**

**(Cast Iron Head , Carbon Steel Bowl, & Carbon Steel Internals)**

**UHPC Series**

**UFS/Headline Part**

**(Carbon Steel w/ Carbon Steel Internals, with Nickel/Chrome Coating)**

3/4" NPT, Buna-N O-Rings, 5000 PSIG Max.

Element Size: xJBK

- JN3B-4CN
- JN3B-10CN
- JN3B-3PN
- JN3B-7CPN
- JN3B-WSN

Adsorption Cartridge Installed: AJBK

JN3B-AN

1" NPT, Buna-N O-Rings, 5000 PSIG Max.

Element Size: xJCK

- JN4C-4CN
- JN4C-10CN
- JN4C-3PN
- JN4C-7CPN
- JN4C-WSN

Adsorption Cartridge Installed: AJCK

JN4C-AN

SAE12, Buna-N O-Rings, 5000 PSIG Max.

Element Size: xJBK

- JS3B-4CN
- JS3B-10CN
- JS3B-3PN
- JS3B-7CPN
- JS3B-WSN

Adsorption Cartridge Installed: AJBK

JS3B-AN

SAE16, Buna-N O-Rings, 5000 PSIG Max.

Element Size: xJCK

- JS4C-4CN
- JS4C-10CN
- JS4C-3PN
- JS4C-7CPN
- JS4C-WSN

Adsorption Cartridge Installed: AJCK

JS4C-AN

3/4" NPT, Viton O-Rings, 6000 PSIG Max.

Element Size: SL38-172-xx

- UHPC4SL-40CSX3
- UHPC4SL-70CSX3
- UHPC4SL-03PLX3
- UHPC4SL-70DPCX3
- UHPC4SL-SS100

Adsorption Cartridge Installed: SL38-172-CCX3

UHPC4SL-CCX3

1" NPT, Viton O-Rings, 6000 PSIG Max.

Element Size: SL38-172-xx

- UHPC5SL-40CSX3
- UHPC5SL-70CSX3
- UHPC5SL-03PLX3
- UHPC5SL-70DPCX3
- UHPC5SL-SS100

Adsorption Cartridge Installed: SL38-172-CCX3

UHPC5SL-CCX3

SAE12, Viton O-Rings, 6000 PSIG Max.

Element Size: SL38-172-xx

- UHPCSAE12-SL-40CSX3
- UHPCSAE12-SL-70CSX3
- UHPCSAE12-SL-03PLMGX1
- UHPCSAE12-SL-70DPCX3
- UHPCSAE12-SL-SS100

Adsorption Cartridge Installed: SL38-172-CCX3

UHPCSAE12-SL-CCX3

SAE16, Viton O-Rings, 6000 PSIG Max.

Element Size: SL38-172-xx

- UHPCSAE16-SL-40CSX3
- UHPCSAE16-SL-70CSX3
- UHPCSAE16-SL-03PLMGX3
- UHPCSAE16-SL-70DPCX3
- UHPCSAE16-SL-70CSX3

Adsorption Cartridge Installed: SL38-172-CCX3

UHPCSAE16-SL-CCX3

# Stainless Steel Bypass Filters & Stainless Steel Filter Housings

Filter Housings are an alternative with 100% Interchangeable Elements

Other O-Ring materials including Perfluoroelastomer are readily available.

## Finite® Part Number

(Stainless Steel Body & Internals)

## 120/122 Series

UFS/Headline Part

(Stainless Steel Body & Internals)

1/8" NPT, 1/8" Drain, Viton O-Rings, 5000 PSIG Max.

Element Size: xx04-023

S5R-4G04-023

S5R-4T04-023

S5R-4F04-023

S5R-4H04-023

S5R-4C04-023

S5R-6G04-023

S5R-6T04-023

S5R-6F04-023

S5R-6H04-023

S5R-6C04-023

S5R-8G04-023

S5R-8T04-023

S5R-8F04-023

S5R-8H04-023

S5R-8C04-023

S5R-10G04-023

S5R-10T04-023

S5R-10F04-023

S5R-10H04-023

S5R-10C04-023

1/8" NPT, 1/8" Drain, Viton O-Rings, 5000 PSIG Max.

Element Size: 12-57-xx

120B-40K

120B-40RPT

120B-40K

120B-40CS

120B-40C

120B-50K

120B-50RPT

120B-50K

120B-50CS

120B-50C

120B-60K

120B-60RPT

120B-60K

120B-60CS

120B-60C

120B-70K

120B-70RPT

120B-70K

120B-70CS

120B-70C

1/4" NPT, 1/4" Drain, Viton O-Rings, 5000 PSIG Max.

Element Size: xx04-023

S1R-4G04-023

S1R-4T04-023

S1R-4F04-023

S1R-4H04-023

S1R-4C04-023

S1R-6G04-023

S1R-6T04-023

S1R-6F04-023

S1R-6H04-023

S1R-6C04-023

1/4" NPT, 1/4" Drain, Viton O-Rings, 5000 PSIG Max.

Element Size: 12-57-xx

122B-40K

122B-40RPT

122B-40K

122B-40CS

122B-40C

122B-50K

122B-50RPT

122B-50K

122B-50CS

122B-50C

1/4" NPT, 1/4" Drain, Viton O-Rings, 5000 PSIG Max.

Element Size: xx04-023

S1R-8G04-023

S1R-8T04-023

S1R-8F04-023

S1R-8H04-023

S1R-8C04-023

S1R-10G04-023

S1R-10T04-023

S1R-10F04-023

S1R-10H04-023

S1R-10C04-023

1/8" NPT, 1/8" Drain, Viton O-Rings, 5000 PSIG Max.

S5R

1/4" NPT, 1/4" Drain, Viton O-Rings, 5000 PSIG Max.

S1R

1/4" NPT, 1/4" Drain, Viton O-Rings, 5000 PSIG Max.

Element Size: 12-57-xx

122B-60K

122B-60RPT

122B-60K

122B-60CS

122B-60C

122B-70K

122B-70RPT

122B-70K

122B-70CS

122B-70C

1/8" NPT, 1/8" Drain, Viton O-Rings, 5000 PSIG Max.

120B (Housing Only)

1/4" NPT, 1/4" Drain, Viton O-Rings, 5000 PSIG Max.

122B (Housing Only)

**Finite® Part Number**

**(Stainless Steel Body & Internals)**

**116IL Series**

**UFS/Headline Part**

**(Stainless Steel Body & Internals)**

1/4" NPT, Viton O-Rings, 5000 PSIG Max.

Element Size: xx04-013

S1IL-4G04-013

S1IL-4T04-013

S1IL-4F04-013

S1IL-6G04-013

S1IL-6T04-013

S1IL-6F04-013

S1IL-8G04-013

S1IL-8T04-013

S1IL-8F04-013

S1IL-10G04-013

S1IL-10T04-013

S1IL-10F04-013

1/4" NPT, Viton O-Rings, 5000 PSIG Max.

S1IL

1/4" NPT, Viton O-Rings, 5000 PSIG Max.

Element Size: 12-32-xx

116IL-40K

116IL-40RPT

116IL-40K

116IL-50K

116IL-50RPT

116IL-50K

116IL-60K

116IL-60RPT

116IL-60K

116IL-70K

116IL-70RPT

116IL-70K

1/4" NPT, Viton O-Rings, 5000 PSIG Max.

116IL (Housing Only)

# Small Internal Volume Stainless Steel Filter Housings

Filter Housings are an alternative with 100% Interchangeable Elements

Other O-Ring materials including Perfluoroelastomer are readily available.

| <b>Finite® Part Number</b><br><b>(Stainless Steel Head &amp; Internals, w/ Pyrex Glass Bowl)</b> | <b>137G/138G Series</b><br><b>(SS Plates &amp; Internals, w/ Pyrex Glass Bowl)</b> |
|--|--|
| <b>1/4" NPT, Viton O-Rings, 100 PSIG Max., Element Size: xx10-025</b>                            | <b>1/4" NPT, Viton O-Rings, 100 PSIG Max., Element Size: 25-64-xx</b>              |
| S1PS-4G10-025  | 137G-40K   |
| S1PS-4T10-025  | 137G-40S   |
| S1PS-4F10-025  | 137G-40K   |
| S1PS-4H10-025  | 137G-40CS  |
| S1PS-6G10-025  | 137G-50K   |
| S1PS-6T10-025  | 137G-50S   |
| S1PS-6F10-025  | 137G-50K   |
| S1PS-6H10-025  | 137G-50CS  |
| <br>   |  |
| S1PS-8G10-025  | 137G-60K   |
| S1PS-8T10-025  | 137G-640S  |
| S1PS-8F10-025  | 137G-60K   |
| S1PS-8H10-025  | 137G-60CS  |
| S1PS-10G10-025   | 137G-70K   |
| S1PS-10T10-025   | 137G-70S   |
| S1PS-10F10-025   | 137G-70K   |
| S1PS-10H10-025   | 137G-70CS  |
| <br>   |  |
| <b>1/4" NPT, Viton O-Rings, 100 PSIG Max., No Element Installed</b>                              | <b>1/4" NPT, Viton O-Rings, 100 PSIG Max., No Element Installed</b>                |
| S1PS X1  | 137G   |
| <br>   |  |
| <b>1/2" NPT, Viton O-Rings, 100 PSIG Max., Element Size: xx10-025</b>                            | <b>1/2" NPT, Viton O-Rings, 100 PSIG Max., Element Size: 25-64-xx</b>              |
| S2PS-4G10-025  | 138G-40K   |
| S2PS-4T10-025  | 138G-40S   |
| S2PS-4F10-025  | 138G-40K   |
| S2PS-4H10-025  | 138G-40CS  |
| S2PS-6G10-025  | 138G-50K   |
| S2PS-6T10-025  | 138G-50S   |
| S2PS-6F10-025  | 138G-50K   |
| S2PS-6H10-025  | 138G-50CS  |
| <br>   |  |
| S2PS-8G10-025  | 138G-60K   |
| S2PS-8T10-025  | 138G-640S  |
| S2PS-8F10-025  | 138G-60K   |
| S2PS-8H10-025  | 138G-60CS  |
| S2PS-10G10-025   | 138G-70K   |
| S2PS-10T10-025   | 138G-70S   |
| S2PS-10F10-025   | 138G-70K   |
| S2PS-10H10-025   | 138G-70CS  |



1/2" NPT, Viton O-Rings, 100 PSIG Max., No Element Installed

**S2PS X1**

1/2" NPT, Viton O-Rings, 100 PSIG Max., No Element Installed

**138G**

**Finite® Part Number**  
**(Stainless Steel Body & Internals)**

**137/138 Series**  
**(Stainless Steel Body & Internals)**

1/4" NPT, Viton O-Rings, 425 PSIG Max., Element Size: xx10-025

**S1SS-4G10-025**

**S1SS-4T10-025**

**S1SS-4F10-025**

**S1SS-4H10-025**

**S1SS-6G10-025**

**S1SS-6T10-025**

**S1SS-6F10-025**

**S1SS-6H10-025**

**S1SS-8G10-025**

**S1SS-8T10-025**

**S1SS-8F10-025**

**S1SS-8H10-025**

**S1SS-10G10-025**

**S1SS-10T10-025**

**S1SS-10F10-025**

**S1SS-10H10-025**

1/4" NPT, Viton O-Rings, 150 PSIG Max., Element Size: 25-64-xx

**137-40K**

**137-40S**

**137-40K**

**137-40CS**

**137-50K**

**137-50S**

**137-50K**

**137-50CS**

**137-60K**

**137-60S**

**137-60K**

**137-60CS**

**137-70K**

**137-70S**

**137-70K**

**137-70CS**

1/4" NPT, Viton O-Rings, 425 PSIG Max., No Element Installed

**S1SS X1**

1/4" NPT, Viton O-Rings, 150 PSIG Max., No Element Installed

**137**

1/2" NPT, Viton O-Rings, 425 PSIG Max., Element Size: xx10-025

**S2SS-4G10-025**

**S2SS-4T10-25**

**S2SS-4F10-025**

**S2SS-4H10-025**

**S2SS-6G10-025**

**S2SS-6T10-025**

**S2SS-6F10-025**

**S2SS-6H10-025**

**S2SS-8G10-025**

**S2SS-8T10-25**

**S2SS-8F10-025**

**S2SS-8H10-025**

**S2SS-10G10-025**

**S2SS-10T10-025**

**S2SS-10F10-025**

**S2SS-10H10-025**

1/2" NPT, Viton O-Rings, 150 PSIG Max., Element Size: 25-64-xx

**138-40K**

**138-40S**

**138-40K**

**138-40CS**

**138-50K**

**138-50S**

**138-50K**

**138-50CS**

**138-60K**

**138-60S**

**138-60K**

**138-60CS**

**138-70K**

**138-70S**

**138-70K**

**138-70CS**

1/2" NPT, Viton O-Rings, 425 PSIG Max., No Element Installed

**S2SS X1**

1/2" NPT, Viton O-Rings, 150 PSIG Max., No Element Installed

**138**

**Finite® Part Number****(Stainless Steel Head & Internals, w/ Pyrex Glass Bowl)****147G/148G Series****(SS Plates & Internals, w/ Pyrex Glass Bowl)**

1/4" NPT, Viton O-Rings, 100 PSIG Max.

Element Size: xx10-070

**S1PL-4G10-070****S1PL-4T10-070****S1PL-4F10-070****S1PL-4H10-070****S1PL-6G10-070****S1PL-6T10-070****S1PL-6F10-070****S1PL-6H10-070****S1PL-8G10-070****S1PL-8T10-070****S1PL-8F10-070****S1PL-8H10-070****S1PL-10G10-070****S1PL-10T10-070****S1PL-10F10-070****S1PL-10H10-070**

1/4" NPT, Viton O-Rings, 100 PSIG Max.

Element Size: 25-178-xx

**147G-40K****147G-40S****147G-40K****147G-40CS****147G-50K****147G-50S****147G-50K****147G-50CS****147G-60K****147G-60S****147G-60K****147G-60CS****147G-70K****147G-70S****147G-70K****147G-70CS**

1/4" NPT, Viton O-Rings, 100 PSIG Max., No Element Installed

**S1PL X1**

1/4" NPT, Viton O-Rings, 100 PSIG Max., No Element Installed

**147G**

1/2" NPT, Viton O-Rings, 100 PSIG Max.

Element Size: xx10-070

**S2PL-4G10-070****S2PL-4T10-070****S2PL-4F10-070****S2PL-4H10-070****S2PL-6G10-070****S2PL-6T10-070****S2PL-6F10-070****S2PL-6H10-070****S2PL-8G10-070****S2PL-8T10-070****S2PL-8F10-070****S2PL-8H10-070****S2PL-10G10-070****S2PL-10T10-070****S2PL-10F10-070****S2PL-10H10-070**

1/2" NPT, Viton O-Rings, 100 PSIG Max.

Element Size: 25-178-xx

**148G-40K****148G-40S****148G-40K****148G-40CS****148G-50K****148G-50S****148G-50K****148G-50CS****148G-60K****148G-60S****148G-60K****148G-60CS****148G-70K****148G-70S****148G-70K****148G-70CS**

1/2" NPT, Viton O-Rings, 100 PSIG Max., No Element Installed

**S2PL X1**

1/2" NPT, Viton O-Rings, 100 PSIG Max., No Element Installed

**148G**

**Finite® Part Number**  
**(Stainless Steel Body & Internals)**

**147/148 Series**  
**(Stainless Steel Body & Internals)**

1/4" NPT, Viton O-Rings, 250 PSIG Max.

Element Size: xx10-070

**S1SL-4G10-070**

**S1SL-4T10-070**

**S1SL-4F10-070**

**S1SL-4H10-070**

**S1SL-6G10-070**

**S1SL-6T10-070**

**S1SL-6F10-070**

**S1SL-6H10-070**

**S1SL-8G10-070**

**S1SL-8T10-070**

**S1SL-8F10-070**

**S1SL-8H10-070**

**S1SL-10G10-070**

**S1SL-10T10-070**

**S1SL-10F10-070**

**S1SL-10H10-070**

1/4" NPT, Viton O-Rings, 150 PSIG Max.

Element Size: 25-178-xx

**147-40K**

**147-40S**

**147-40K**

**147-40CS**

**147-50K**

**147-50S**

**147-50K**

**147-50CS**

**147-60K**

**147-60S**

**147-60K**

**147-60CS**

**147-70K**

**147-70S**

**147-70K**

**147-70CS**

1/4" NPT, Viton O-Rings, 250 PSIG Max., No Element Installed

**S1SL X1**

1/4" NPT, Viton O-Rings, 150 PSIG Max., No Element Installed

**147**

1/2" NPT, Viton O-Rings, 250 PSIG Max.

Element Size: xx10-070

**S2SL-4G10-070**

**S2SL-4T10-070**

**S2SL-4F10-070**

**S2SL-4H10-070**

**S2SL-6G10-070**

**S2SL-6T10-070**

**S2SL-6F10-070**

**S2SL-6H10-070**

**S2SL-8G10-070**

**S2SL-8T10-070**

**S2SL-8F10-070**

**S2SL-8H10-070**

**S2SL-10G10-070**

**S2SL-10T10-070**

**S2SL-10F10-070**

**S2SL-10H10-070**

1/2" NPT, Viton O-Rings, 150 PSIG Max.

Element Size: 25-178-xx

**148-40K**

**148-40S**

**148-40K**

**148-40CS**

**148-50K**

**148-50S**

**148-50K**

**148-50CS**

**148-60K**

**148-60S**

**148-60K**

**148-60CS**

**148-70K**

**148-70S**

**148-70K**

**148-70CS**

1/2" NPT, Viton O-Rings, 250 PSIG Max., No Element Installed

**S2SL X1**

1/2" NPT, Viton O-Rings, 150 PSIG Max., No Element Installed

**148**

# High Flow Stainless Steel Filter Housings

Filter Housings are an alternative with 100% Interchangeable Elements

Other O-Ring materials including Perfluoroelastomer are readily available.

## Finite® Part Number

(Economical Stainless Steel Assemblies)

3/4" NPT, Viton O-Rings, 1/4" Drain, 150 PSIG Max.

Element Size: xx13-087

**S3C-4CU-13-087**

**S3C-6CU-13-087**

**S3C-8CU-13-087**

**S3C-10CU-13-087**

**S3C-3PU-13-087**

**S3C-AU-130-087**

1" NPT, Viton O-Rings, 1/4" Drain, 150 PSIG Max.

Element Size: xx13-087

**S4C-4CU-13-087**

**S4C-6CU-13-087**

**S4C-8CU-13-087**

**S4C-10CU-13-087**

**S4C-3PU-13-087**

**S4C-AU-13-087**

## SLH Series

UFS/Headline Part

(304 Stainless Steel Assemblies)

3/4" NPT, Viton O-Rings, 1/8" Drain, 250 PSIG Max.

Element Size: LE-820-xx

**SLH820-3/4"-40CS**

**SLH820-3/4"-50CS**

**SLH820-3/4"-60CS**

**SLH820-3/4"-70CS**

**SLH820-3/4"-03PLMG**

**SLH820-3/4"-CC**

1" NPT, Viton O-Rings, 1/8" Drain, 250 PSIG Max.

Element Size: LE-820-xx

**SLH820-1"-40CS**

**SLH820-1"-50CS**

**SLH820-1"-60CS**

**SLH820-1"-70CS**

**SLH820-1"-03PLMG**

**SLH820-1"-CC**

## Finite® Part Number

(High Flow Stainless Steel Housing,  
Filter Element Sold Separately)

2" NPT, Viton O-Rings, 500 PSIG Max.

Element Size: xx24-187

**SN8S x 1 (Housing Only)**

**SN8S-4CU**

**SN8S-6CU**

**SN8S-8CU**

**SN8S-10CU**

**SN8S-3PU**

**SN8S-AU**

**SN8S-7CVP**

**SN8S-100WS**

## 162 Series

UFS/Headline Part

(316L Stainless Steel, Element Sold Separately)

2" NPT, Viton O-Rings, 1,500 PSIG Max.

Element Size: 51-476-xx

**162 (Housing Only)**

**162-40CS**

**162-50CS**

**162-60CS**

**162-70CS**

**162-03PLMG**

**162-CC-TS**

**162-70CS/03PLMGX1**

**162-SS-100**

